

# TECHNICAL MEMORANDUM



**DATE:** March 6, 2025  
**TO:** Jordan Werkmeister, Psomas  
**FROM:** Haseeb Qureshi, Ali Dadabhoy, Urban Crossroads, Inc.  
**JOB NO:** 16380-02 AQ LST Memo

---

## **SUBJECT: TERRAVITA AQ LST ASSESSMENT**

Urban Crossroads, Inc. is pleased to provide the following AQ LST Assessment for the Terravita (Project), which is located northeast of the intersection of Ridge Route Drive and Mill Creek Road City of Laguna Hills.

### **PROJECT OVERVIEW**

The project includes 254 attached single-family units and 210 multifamily units. The single-family units include duets (46 units), duplexes (108 units), and triplexes (108 units), all three stories in height. The multifamily building is five stories in height with 210 apartment units wrapped around a parking structure. Twenty-four of the total units will be restricted for very low-income households.

## LOCALIZED CONSTRUCTION EMISSIONS

### BACKGROUND ON LST DEVELOPMENT

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4.<sup>1</sup> LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the *LST Methodology* (1).

### EMISSIONS CONSIDERED

Based on SCAQMD's *LST Methodology*, emissions for concern during construction activities are on-site NO<sub>x</sub>, CO, PM<sub>2.5</sub>, and PM<sub>10</sub>. The *LST Methodology* clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (2)." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered.

### DISPERSION MODELING

In order to estimate localized pollutant concentrations resulting from Project construction, the SCAQMD-approved American Meteorological Society/EPA Regulatory Model (AERMOD) dispersion model was utilized. The modeling approach utilized is discussed as follows:

### SOURCES

It should be noted that in order to model worst-case conditions, the highest daily peak on-site emissions resulting from overlapping construction activity were modeled.

A ground level release height and a 1 meter (approximately 3.28 feet) initial vertical dimension (sigma z) were utilized for fugitive dust emissions of PM<sub>10</sub> and PM<sub>2.5</sub> consistent with SCAQMD's LST guidance.

---

<sup>1</sup> The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "...equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."

In order to account for equipment exhaust emissions from NO<sub>2</sub>, CO, PM<sub>10</sub>, and PM<sub>2.5</sub> a release height of 5.0 meters was utilized consistent with SCAQMD's LST guidance.

### **METEOROLOGICAL DATA AND MODEL OPTIONS**

In order to account for meteorological conditions at the Project site, meteorological data from the SCAQMD's Mission Viejo monitoring station was utilized, as this is the nearest station to the Project site for which meteorological data is available. Additionally, a receptor height of 2 meters and regulatory default options were utilized consistent with SCAQMD's LST guidance.

### **RECEPTORS**

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities.

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors." These structures typically include uses such as residences, hotels, and hospitals where an individual can remain for 24 hours. Consistent with the LST Methodology, the nearest land use where an individual could remain for 24 hours to the Project site has been used to determine construction and operational air quality impacts for emissions of PM<sub>10</sub> and PM<sub>2.5</sub>, since PM<sub>10</sub> and PM<sub>2.5</sub> thresholds are based on a 24-hour averaging time.

LSTs apply, even for non-sensitive land uses, consistent with *LST Methodology* and SCAQMD guidance. Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain on-site for a full 24 hours but are typically on-site for 8 hours or less. However, *LST Methodology* explicitly states that "*LSTs based on shorter averaging periods, such as the NO<sub>2</sub> and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours (2).*" Therefore, any adjacent land use where an individual could remain for 1 or 8 hours, that is located at a closer distance to the Project site than the receptor used for PM<sub>10</sub> and PM<sub>2.5</sub> analysis, must be considered to determine construction and operational LST air impacts for emissions of NO<sub>2</sub> and CO since these pollutants have an averaging time of 1 and 8 hours.

### **PROJECT-RELATED RECEPTORS**

Receptors in the Project area are described below and shown on Exhibit 1. Localized air quality impacts were evaluated at receptor land uses nearest the Project site. All distances are measured from the Project site boundary to the outdoor living areas (e.g., backyards) or at the building façade, whichever is closer to the Project site.

- R1: Location R1 represents the existing residence at 23416 Caminito Salado, approximately 81 feet southwest of the Project site. Since there are no private outdoor living areas (backyards) facing the Project site, receptor R1 is placed at the residential building façade.

- R2: Location R2 represents the Qualified Home Loans at 23330 Mill Creek Drive, adjacent to the southwest of the Project site. Receptor R2 is placed at the building façade.
- R3: Location R3 represents the New Vista School at 23092 Mill Creek Dr, approximately 224 feet north of the Project site. R3 is placed at the private outdoor living areas (backyard) facing the Project site.
- R4: Location R4 represents Cryptozoic Entertainment at 23212 Mill Creek Dr, adjacent to the northwest of the Project site. Receptor R4 is placed at the building façade.
- R5: Location R5 represents the existing residence at 23335 Caminito Basilio, approximately 126 feet west of the Project site. Since there are no private outdoor living areas (backyards) facing the Project site, receptor R5 is placed at the residential building façade.
- R6: Location R6 represents the existing commercial building at 24401 Ridge Rte Dr, adjacent to the northwest of the Project site. Receptor R6 is placed at the building façade.

The SCAQMD recommends that the nearest sensitive receptor be considered when determining a Project's impact. The nearest land use where an individual could remain for 24 hours to the Project site has been used to determine localized construction and operational air quality impacts for emissions of PM<sub>10</sub> and PM<sub>2.5</sub> (since PM<sub>10</sub> and PM<sub>2.5</sub> thresholds are based on a 24-hour averaging time). As previously stated, and consistent with LST Methodology, the nearest industrial/commercial use to the Project site is used to determine construction and operational LST air impacts for emissions of NO<sub>x</sub> and CO as the averaging periods for these pollutants are shorter (8 hours or less) and it is reasonable to assumed that an individual could be present at these sites for periods of one to 8 hours.

### EXHIBIT 1: SENSITIVE RECEPTOR LOCATIONS



**LEGEND:**

- Site Boundary
- ◆ Receptor Locations
- Distance from receptor to Project site boundary (in feet)

## CONSTRUCTION-SOURCE EMISSIONS LST ANALYSIS

Emissions during the peak construction activity will not exceed the SCAQMD’s localized significance thresholds at the maximally exposed receptor location, as illustrated on Table 1. All other modeled locations in the study area would experience a lesser concentration and consequently a lesser impact. As such, the Project’s localized impacts during construction activity would be less than significant. Outputs for the model runs from CalEEMod and AERMOD for construction LSTs are provided in Appendix 1 and Appendix 3. It should be noted that in order to account for a conservative condition, the peak day construction emissions were modeled based on a review of all construction subphases (e.g., site preparation, grading, building construction, paving, coatings). Additionally, based on the SCAQMD LST guidance, the background concentrations for CO and NO<sub>2</sub> are to be added to the model concentrations. However, because the basin exceeds the federal or state PM<sub>10</sub> and PM<sub>2.5</sub> standards, background concentrations for these pollutants are not considered.

**TABLE 1: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION – WITHOUT MITIGATION**

Peak Construction	CO		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	0.10	0.04	1.14E-02	7.30	3.77
Background Concentration <sup>A</sup>	2.4	1.9	0.072		
<b>Total Concentration</b>	<b>2.50</b>	<b>1.94</b>	<b>0.08</b>	<b>7.30</b>	<b>3.77</b>
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>

<sup>A</sup> Highest concentration from the last three years of available data. Per SCAQMD LST guidance, PM<sub>10</sub> and PM<sub>2.5</sub> background concentrations are not considered.

Notes: PM<sub>10</sub> and PM<sub>2.5</sub> concentrations are expressed in µg/m<sup>3</sup>. All others are expressed in ppm. Threshold based on SCAQMD guidance: <https://www.aqmd.gov/docs/default-source/ceqa/handbook/south-coast-aqmd-air-quality-significance-thresholds.pdf?sfvrsn=25>

## OPERATIONAL-SOURCE EMISSIONS LST ANALYSIS

The LST analysis generally includes on-site sources (area, energy and mobile sources). However, it should be noted that the CalEEMod outputs do not separate on-site and off-site emissions from mobile sources. As such, to establish a maximum potential impact scenario for analytic purposes, the modeled emissions include all on-site Project-related stationary (area) sources and on-site Project-related mobile emissions. In order to account for on-site mobile emissions, a trip length of 0.30 miles was utilized for both trucks and passenger cars.

In order to account for any potential impacts to on-site receptors as a result of operational activity, a scenario conservatively assuming 2028 emissions was analyzed. Outputs for the model runs from CalEEMod and AERMOD for operational LSTs are provided in Appendix 2 and Appendix 3. As shown in Table 2 below, emissions would not exceed SCAQMD’s localized significance thresholds at the maximally exposed on-site receptors as a result of operational activities.

**TABLE 2: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONAL**

Peak Construction	CO		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	4.54E-02	3.07E-02	1.29E-03	0.39	0.11
Background Concentration <sup>^</sup>	2.4	1.9	0.072		
<b>Total Concentration</b>	<b>2.45</b>	<b>1.93</b>	<b>0.07</b>	<b>0.39</b>	<b>0.11</b>
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>

<sup>^</sup> Highest concentration from the last three years of available data. Per SCAQMD LST guidance, PM<sub>10</sub> and PM<sub>2.5</sub> background concentrations are not considered.

Notes: PM10 and PM2.5 concentrations are expressed in µg/m<sup>3</sup>. All others are expressed in ppm. Threshold based on SCAQMD guidance: <https://www.aqmd.gov/docs/default-source/ceqa/handbook/south-coast-aqmd-air-quality-significance-thresholds.pdf?sfvrsn=25>

## REFERENCES

1. **Lake Environmental.** US EPA Models. *Lake Environmental.* [Online]  
[http://www.weblakes.com/download/us\\_epa.html](http://www.weblakes.com/download/us_epa.html).
2. **South Coast Air Quality Management District.** *Localized Significance Thresholds Methodology.*  
s.l. : South Coast Air Quality Management District, 2008.

**APPENDIX 1:**  
**CALEEMOD CONSTRUCTION AND OPERATIONAL EMISSIONS**

# Terravita Detailed Report

## Table of Contents

1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
  - 2.1. Construction Emissions Compared Against Thresholds
  - 2.2. Construction Emissions by Year, Unmitigated
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
3. Construction Emissions Details
  - 3.1. Demolition (2025) - Unmitigated
  - 3.3. Site Preparation (2025) - Unmitigated
  - 3.5. Grading (2025) - Unmitigated
  - 3.7. Grading (2026) - Unmitigated
  - 3.9. Building Construction (2026) - Unmitigated

3.11. Building Construction (2027) - Unmitigated

3.13. Paving (2027) - Unmitigated

3.15. Architectural Coating (2027) - Unmitigated

3.17. Architectural Coating (2028) - Unmitigated

#### 4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

#### 4.7. Offroad Emissions By Equipment Type

##### 4.7.1. Unmitigated

#### 4.8. Stationary Emissions By Equipment Type

##### 4.8.1. Unmitigated

#### 4.9. User Defined Emissions By Equipment Type

##### 4.9.1. Unmitigated

#### 4.10. Soil Carbon Accumulation By Vegetation Type

##### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

##### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

##### 4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

### 5. Activity Data

#### 5.1. Construction Schedule

#### 5.2. Off-Road Equipment

##### 5.2.1. Unmitigated

#### 5.3. Construction Vehicles

##### 5.3.1. Unmitigated

#### 5.4. Vehicles

##### 5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

# 1. Basic Project Information

## 1.1. Basic Project Information

Data Field	Value
Project Name	Terravita
Construction Start Date	11/1/2025
Operational Year	2028
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	6.00
Location	Mill Creek Dr & Ridge Rte Dr, Laguna Hills, CA 92653, USA
County	Orange
City	Laguna Hills
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5929
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

## 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	46.0	Dwelling Unit	3.24	142,669	87,990	—	137	Lot 1 - Single Family Attached "A"

Single Family Housing	108	Dwelling Unit	5.47	279,900	54,700	—	322	Lot 2 - Single Family Attached "B"
Single Family Housing	100	Dwelling Unit	6.62	308,650	8,193	—	298	Lot 3 - Single Family Attached "C"
Apartments Mid Rise	210	Dwelling Unit	2.40	233,418	0.00	—	626	Lot 4 Multi-Family
City Park	0.38	Acre	0.38	0.00	16,552	16,552	—	Lot A - Terrace Park
City Park	0.40	Acre	0.40	0.00	17,424	17,424	—	Lot B - Corner Park
Other Asphalt Surfaces	4.33	Acre	0.00	0.00	0.00	—	—	Internal Drive Aisles
Enclosed Parking with Elevator	161	1000sqft	0.00	161,000	0.00	—	—	MFR Parking Structure

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

## 2. Emissions Summary

### 2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	27.3	9.64	45.4	0.06	0.23	4.75	4.97	0.21	1.14	1.36	0.54	20.5	11,258
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	30.7	43.4	72.8	0.29	0.55	21.3	21.9	0.55	8.93	9.48	5.11	1.76	41,772
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	13.0	8.64	34.5	0.05	0.20	3.83	3.99	0.19	1.15	1.30	0.46	6.47	9,018

Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.38	1.58	6.30	0.01	0.04	0.70	0.73	0.03	0.21	0.24	0.08	1.07	1,493

## 2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.00	9.64	45.4	0.06	0.23	4.75	4.97	0.21	1.14	1.36	0.54	20.5	11,258
2027	1.82	9.45	44.3	0.06	0.21	4.75	4.96	0.20	1.14	1.34	0.53	18.5	11,136
2028	27.3	3.60	6.05	0.02	0.04	1.34	1.39	0.04	0.34	0.38	0.27	6.36	3,000
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	1.57	43.4	64.1	0.29	0.55	21.3	21.9	0.55	8.93	9.48	5.11	1.76	41,772
2026	2.00	11.9	44.4	0.10	0.23	7.56	7.79	0.23	3.22	3.45	0.98	0.53	13,142
2027	30.7	22.6	72.8	0.13	0.55	7.20	7.76	0.52	1.77	2.29	1.18	0.83	19,889
2028	27.3	3.71	5.66	0.02	0.04	1.34	1.39	0.04	0.34	0.38	0.29	0.16	2,965
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.18	2.93	6.37	0.02	0.05	1.38	1.43	0.05	0.41	0.46	0.27	1.62	2,726
2026	1.26	7.41	31.4	0.05	0.16	3.83	3.99	0.16	1.15	1.30	0.46	5.89	8,261
2027	5.28	8.64	34.5	0.05	0.20	3.70	3.90	0.19	0.89	1.08	0.46	6.47	9,018
2028	13.0	1.77	2.75	0.01	0.02	0.64	0.66	0.02	0.16	0.18	0.14	1.31	1,422
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.03	0.53	1.16	< 0.005	0.01	0.25	0.26	0.01	0.08	0.08	0.04	0.27	451
2026	0.23	1.35	5.72	0.01	0.03	0.70	0.73	0.03	0.21	0.24	0.08	0.97	1,368
2027	0.96	1.58	6.30	0.01	0.04	0.68	0.71	0.03	0.16	0.20	0.08	1.07	1,493

2028	2.38	0.32	0.50	< 0.005	< 0.005	0.12	0.12	< 0.005	0.03	0.03	0.02	0.22	235
------	------	------	------	---------	---------	------	------	---------	------	------	------	------	-----

## 2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	35.0	6.54	107	0.20	0.14	19.4	19.5	0.12	4.91	5.04	0.89	63.5	26,128
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	31.5	6.76	69.2	0.19	0.11	19.4	19.5	0.10	4.91	5.02	0.92	8.38	25,217
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	32.8	6.24	85.4	0.17	0.12	17.0	17.2	0.11	4.32	4.43	0.83	28.5	23,206
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	5.98	1.14	15.6	0.03	0.02	3.11	3.13	0.02	0.79	0.81	0.14	4.72	3,842

## 2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.28	6.23	74.1	0.20	0.11	19.4	19.5	0.10	4.91	5.02	0.77	56.6	20,444
Area	25.8	0.31	33.4	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	99.5
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.03	—	4,563
Water	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	672

Refrig.	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Total	35.0	6.54	107	0.20	0.14	19.4	19.5	0.12	4.91	5.04	0.89	63.5	26,128
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.21	6.76	69.2	0.19	0.11	19.4	19.5	0.10	4.91	5.02	0.81	1.47	19,632
Area	22.3	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.03	—	4,563
Water	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Refrig.	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Total	31.5	6.76	69.2	0.19	0.11	19.4	19.5	0.10	4.91	5.02	0.92	8.38	25,217
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.08	6.03	62.6	0.17	0.10	17.0	17.1	0.09	4.32	4.42	0.71	21.6	17,553
Area	24.7	0.21	22.9	< 0.005	0.02	—	0.02	0.01	—	0.01	< 0.005	—	68.2
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.03	—	4,563
Water	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Refrig.	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Total	32.8	6.24	85.4	0.17	0.12	17.0	17.2	0.11	4.32	4.43	0.83	28.5	23,206
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.47	1.10	11.4	0.03	0.02	3.11	3.13	0.02	0.79	0.81	0.12	3.58	2,906
Area	4.50	0.04	4.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	11.3
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.01	—	755
Water	—	—	—	—	—	—	—	—	—	—	0.01	—	56.7
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	111
Refrig.	—	—	—	—	—	—	—	—	—	—	—	1.14	1.14
Total	5.98	1.14	15.6	0.03	0.02	3.11	3.13	0.02	0.79	0.81	0.14	4.72	3,842

### 3. Construction Emissions Details

#### 3.1. Demolition (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.25	8.47	44.3	0.07	0.29	—	0.29	0.28	—	0.28	0.06	—	7,992
Demolition	—	—	—	—	—	6.04	6.04	—	0.91	0.91	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.70	3.64	0.01	0.02	—	0.02	0.02	—	0.02	0.01	—	657
Demolition	—	—	—	—	—	0.50	0.50	—	0.08	0.08	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.13	0.66	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	109
Demolition	—	—	—	—	—	0.09	0.09	—	0.01	0.01	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.13	0.15	1.82	0.00	0.00	0.49	0.49	0.00	0.11	0.11	0.02	0.05	479
Vendor	0.03	1.20	0.59	0.01	0.01	0.30	0.31	0.01	0.08	0.09	0.15	0.08	1,164
Hauling	0.15	9.61	4.13	0.05	0.10	1.98	2.07	0.10	0.55	0.65	1.23	0.42	8,009
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.16	0.00	0.00	0.04	0.04	0.00	0.01	0.01	< 0.005	0.07	40.0
Vendor	< 0.005	0.10	0.05	< 0.005	< 0.005	0.02	0.03	< 0.005	0.01	0.01	0.01	0.11	95.8
Hauling	0.01	0.80	0.34	< 0.005	0.01	0.16	0.17	0.01	0.05	0.05	0.10	0.57	659
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	< 0.005	0.01	6.62
Vendor	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.02	15.9
Hauling	< 0.005	0.15	0.06	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	0.02	0.09	109

### 3.3. Site Preparation (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.81	4.22	45.8	0.08	0.16	—	0.16	0.16	—	0.16	0.07	—	8,662
Dust From Material Movement	—	—	—	—	—	12.8	12.8	—	6.58	6.58	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.12	1.26	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	237
Dust From Material Movement	—	—	—	—	—	0.35	0.35	—	0.18	0.18	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	0.02	0.23	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	39.3
Dust From Material Movement	—	—	—	—	—	0.06	0.06	—	0.03	0.03	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.11	1.33	0.00	0.00	0.36	0.36	0.00	0.08	0.08	0.01	0.04	351
Vendor	0.03	1.20	0.59	0.01	0.01	0.30	0.31	0.01	0.08	0.09	0.15	0.08	1,164
Hauling	0.61	37.9	16.3	0.20	0.38	7.80	8.18	0.38	2.19	2.57	4.87	1.64	31,595
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	< 0.005	0.02	9.77
Vendor	< 0.005	0.03	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	0.04	31.9
Hauling	0.02	1.05	0.44	0.01	0.01	0.21	0.22	0.01	0.06	0.07	0.13	0.75	866
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	< 0.005	< 0.005	1.62
Vendor	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	5.29

Hauling	< 0.005	0.19	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.12	143
---------	---------	------	------	---------	---------	------	------	---------	------	------	------	------	-----

### 3.5. Grading (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.78	4.71	39.6	0.06	0.17	—	0.17	0.16	—	0.16	0.05	—	6,522
Dust From Material Movement	—	—	—	—	—	5.54	5.54	—	2.67	2.67	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.05	0.39	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	63.8
Dust From Material Movement	—	—	—	—	—	0.05	0.05	—	0.03	0.03	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	0.01	0.07	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	10.6
Dust From Material Movement	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.12	0.14	1.69	0.00	0.00	0.46	0.46	0.00	0.11	0.11	0.02	0.05	447
Vendor	0.03	1.20	0.59	0.01	0.01	0.30	0.31	0.01	0.08	0.09	0.15	0.08	1,164
Hauling	0.10	6.16	2.65	0.03	0.06	1.27	1.33	0.06	0.36	0.42	0.79	0.27	5,130
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	< 0.005	0.01	4.44
Vendor	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	11.4
Hauling	< 0.005	0.06	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	0.01	0.04	50.2
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	< 0.005	< 0.005	0.74
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	1.89
Hauling	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	8.32

### 3.7. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.77	4.69	39.6	0.06	0.16	—	0.16	0.16	—	0.16	0.05	—	6,522

Dust From Material Movement	—	—	—	—	—	5.54	5.54	—	2.67	2.67	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.75	6.36	0.01	0.03	—	0.03	0.03	—	0.03	0.01	—	1,047
Dust From Material Movement	—	—	—	—	—	0.89	0.89	—	0.43	0.43	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.14	1.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	173
Dust From Material Movement	—	—	—	—	—	0.16	0.16	—	0.08	0.08	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.12	0.12	1.59	0.00	0.00	0.46	0.46	0.00	0.11	0.11	0.02	0.04	439
Vendor	0.02	1.16	0.57	0.01	0.01	0.30	0.31	0.01	0.08	0.09	0.15	0.07	1,146
Hauling	0.07	5.93	2.56	0.03	0.06	1.27	1.33	0.06	0.36	0.42	0.76	0.25	5,035
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	< 0.005	0.11	71.5
Vendor	< 0.005	0.19	0.09	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.01	0.02	0.20	184
Hauling	0.01	0.96	0.41	0.01	0.01	0.20	0.21	0.01	0.06	0.07	0.12	0.67	809

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	< 0.005	0.02	11.8
Vendor	< 0.005	0.03	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	0.03	30.5
Hauling	< 0.005	0.18	0.07	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.11	134

### 3.9. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.90	6.09	27.8	0.04	0.21	—	0.21	0.20	—	0.20	0.04	—	4,505
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.90	6.09	27.8	0.04	0.21	—	0.21	0.20	—	0.20	0.04	—	4,505
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	3.37	15.4	0.02	0.11	—	0.11	0.11	—	0.11	0.02	—	2,495

Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.09	0.62	2.81	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	413
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.05	0.94	16.4	0.00	0.00	4.06	4.06	0.00	0.95	0.95	0.15	14.0	4,099
Vendor	0.05	2.43	1.21	0.02	0.02	0.65	0.67	0.02	0.18	0.20	0.34	6.16	2,493
Hauling	< 0.005	0.18	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.31	161
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.05	1.08	14.1	0.00	0.00	4.06	4.06	0.00	0.95	0.95	0.15	0.36	3,891
Vendor	0.05	2.52	1.24	0.02	0.02	0.65	0.67	0.02	0.18	0.20	0.34	0.16	2,488
Hauling	< 0.005	0.19	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.01	161
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.58	0.60	8.12	0.00	0.00	2.24	2.24	0.00	0.52	0.52	0.08	3.36	2,187
Vendor	0.03	1.41	0.68	0.01	0.01	0.36	0.37	0.01	0.10	0.11	0.19	1.48	1,379
Hauling	< 0.005	0.11	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	0.01	0.07	89.3
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.11	1.48	0.00	0.00	0.41	0.41	0.00	0.10	0.10	0.01	0.56	362
Vendor	< 0.005	0.26	0.12	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	0.03	0.24	228

Hauling	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	14.8
---------	---------	------	------	---------	---------	---------	---------	---------	---------	---------	---------	------	------

### 3.11. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.88	6.01	27.8	0.04	0.19	—	0.19	0.18	—	0.18	0.04	—	4,505
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.88	6.01	27.8	0.04	0.19	—	0.19	0.18	—	0.18	0.04	—	4,505
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.63	4.29	19.8	0.03	0.14	—	0.14	0.13	—	0.13	0.03	—	3,218
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.11	0.78	3.62	0.01	0.03	—	0.03	0.02	—	0.02	< 0.005	—	533
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.89	0.93	15.3	0.00	0.00	4.06	4.06	0.00	0.95	0.95	0.15	12.6	4,030
Vendor	0.05	2.33	1.16	0.02	0.02	0.65	0.67	0.02	0.18	0.20	0.32	5.60	2,443
Hauling	< 0.005	0.18	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.29	158
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.88	0.95	13.2	0.00	0.00	4.06	4.06	0.00	0.95	0.95	0.15	0.33	3,826
Vendor	0.05	2.43	1.19	0.02	0.02	0.65	0.67	0.02	0.18	0.20	0.32	0.14	2,439
Hauling	< 0.005	0.18	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.01	158
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.63	0.76	9.83	0.00	0.00	2.89	2.89	0.00	0.68	0.68	0.11	3.89	2,773
Vendor	0.03	1.75	0.84	0.01	0.01	0.46	0.48	0.01	0.13	0.14	0.23	1.72	1,743
Hauling	< 0.005	0.13	0.06	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	0.02	0.09	113
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.14	1.79	0.00	0.00	0.53	0.53	0.00	0.12	0.12	0.02	0.64	459
Vendor	0.01	0.32	0.15	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.03	0.04	0.29	289
Hauling	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	0.01	18.7

### 3.13. Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.00	6.67	21.9	0.03	0.27	—	0.27	0.25	—	0.25	0.03	—	3,192
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Paving	0.44	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.84	2.76	< 0.005	0.03	—	0.03	0.03	—	0.03	< 0.005	—	402
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Paving	0.06	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.15	0.50	< 0.005	0.01	—	0.01	0.01	—	0.01	< 0.005	—	66.6
Dust From Material Movement	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—
Paving	0.01	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.12	1.70	0.00	0.00	0.52	0.52	0.00	0.12	0.12	0.02	0.04	493
Vendor	0.02	1.28	0.62	0.01	0.01	0.34	0.35	0.01	0.09	0.10	0.17	0.08	1,284
Hauling	0.01	1.13	0.49	0.01	0.01	0.25	0.26	0.01	0.07	0.08	0.15	0.05	970
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.02	0.22	0.00	0.00	0.07	0.07	0.00	0.02	0.02	< 0.005	0.09	63.1
Vendor	< 0.005	0.16	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.02	0.16	162
Hauling	< 0.005	0.14	0.06	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	0.02	0.10	122
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	< 0.005	0.01	10.4
Vendor	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	0.03	26.8
Hauling	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	0.02	20.2

### 3.15. Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	1.66	2.25	< 0.005	0.04	—	0.04	0.04	—	0.04	< 0.005	—	268

Architectura I	26.8	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.23	0.31	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	< 0.005	—	37.2
Architectura I Coatings	3.73	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	6.16
Architectura I Coatings	0.68	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.19	2.64	0.00	0.00	0.81	0.81	0.00	0.19	0.19	0.03	0.07	765
Vendor	0.04	1.98	0.97	0.01	0.01	0.53	0.54	0.01	0.15	0.16	0.26	0.12	1,990
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.03	0.38	0.00	0.00	0.11	0.11	0.00	0.03	0.03	< 0.005	0.15	108
Vendor	0.01	0.28	0.13	< 0.005	< 0.005	0.07	0.08	< 0.005	0.02	0.02	0.04	0.27	277
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	0.01	0.07	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	< 0.005	0.03	17.9
Vendor	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	0.01	0.05	45.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.17. Architectural Coating (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.21	1.62	2.24	< 0.005	0.03	—	0.03	0.03	—	0.03	< 0.005	—	268
Architectural Coatings	26.8	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.21	1.62	2.24	< 0.005	0.03	—	0.03	0.03	—	0.03	< 0.005	—	268
Architectural Coatings	26.8	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.77	1.07	< 0.005	0.01	—	0.01	0.01	—	0.01	< 0.005	—	128

Architectural Coatings	12.8	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.14	0.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	21.2
Architectural Coatings	2.34	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.16	2.89	0.00	0.00	0.81	0.81	0.00	0.19	0.19	< 0.005	2.25	784
Vendor	0.04	1.83	0.91	0.01	0.01	0.53	0.54	0.01	0.15	0.16	0.26	4.11	1,949
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.19	2.49	0.00	0.00	0.81	0.81	0.00	0.19	0.19	0.03	0.06	752
Vendor	0.04	1.91	0.93	0.01	0.01	0.53	0.54	0.01	0.15	0.16	0.26	0.11	1,946
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.09	1.24	0.00	0.00	0.39	0.39	0.00	0.09	0.09	0.01	0.46	364
Vendor	0.02	0.91	0.44	0.01	0.01	0.25	0.26	0.01	0.07	0.08	0.12	0.85	930
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.02	0.23	0.00	0.00	0.07	0.07	0.00	0.02	0.02	< 0.005	0.08	60.3
Vendor	< 0.005	0.17	0.08	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.01	0.02	0.14	154

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---------	------	------	------	------	------	------	------	------	------	------	------	------	------

## 4. Operations Emissions Details

### 4.1. Mobile Emissions by Land Use

#### 4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	5.46	3.66	43.6	0.12	0.07	11.4	11.5	0.06	2.89	2.95	0.45	33.3	12,027
Apartments Mid Rise	3.82	2.56	30.5	0.08	0.05	7.97	8.02	0.04	2.02	2.07	0.32	23.3	8,418
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	9.28	6.23	74.1	0.20	0.11	19.4	19.5	0.10	4.91	5.02	0.77	56.6	20,444
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	5.42	3.98	40.7	0.11	0.07	11.4	11.5	0.06	2.89	2.95	0.47	0.86	11,549
Apartments Mid Rise	3.79	2.79	28.5	0.08	0.05	7.97	8.02	0.04	2.02	2.07	0.33	0.60	8,083
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>9.21</b>	<b>6.76</b>	<b>69.2</b>	<b>0.19</b>	<b>0.11</b>	<b>19.4</b>	<b>19.5</b>	<b>0.10</b>	<b>4.91</b>	<b>5.02</b>	<b>0.81</b>	<b>1.47</b>	<b>19,632</b>
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.96	0.72	7.44	0.02	0.01	2.03	2.04	0.01	0.51	0.53	0.08	2.33	1,894
Apartments Mid Rise	0.51	0.38	3.98	0.01	0.01	1.08	1.09	0.01	0.28	0.28	0.04	1.25	1,013
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>1.47</b>	<b>1.10</b>	<b>11.4</b>	<b>0.03</b>	<b>0.02</b>	<b>3.11</b>	<b>3.13</b>	<b>0.02</b>	<b>0.79</b>	<b>0.81</b>	<b>0.12</b>	<b>3.58</b>	<b>2,906</b>

## 4.2. Energy

### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.02	—	2,566

Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.01	—	1,127
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.01	—	869
Total	—	—	—	—	—	—	—	—	—	—	0.03	—	4,563
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.02	—	2,566
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.01	—	1,127
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.01	—	869
Total	—	—	—	—	—	—	—	—	—	—	0.03	—	4,563
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	< 0.005	—	425
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	< 0.005	—	187
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	< 0.005	—	144
Total	—	—	—	—	—	—	—	—	—	—	0.01	—	755

### 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00

City Park	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00

### 4.3. Area Emissions by Source

#### 4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	20.7	—	—	—	—	—	—	—	—	—	—	—	—

Architectural	1.65	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.44	0.31	33.4	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	99.5
Total	25.8	0.31	33.4	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	99.5
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	20.7	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	1.65	—	—	—	—	—	—	—	—	—	—	—	—
Total	22.3	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	3.77	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.30	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.43	0.04	4.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	11.3
Total	4.50	0.04	4.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	11.3

#### 4.4. Water Emissions by Land Use

##### 4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—

Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.05	—	192
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.04	—	143
City Park	—	—	—	—	—	—	—	—	—	—	< 0.005	—	7.60
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.05	—	192
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.04	—	143
City Park	—	—	—	—	—	—	—	—	—	—	< 0.005	—	7.60
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.01	—	31.8
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.01	—	23.7

City Park	—	—	—	—	—	—	—	—	—	—	< 0.005	—	1.26
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.01	—	56.7

## 4.5. Waste Emissions by Land Use

### 4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.00	—	379
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.00	—	293
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.13
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—

Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.00	—	379
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.00	—	293
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.13
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.00	—	62.7
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.00	—	48.5
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.02
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.00	—	111

## 4.6. Refrigerant Emissions by Land Use

### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
----------	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	5.24	5.24
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	1.67	1.67
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	5.24	5.24
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	1.67	1.67
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	0.87	0.87
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.28	0.28
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1.14	1.14

## 4.7. Offroad Emissions By Equipment Type

### 4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

## 4.8. Stationary Emissions By Equipment Type

### 4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

## 4.9. User Defined Emissions By Equipment Type

## 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

## 4.10. Soil Carbon Accumulation By Vegetation Type

## 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—

Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—

## 5. Activity Data

### 5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	11/1/2025	12/12/2025	5.00	30.0	—
Site Preparation	Site Preparation	12/13/2025	12/26/2025	5.00	10.0	—
Grading	Grading	12/27/2025	3/23/2026	5.00	61.0	—
Building Construction	Building Construction	3/24/2026	12/31/2027	5.00	464	—
Paving	Paving	10/29/2027	12/31/2027	5.00	46.0	—
Architectural Coating	Architectural Coating	10/22/2027	8/31/2028	5.00	225	—

## 5.2. Off-Road Equipment

### 5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Rubber Tired Dozers	Diesel	Tier 4 Final	4.00	8.00	367	0.40
Demolition	Excavators	Diesel	Average	6.00	8.00	36.0	0.38
Demolition	Other Construction Equipment	Diesel	Tier 4 Final	4.00	10.0	82.0	0.42
Demolition	Crushing/Proc. Equipment	Diesel	Tier 4 Final	1.00	8.00	350	0.74
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Final	5.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Back hoes	Diesel	Tier 4 Final	6.00	8.00	84.0	0.37
Grading	Graders	Diesel	Tier 4 Final	2.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Back hoes	Diesel	Tier 4 Final	8.00	8.00	84.0	0.37
Grading	Rubber Tired Dozers	Diesel	Tier 4 Final	2.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Tier 4 Final	4.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	2.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Tier 4 Final	2.00	7.00	367	0.29
Building Construction	Welders	Diesel	Average	2.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Back hoes	Diesel	Tier 4 Final	6.00	7.00	84.0	0.37
Paving	Pavers	Diesel	Tier 4 Final	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Final	4.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	4.00	8.00	36.0	0.38
Paving	Cement and Mortar Mixers	Diesel	Average	4.00	10.0	10.0	0.56
Paving	Tractors/Loaders/Back hoes	Diesel	Tier 4 Final	2.00	7.00	84.0	0.37

Architectural Coating	Air Compressors	Diesel	Average	2.00	6.00	37.0	0.48
-----------------------	-----------------	--------	---------	------	------	------	------

## 5.3. Construction Vehicles

### 5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	37.5	18.5	LDA,LDT1,LDT2
Demolition	Vendor	35.0	10.2	HHDT,MHDT
Demolition	Hauling	109	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	27.5	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	35.0	10.2	HHDT,MHDT
Site Preparation	Hauling	431	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	35.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	35.0	10.2	HHDT,MHDT
Grading	Hauling	70.0	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	310	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	76.0	10.2	HHDT,MHDT
Building Construction	Hauling	2.24	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	40.0	18.5	LDA,LDT1,LDT2

Paving	Vendor	40.0	10.2	HHDT,MHDT
Paving	Hauling	13.7	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	62.1	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	62.0	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

Control Strategies Applied	PM10 Reduction	PM2.5 Reduction
Water unpaved roads twice daily	55%	55%
Limit vehicle speeds on unpaved roads to 25 mph	44%	44%

## 5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	1,953,390	651,130	0.00	0.00	—

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (Building Square Footage)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	285,061	—
Site Preparation	34,493	—	35.0	0.00	—

Grading	34,167	—	122	0.00	—
Building Construction	8,320	—	0.00	0.00	—
Paving	5,050	—	0.00	0.00	10.5

### 5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	2	61%	61%
Water Demolished Area	2	36%	36%

### 5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	0.51	0%
Single Family Housing	1.19	0%
Single Family Housing	1.10	0%
Apartments Mid Rise	—	0%
City Park	0.00	0%
City Park	0.00	0%
Other Asphalt Surfaces	4.33	100%
Enclosed Parking with Elevator	3.40	100%

### 5.8. Construction Electricity Consumption and Emissions Factors

#### kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005

## 5.9. Operational Mobile Sources

### 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Single Family Housing	628	634	569	226,569	5,315	5,366	4,813	1,916,417
Single Family Housing	629	634	569	226,609	5,317	5,362	4,814	1,916,752
Single Family Housing	628	634	569	226,456	5,312	5,363	4,813	1,915,464
Apartments Mid Rise	956	861	1,331	363,431	8,082	7,283	11,262	3,074,049
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

## 5.10. Operational Area Sources

### 5.10.1. Hearths

#### 5.10.1.1. Unmitigated

### 5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
1953389.9249999998	651,130	0.00	0.00	—

### 5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

## 5.11. Operational Energy Consumption

### 5.11.1. Unmitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	317,694	532	0.0330	0.0040	0.00
Single Family Housing	745,889	532	0.0330	0.0040	0.00
Single Family Housing	690,638	532	0.0330	0.0040	0.00
Apartments Mid Rise	770,509	532	0.0330	0.0040	0.00
City Park	0.00	532	0.0330	0.0040	0.00
City Park	0.00	532	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00
Enclosed Parking with Elevator	594,320	532	0.0330	0.0040	0.00

## 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	1,726,180	1,393,802
Single Family Housing	4,052,770	866,473
Single Family Housing	3,752,565	129,781
Apartments Mid Rise	7,880,387	0.00
City Park	0.00	476,711
City Park	0.00	501,826

Other Asphalt Surfaces	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00

## 5.13. Operational Waste Generation

### 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	36.3	—
Single Family Housing	85.4	—
Single Family Housing	79.1	—
Apartments Mid Rise	155	—
City Park	0.03	—
City Park	0.03	—
Other Asphalt Surfaces	0.00	—
Enclosed Parking with Elevator	0.00	—

## 5.14. Operational Refrigeration and Air Conditioning Equipment

### 5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0

Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
City Park	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
City Park	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00
City Park	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
City Park	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00

## 5.15. Operational Off-Road Equipment

### 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

## 5.16. Stationary Sources

### 5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

### 5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

### 5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

### 5.18. Vegetation

#### 5.18.1. Land Use Change

##### 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

#### 5.18.1. Biomass Cover Type

##### 5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

#### 5.18.2. Sequestration

##### 5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

## 6. Climate Risk Detailed Report

## 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	8.79	annual days of extreme heat
Extreme Precipitation	4.15	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	8.32	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about  $\frac{3}{4}$  an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

## 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

### 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	1	1	2
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

### 6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

### 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	64.7
AQ-PM	50.7

AQ-DPM	41.1
Drinking Water	40.5
Lead Risk Housing	22.8
Pesticides	0.00
Toxic Releases	63.7
Traffic	85.8
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	41.8
Impaired Water Bodies	77.3
Solid Waste	9.67
Sensitive Population	—
Asthma	11.4
Cardio-vascular	12.8
Low Birth Weights	38.2
Socioeconomic Factor Indicators	—
Education	23.7
Housing	47.6
Linguistic	55.1
Poverty	25.3
Unemployment	41.8

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	87.24496343

Employed	91.37687668
Median HI	78.04439882
Education	—
Bachelor's or higher	80.88027717
High school enrollment	100
Preschool enrollment	76.50455537
Transportation	—
Auto Access	76.73553189
Active commuting	16.51482099
Social	—
2-parent households	47.27319389
Voting	53.2144232
Neighborhood	—
Alcohol availability	74.63107917
Park access	81.35506224
Retail density	81.68869498
Supermarket access	35.3137431
Tree canopy	67.04735019
Housing	—
Homeownership	65.03272167
Housing habitability	66.27742846
Low-inc homeowner severe housing cost burden	43.08995252
Low-inc renter severe housing cost burden	52.02104453
Uncrowded housing	51.79006801
Health Outcomes	—
Insured adults	90.41447453
Arthritis	0.0
Asthma ER Admissions	84.1

High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	76.1
Cognitively Disabled	18.3
Physically Disabled	50.9
Heart Attack ER Admissions	73.3
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	69.2
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	—
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	—
Wildfire Risk	0.4
SLR Inundation Area	0.0
Children	65.5
Elderly	24.3
English Speaking	57.9
Foreign-born	62.8
Outdoor Workers	93.3

Climate Change Adaptive Capacity	—
Impervious Surface Cover	80.0
Traffic Density	92.7
Traffic Access	60.0
Other Indices	—
Hardship	18.2
Other Decision Support	—
2016 Voting	80.7

### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	25.0
Healthy Places Index Score for Project Location (b)	84.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

### 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

## 8. User Changes to Default Data

Screen	Justification
--------	---------------

Land Use	User defined inputs based on site plan and applicant provided data needs.
Construction: Construction Phases	Schedule provided by Project Applicant in consultation with Project contractor
Construction: Off-Road Equipment	Data provided by Applicant
Construction: Demolition	Based on Applicant Provided data re: Existing uses
Construction: Paving	Paving area added for internal drive aisles and parking garage
Operations: Hearths	No fire places or wood stoves are proposed
Operations: Energy Use	All electric development. Project natural gas use was converted to kWh and added to projected electrical consumption
Operations: Vehicle Data	Trip rates adjusted to be consistent with TIA. SFR trips divided evenly across the three SFR uses. No changes made to default trip lengths/trip types.
Construction: Off-Road Equipment EF	Crushing/Proc. Equipment EFs adjusted to represent a rock crusher powered by a diesel generator.
Construction: Dust From Material Movement	Based on applicant provided data.
Construction: Architectural Coatings	SCAQMD Super Compliant Paint shall be used for all residential interiors and exteriors

**APPENDIX 2:**  
**CALEEMOD OPERATIONAL LST EMISSIONS**

# Terravita (Operational LSTs) Detailed Report

## Table of Contents

- 1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
- 4. Operations Emissions Details
  - 4.1. Mobile Emissions by Land Use
    - 4.1.1. Unmitigated
  - 4.2. Energy
    - 4.2.1. Electricity Emissions By Land Use - Unmitigated
    - 4.2.3. Natural Gas Emissions By Land Use - Unmitigated
  - 4.3. Area Emissions by Source
    - 4.3.1. Unmitigated

#### 4.4. Water Emissions by Land Use

##### 4.4.1. Unmitigated

#### 4.5. Waste Emissions by Land Use

##### 4.5.1. Unmitigated

#### 4.6. Refrigerant Emissions by Land Use

##### 4.6.1. Unmitigated

#### 4.7. Offroad Emissions By Equipment Type

##### 4.7.1. Unmitigated

#### 4.8. Stationary Emissions By Equipment Type

##### 4.8.1. Unmitigated

#### 4.9. User Defined Emissions By Equipment Type

##### 4.9.1. Unmitigated

#### 4.10. Soil Carbon Accumulation By Vegetation Type

##### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

##### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

##### 4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

### 5. Activity Data

#### 5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

# 1. Basic Project Information

## 1.1. Basic Project Information

Data Field	Value
Project Name	Terravita (Operational LSTs)
Operational Year	2028
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	6.00
Location	Mill Creek Dr & Ridge Rte Dr, Laguna Hills, CA 92653, USA
County	Orange
City	Laguna Hills
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5929
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

## 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	46.0	Dwelling Unit	3.24	142,669	87,990	—	137	Lot 1 - Single Family Attached "A"

Single Family Housing	108	Dwelling Unit	5.47	279,900	54,700	—	322	Lot 2 - Single Family Attached "B"
Single Family Housing	100	Dwelling Unit	6.62	308,650	8,193	—	298	Lot 3 - Single Family Attached "C"
Apartments Mid Rise	210	Dwelling Unit	2.40	233,418	0.00	—	626	Lot 4 Multi-Family
City Park	0.38	Acre	0.38	0.00	16,552	16,552	—	Lot A - Terrace Park
City Park	0.40	Acre	0.40	0.00	17,424	17,424	—	Lot B - Corner Park
Other Asphalt Surfaces	4.33	Acre	0.00	0.00	0.00	—	—	Internal Drive Aisles
Enclosed Parking with Elevator	161	1000sqft	0.00	161,000	0.00	—	—	MFR Parking Structure

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

## 2. Emissions Summary

### 2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	33.3	2.39	51.1	0.01	0.04	0.69	0.73	0.03	0.17	0.21	0.34	8.92	6,978
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	29.8	2.25	20.3	0.01	0.02	0.69	0.70	0.01	0.17	0.19	0.35	6.96	6,859
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	31.2	2.17	40.4	0.01	0.03	0.60	0.64	0.03	0.15	0.18	0.32	7.67	6,784

Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	5.70	0.40	7.38	< 0.005	0.01	0.11	0.12	< 0.005	0.03	0.03	0.05	1.27	1,123

## 2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	7.53	2.08	17.8	0.01	0.02	0.69	0.70	0.01	0.17	0.19	0.22	2.01	1,294
Area	25.8	0.31	33.4	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	99.5
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.03	—	4,563
Water	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Refrig.	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Total	33.3	2.39	51.1	0.01	0.04	0.69	0.73	0.03	0.17	0.21	0.34	8.92	6,978
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	7.47	2.25	20.3	0.01	0.02	0.69	0.70	0.01	0.17	0.19	0.23	0.05	1,275
Area	22.3	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.03	—	4,563
Water	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Refrig.	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Total	29.8	2.25	20.3	0.01	0.02	0.69	0.70	0.01	0.17	0.19	0.35	6.96	6,859
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	6.53	1.96	17.6	0.01	0.01	0.60	0.62	0.01	0.15	0.17	0.20	0.77	1,131

Area	24.7	0.21	22.9	< 0.005	0.02	—	0.02	0.01	—	0.01	< 0.005	—	68.2
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.03	—	4,563
Water	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Refrig.	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Total	31.2	2.17	40.4	0.01	0.03	0.60	0.64	0.03	0.15	0.18	0.32	7.67	6,784
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.19	0.36	3.21	< 0.005	< 0.005	0.11	0.11	< 0.005	0.03	0.03	0.03	0.13	187
Area	4.50	0.04	4.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	11.3
Energy	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.01	—	755
Water	—	—	—	—	—	—	—	—	—	—	0.01	—	56.7
Waste	—	—	—	—	—	—	—	—	—	—	0.00	—	111
Refrig.	—	—	—	—	—	—	—	—	—	—	—	1.14	1.14
Total	5.70	0.40	7.38	< 0.005	0.01	0.11	0.12	< 0.005	0.03	0.03	0.05	1.27	1,123

## 4. Operations Emissions Details

### 4.1. Mobile Emissions by Land Use

#### 4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	4.43	1.23	10.5	0.01	0.01	0.40	0.41	0.01	0.10	0.11	0.13	1.18	761
Apartments Mid Rise	3.10	0.86	7.32	< 0.005	0.01	0.28	0.29	0.01	0.07	0.08	0.09	0.83	533

City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	7.53	2.08	17.8	0.01	0.02	0.69	0.70	0.01	0.17	0.19	0.22	2.01	1,294
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	4.39	1.32	12.0	0.01	0.01	0.40	0.41	0.01	0.10	0.11	0.14	0.03	750
Apartments Mid Rise	3.07	0.92	8.37	< 0.005	0.01	0.28	0.29	0.01	0.07	0.08	0.10	0.02	525
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	7.47	2.25	20.3	0.01	0.02	0.69	0.70	0.01	0.17	0.19	0.23	0.05	1,275
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.78	0.23	2.09	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	0.02	0.08	122
Apartments Mid Rise	0.42	0.12	1.12	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	0.01	0.04	65.3
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	1.19	0.36	3.21	< 0.005	< 0.005	0.11	0.11	< 0.005	0.03	0.03	0.03	0.13	187

## 4.2. Energy

### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.02	—	2,566
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.01	—	1,127
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.01	—	869
Total	—	—	—	—	—	—	—	—	—	—	0.03	—	4,563
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.02	—	2,566
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.01	—	1,127

City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.01	—	869
Total	—	—	—	—	—	—	—	—	—	—	0.03	—	4,563
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	< 0.005	—	425
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	< 0.005	—	187
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	< 0.005	—	144
Total	—	—	—	—	—	—	—	—	—	—	0.01	—	755

#### 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00

City Park	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
City Park	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00

Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	—	0.00

### 4.3. Area Emissions by Source

#### 4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	20.7	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	1.65	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.44	0.31	33.4	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	99.5
Total	25.8	0.31	33.4	< 0.005	0.02	—	0.02	0.02	—	0.02	< 0.005	—	99.5
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	20.7	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	1.65	—	—	—	—	—	—	—	—	—	—	—	—
Total	22.3	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	3.77	—	—	—	—	—	—	—	—	—	—	—	—

Architecture I	0.30	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.43	0.04	4.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	11.3
Total	4.50	0.04	4.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	11.3

#### 4.4. Water Emissions by Land Use

##### 4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.05	—	192
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.04	—	143
City Park	—	—	—	—	—	—	—	—	—	—	< 0.005	—	7.60
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.05	—	192

Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.04	—	143
City Park	—	—	—	—	—	—	—	—	—	—	< 0.005	—	7.60
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.08	—	343
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.01	—	31.8
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.01	—	23.7
City Park	—	—	—	—	—	—	—	—	—	—	< 0.005	—	1.26
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.01	—	56.7

## 4.5. Waste Emissions by Land Use

### 4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—

Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.00	—	379
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.00	—	293
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.13
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.00	—	379
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.00	—	293
City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.13
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.00	—	672
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	0.00	—	62.7
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	0.00	—	48.5

City Park	—	—	—	—	—	—	—	—	—	—	0.00	—	0.02
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	0.00	—	111

## 4.6. Refrigerant Emissions by Land Use

### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	5.24	5.24
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	1.67	1.67
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	5.24	5.24
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	1.67	1.67
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	6.91	6.91

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	0.87	0.87
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.28	0.28
City Park	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1.14	1.14

## 4.7. Offroad Emissions By Equipment Type

### 4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

## 4.8. Stationary Emissions By Equipment Type

### 4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
----------------	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.9. User Defined Emissions By Equipment Type

##### 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10. Soil Carbon Accumulation By Vegetation Type

##### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—

Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—

## 5. Activity Data

### 5.9. Operational Mobile Sources

#### 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Single Family Housing	628	634	569	226,569	189	190	171	67,971
Single Family Housing	629	634	569	226,609	189	190	171	67,983
Single Family Housing	628	634	569	226,456	188	190	171	67,937
Apartments Mid Rise	956	861	1,331	363,431	287	258	399	109,029
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
City Park	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 5.10. Operational Area Sources

#### 5.10.1. Hearths

##### 5.10.1.1. Unmitigated

#### 5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
1953389.9249999998	651,130	0.00	0.00	—

### 5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

### 5.11. Operational Energy Consumption

#### 5.11.1. Unmitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	317,694	532	0.0330	0.0040	0.00
Single Family Housing	745,889	532	0.0330	0.0040	0.00
Single Family Housing	690,638	532	0.0330	0.0040	0.00
Apartments Mid Rise	770,509	532	0.0330	0.0040	0.00
City Park	0.00	532	0.0330	0.0040	0.00
City Park	0.00	532	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00
Enclosed Parking with Elevator	594,320	532	0.0330	0.0040	0.00

### 5.12. Operational Water and Wastewater Consumption

#### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	1,726,180	1,393,802
Single Family Housing	4,052,770	866,473
Single Family Housing	3,752,565	129,781
Apartments Mid Rise	7,880,387	0.00

City Park	0.00	476,711
City Park	0.00	501,826
Other Asphalt Surfaces	0.00	0.00
Enclosed Parking with Elevator	0.00	0.00

### 5.13. Operational Waste Generation

#### 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	36.3	—
Single Family Housing	85.4	—
Single Family Housing	79.1	—
Apartments Mid Rise	155	—
City Park	0.03	—
City Park	0.03	—
Other Asphalt Surfaces	0.00	—
Enclosed Parking with Elevator	0.00	—

### 5.14. Operational Refrigeration and Air Conditioning Equipment

#### 5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
City Park	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
City Park	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00
City Park	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0
City Park	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00

## 5.15. Operational Off-Road Equipment

### 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

## 5.16. Stationary Sources

### 5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

### 5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

## 5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

## 5.18. Vegetation

### 5.18.1. Land Use Change

#### 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

### 5.18.1. Biomass Cover Type

#### 5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

### 5.18.2. Sequestration

#### 5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

## 6. Climate Risk Detailed Report

### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	8.79	annual days of extreme heat
Extreme Precipitation	4.15	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	8.32	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about  $\frac{3}{4}$  an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

### 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

### 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	1	1	2
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

### 6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

### 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	64.7

AQ-PM	50.7
AQ-DPM	41.1
Drinking Water	40.5
Lead Risk Housing	22.8
Pesticides	0.00
Toxic Releases	63.7
Traffic	85.8
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	41.8
Impaired Water Bodies	77.3
Solid Waste	9.67
Sensitive Population	—
Asthma	11.4
Cardio-vascular	12.8
Low Birth Weights	38.2
Socioeconomic Factor Indicators	—
Education	23.7
Housing	47.6
Linguistic	55.1
Poverty	25.3
Unemployment	41.8

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—

Above Poverty	87.24496343
Employed	91.37687668
Median HI	78.04439882
Education	—
Bachelor's or higher	80.88027717
High school enrollment	100
Preschool enrollment	76.50455537
Transportation	—
Auto Access	76.73553189
Active commuting	16.51482099
Social	—
2-parent households	47.27319389
Voting	53.2144232
Neighborhood	—
Alcohol availability	74.63107917
Park access	81.35506224
Retail density	81.68869498
Supermarket access	35.3137431
Tree canopy	67.04735019
Housing	—
Homeownership	65.03272167
Housing habitability	66.27742846
Low-inc homeowner severe housing cost burden	43.08995252
Low-inc renter severe housing cost burden	52.02104453
Uncrowded housing	51.79006801
Health Outcomes	—
Insured adults	90.41447453
Arthritis	0.0

Asthma ER Admissions	84.1
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	76.1
Cognitively Disabled	18.3
Physically Disabled	50.9
Heart Attack ER Admissions	73.3
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	69.2
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	—
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	—
Wildfire Risk	0.4
SLR Inundation Area	0.0
Children	65.5
Elderly	24.3
English Speaking	57.9
Foreign-born	62.8

Outdoor Workers	93.3
Climate Change Adaptive Capacity	—
Impervious Surface Cover	80.0
Traffic Density	92.7
Traffic Access	60.0
Other Indices	—
Hardship	18.2
Other Decision Support	—
2016 Voting	80.7

### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	25.0
Healthy Places Index Score for Project Location (b)	84.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

### 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

## 8. User Changes to Default Data

Screen	Justification
Land Use	User defined inputs based on site plan and applicant provided data needs.
Construction: Construction Phases	Schedule provided by Project Applicant in consultation with Project contractor
Construction: Off-Road Equipment	Data provided by Applicant
Construction: Demolition	Based on Applicant Provided data re: Existing uses
Construction: Paving	Paving area added for internal drive aisles and parking garage
Operations: Hearths	No fire places or wood stoves are proposed
Operations: Energy Use	All electric development. Project natural gas use was converted to kWh and added to projected electrical consumption
Operations: Vehicle Data	Trip rates adjusted to be consistent with TIA. SFR trips divided evenly across the three SFR uses. No changes made to default trip lengths/trip types.
Construction: Off-Road Equipment EF	Crushing/Proc. Equipment EFs adjusted to represent a rock crusher powered by a diesel generator.
Construction: Dust From Material Movement	Based on applicant provided data.
Construction: Architectural Coatings	SCAQMD Super Compliant Paint shall be used for all residential interiors and exteriors

## **APPENDIX 3:**

### **CALEEMOD AERMOD CONSTRUCTION AND OPERATIONAL LST OUTPUTS**

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 3/5/2025
** File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Con LST CO Tier 4\Con
LST CO Tier 4.ADI
**

```

```

*****
**
**

```

```

*****
** AERMOD Control Pathway
*****
**
**

```

```

CO STARTING
  TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is
  MODELOPT DFAULT CONC
  AVERTIME 1 8
  URBANOPT 3135755 County_of_Orange
  POLLUTID CO
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "Con LST CO Tier 4.err"

```

```

CO FINISHED
**
*****

```

```

** AERMOD Source Pathway
*****
**
**

```

```

SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **

```

Source ID	Type	X Coord.	Y Coord.	
LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740

LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120
LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL2	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL3	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL4	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL5	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL6	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL7	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL8	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL9	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL10	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL11	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL12	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL13	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL14	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL15	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL16	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL17	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL18	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL19	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL20	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL21	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL22	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL23	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL24	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL25	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL26	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL27	0.0212285615	5.000	13.891	1.400

SRCPARAM VOL28	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL29	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL30	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL31	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL32	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL33	0.0212285615	5.000	13.891	1.400
SRCPARAM VOL34	0.0212285615	5.000	13.891	1.400
URBANSRC ALL				

\*\* Variable Emissions Type: "By Hour / Day (HRDOW)"

\*\* Variable Emission Scenario: "Scenario 1"

\*\* WeekDays:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* WeekDays:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* WeekDays:

EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

EMISFACT VOL3	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL3	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL3	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL3	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL3	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL4	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL5	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL6	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL7	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL8	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0















```
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL34      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL
```

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Con LST CO Tier 4.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE MSVJ\_V11\_trimmed.sfc

PROFFILE MSVJ\_V11\_trimmed.pfl

SURFDATA 93184 2017

UAIRDATA 3190 2017

SITEDATA 60592022 2017

PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*  
\*\*

OU STARTING  
RECTABLE ALLAVE 1ST  
RECTABLE 1 1ST  
RECTABLE 8 1ST

\*\* Auto-Generated Plotfiles  
PLOTFILE 1 ALL 1ST "CON LST CO TIER 4.AD\01H1GALL.PLT" 31  
PLOTFILE 8 ALL 1ST "CON LST CO TIER 4.AD\08H1GALL.PLT" 32  
SUMMFILE "Con LST CO Tier 4.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of                   0 Fatal Error Message(s)  
A Total of                   2 Warning Message(s)  
A Total of                   0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186       644        MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
          0.50  
ME W187       644        MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*       \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\*       03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*       \*\*\*  
                                      \*\*\*       13:17:05

  PAGE   1  
\*\*\* MODELOPTs:    RegDFault   CONC   ELEV   FLGPOL   URBAN   ADJ\_U\*

\*\*\*                   MODEL SETUP OPTIONS SUMMARY

\*\*\*

-----  
-----

\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 34 Source(s),  
for Total of 1 Urban Area(s):
- Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: CO

\*\*Model Calculates 2 Short Term Average(s) of: 1-HR 8-HR

\*\*This Run Includes: 34 Source(s); 1 Source Group(s); and 97  
Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)

and: 34 VOLUME source(s)

and: 0 AREA type source(s)

and: 0 LINE source(s)

and: 0 RLINE/RLINEXT source(s)

and: 0 OPENPIT source(s)

and: 0 BUOYANT LINE source(s) with a total of 0 line(s)

and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNning After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE  
Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours

Hours m for Missing  
b for Both Calm  
and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.5 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Con LST CO Tier 4.err

\*\*File for Summary of Results: Con LST CO Tier 4.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 2

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)								

VOL1		0	0.21229E-01	431744.3	3720778.9	108.6	5.00	13.89
1.40	YES	HRDOW		NO				
VOL2		0	0.21229E-01	431744.2	3720719.8	110.2	5.00	13.89
1.40	YES	HRDOW		NO				
VOL3		0	0.21229E-01	431804.3	3720766.5	107.2	5.00	13.89
1.40	YES	HRDOW		NO				
VOL4		0	0.21229E-01	431777.5	3720706.4	110.2	5.00	13.89
1.40	YES	HRDOW		NO				

VOL5		0	0.21229E-01	431838.7	3720705.6	105.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL6		0	0.21229E-01	431871.3	3720796.4	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL7		0	0.21229E-01	431859.0	3720765.4	106.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL8		0	0.21229E-01	431919.5	3720735.5	97.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL9		0	0.21229E-01	431859.4	3720645.5	105.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL10		0	0.21229E-01	431899.6	3720704.9	103.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL11		0	0.21229E-01	431793.2	3720683.0	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL12		0	0.21229E-01	431854.8	3720601.9	105.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL13		0	0.21229E-01	431870.5	3720582.0	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL14		0	0.21229E-01	431888.9	3720564.7	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL15		0	0.21229E-01	431907.6	3720544.8	102.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL16		0	0.21229E-01	431922.2	3720525.3	101.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL17		0	0.21229E-01	431942.9	3720464.4	99.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL18		0	0.21229E-01	431957.8	3720425.4	100.1	5.00	13.89
1.40	YES	HRDOW	NO					
VOL19		0	0.21229E-01	431990.7	3720422.7	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL20		0	0.21229E-01	432002.6	3720463.3	99.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL21		0	0.21229E-01	432016.0	3720477.4	99.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL22		0	0.21229E-01	431919.9	3720645.9	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL23		0	0.21229E-01	431921.0	3720591.9	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL24		0	0.21229E-01	431983.8	3720524.9	100.8	5.00	13.89
1.40	YES	HRDOW	NO					
VOL25		0	0.21229E-01	432044.7	3720537.5	101.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL26		0	0.21229E-01	432027.9	3720489.3	99.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL27		0	0.21229E-01	432045.5	3720508.1	100.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL28		0	0.21229E-01	431968.5	3720585.0	102.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL29		0	0.21229E-01	432027.5	3720584.3	102.0	5.00	13.89
1.40	YES	HRDOW	NO					

VOL30		0	0.21229E-01	432076.1	3720526.4	99.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL31		0	0.21229E-01	432060.8	3720567.4	97.1	5.00	13.89
1.40	YES	HRDOW	NO					
VOL32		0	0.21229E-01	432014.5	3720645.5	94.5	5.00	13.89
1.40	YES	HRDOW	NO					
VOL33		0	0.21229E-01	431960.9	3720706.4	92.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL34		0	0.21229E-01	431980.9	3720645.9	102.3	5.00	13.89
1.40	YES	HRDOW	NO					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:17:05

PAGE 3

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID

SOURCE IDs

-----

-----

ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,
VOL6	, VOL7	, VOL8	,			
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	,
VOL14	, VOL15	, VOL16	,			
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	,
VOL22	, VOL23	, VOL24	,			
	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	,
VOL30	, VOL31	, VOL32	,			
	VOL33	, VOL34	,			

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:17:05

PAGE 4

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*



```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 6

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 7

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 8

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01

14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 9

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     13:17:05

```

PAGE 10

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     13:17:05

```

PAGE 11

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) \*

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 12

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 13

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 14

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 15

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 16

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:17:05

PAGE 17

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL13                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:17:05

PAGE 18

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL14                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:17:05

PAGE 19

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL15                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 20

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 21

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25

\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:17:05

PAGE 22

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:17:05

PAGE 23

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\*      03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
\*\*\*      13:17:05

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL20                    ; SOURCE TYPE = VOLUME            :  
HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 25

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 03/05/25
\*\*\* AERMET - VERSION 22112 \*\*\*
\*\*\* 13:17:05

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:17:05

PAGE 28

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL24                    ; SOURCE TYPE = VOLUME            ;  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*                      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*                      13:17:05

PAGE 29

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL25                      ; SOURCE TYPE = VOLUME                      :

HOUR	SCALAR								
------	--------	------	--------	------	--------	------	--------	------	--------

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*                      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*                      13:17:05

PAGE 30

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 31

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 32

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

```

6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 33

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 34

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 35

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 36

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 37

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 38

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
 (METERS)

( 431824.5, 3720637.6, 107.7, 110.4, 2.0); ( 431839.6,  
 3720538.4, 103.2, 125.7, 2.0);  
 ( 431848.4, 3720506.3, 102.3, 125.7, 2.0); ( 431808.0,  
 3720544.2, 103.9, 126.8, 2.0);  
 ( 432072.5, 3720450.4, 95.2, 100.9, 2.0); ( 432046.4,  
 3720409.1, 94.0, 111.4, 2.0);  
 ( 432081.4, 3720460.0, 95.4, 100.9, 2.0); ( 432108.8,  
 3720474.0, 93.4, 101.0, 2.0);  
 ( 431818.1, 3720498.9, 104.4, 126.8, 2.0); ( 431824.9,  
 3720465.1, 105.1, 125.7, 2.0);  
 ( 431746.9, 3720630.1, 108.4, 108.4, 2.0); ( 431718.9,

3720636.9, 111.0, 111.0, 2.0);  
( 431769.9, 3720571.0, 107.0, 126.8, 2.0); ( 431828.5,  
3720830.3, 96.2, 114.8, 2.0);  
( 431795.6, 3720851.9, 97.6, 110.2, 2.0); ( 431709.9,  
3720687.8, 110.8, 118.8, 2.0);  
( 431720.7, 3720650.8, 110.9, 112.0, 2.0); ( 431690.1,  
3720613.4, 113.1, 125.2, 2.0);  
( 431685.5, 3720648.1, 114.0, 114.0, 2.0); ( 431653.1,  
3720714.9, 116.8, 116.8, 2.0);  
( 431660.8, 3720740.1, 114.9, 114.9, 2.0); ( 431667.1,  
3720767.2, 111.5, 114.8, 2.0);  
( 431672.5, 3720800.1, 108.8, 114.8, 2.0); ( 431676.1,  
3720826.2, 105.7, 114.8, 2.0);  
( 431680.1, 3720851.9, 103.2, 114.8, 2.0); ( 433382.6,  
3721167.4, 93.2, 93.2, 2.0);  
( 433341.1, 3721247.7, 91.2, 91.2, 2.0); ( 433323.1,  
3721251.3, 91.2, 91.2, 2.0);  
( 432993.0, 3721124.6, 86.1, 95.7, 2.0); ( 432819.8,  
3721275.6, 85.5, 85.5, 2.0);  
( 432735.5, 3721287.8, 84.4, 84.4, 2.0); ( 432701.7,  
3721285.6, 83.2, 83.2, 2.0);  
( 432888.8, 3721184.5, 86.9, 86.9, 2.0); ( 432798.6,  
3721183.2, 84.5, 84.5, 2.0);  
( 432741.4, 3721201.7, 83.7, 83.7, 2.0); ( 432669.7,  
3721211.6, 82.8, 82.8, 2.0);  
( 432802.7, 3721413.2, 86.1, 86.1, 2.0); ( 432674.6,  
3721290.5, 83.1, 83.1, 2.0);  
( 432613.3, 3721308.1, 82.2, 82.2, 2.0); ( 432550.6,  
3721318.9, 82.6, 82.6, 2.0);  
( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,

3720693.0, 88.1, 88.1, 2.0);  
 ( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
 3720348.5, 91.2, 115.5, 2.0);  
 ( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
 3720281.3, 93.2, 115.5, 2.0);  
 ( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,  
 3720348.5, 99.4, 111.4, 2.0);  
 ( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,  
 3720357.5, 108.2, 111.6, 2.0);  
 ( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,  
 3720352.5, 108.6, 111.1, 2.0);  
 ( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,  
 3720441.9, 102.3, 125.7, 2.0);  
 ( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,  
 3720523.7, 102.7, 125.7, 2.0);  
 ( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,  
 3720457.8, 105.3, 125.7, 2.0);  
 ( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,  
 3720987.2, 88.7, 124.1, 2.0);  
 ( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,  
 3720873.3, 86.6, 109.9, 2.0);  
 ( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,  
 3720824.6, 87.4, 87.4, 2.0);  
 ( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,  
 3720889.4, 88.0, 88.0, 2.0);  
 ( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,  
 3720941.7, 81.2, 124.1, 2.0);  
 ( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,  
 3720908.4, 82.7, 124.1, 2.0);

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 40

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
 (METERS)

( 431846.9, 3720964.6, 82.2, 124.1, 2.0); ( 431144.8,  
 3719945.8, 113.4, 113.4, 2.0);  
 ( 431157.2, 3719933.1, 113.9, 113.9, 2.0); ( 431994.4,  
 3719146.8, 148.9, 148.9, 2.0);  
 ( 431999.7, 3719120.5, 149.2, 149.2, 2.0); ( 434516.5,  
 3720617.5, 115.5, 115.5, 2.0);  
 ( 434406.1, 3720633.4, 113.7, 113.7, 2.0);

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380



Met Version: 22112

Profile file: MSVJ\_V11\_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 93184  
Name: UNKNOWN

Upper air station no.: 3190  
Name: UNKNOWN

Year: 2017

Year: 2017

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN
ALBEDO	REF	WS	WD	HT	REF	TA	HT							
17	01	01	1	01	-3.5	0.085	-9.000	-9.000	-999.	59.	15.7	0.20	1.20	
1.00	0.86	69.	10.0	280.0	9.0									
17	01	01	1	02	-3.7	0.087	-9.000	-9.000	-999.	62.	15.9	0.20	1.20	
1.00	0.90	61.	10.0	279.7	9.0									
17	01	01	1	03	-8.0	0.126	-9.000	-9.000	-999.	107.	22.3	0.20	1.20	
1.00	1.34	69.	10.0	280.4	9.0									
17	01	01	1	04	-3.1	0.081	-9.000	-9.000	-999.	56.	15.5	0.20	1.20	
1.00	0.80	67.	10.0	279.9	9.0									
17	01	01	1	05	-3.0	0.080	-9.000	-9.000	-999.	54.	14.8	0.15	1.20	
1.00	0.86	113.	10.0	279.8	9.0									
17	01	01	1	06	-6.1	0.109	-9.000	-9.000	-999.	86.	18.7	0.15	1.20	
1.00	1.26	92.	10.0	279.9	9.0									
17	01	01	1	07	-5.8	0.107	-9.000	-9.000	-999.	84.	18.8	0.20	1.20	
1.00	1.14	86.	10.0	279.8	9.0									
17	01	01	1	08	-3.2	0.087	-9.000	-9.000	-999.	61.	18.2	0.15	1.20	
0.53	1.00	98.	10.0	280.2	9.0									
17	01	01	1	09	36.6	0.148	0.553	0.005	163.	136.	-7.8	0.15	1.20	
0.31	1.12	106.	10.0	283.2	9.0									
17	01	01	1	10	89.0	0.203	1.161	0.005	624.	219.	-8.3	0.19	1.20	
0.24	1.45	159.	10.0	285.0	9.0									
17	01	01	1	11	102.2	0.298	1.444	0.005	1044.	390.	-22.9	0.25	1.20	
0.21	2.23	183.	10.0	285.5	9.0									
17	01	01	1	12	116.1	0.262	1.560	0.005	1160.	323.	-13.7	0.25	1.20	
0.20	1.83	200.	10.0	286.2	9.0									
17	01	01	1	13	114.8	0.302	1.599	0.005	1265.	399.	-21.4	0.17	1.20	
0.20	2.51	225.	10.0	286.6	9.0									
17	01	01	1	14	98.2	0.415	1.544	0.005	1330.	641.	-64.5	0.25	1.20	
0.21	3.44	205.	10.0	286.5	9.0									
17	01	01	1	15	79.0	0.324	1.451	0.005	1370.	448.	-38.2	0.25	1.20	
0.25	2.57	199.	10.0	286.4	9.0									
17	01	01	1	16	26.2	0.313	1.007	0.005	1383.	420.	-103.7	0.25	1.20	
0.33	2.68	195.	10.0	286.5	9.0									
17	01	01	1	17	-20.5	0.246	-9.000	-9.000	-999.	295.	66.8	0.25	1.20	

0.61	2.33	190.	10.0	285.5	9.0								
17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20
1.00	1.29	162.	10.0	284.2	9.0								
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00	1.25	117.	10.0	283.5	9.0								
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20
1.00	1.46	104.	10.0	283.4	9.0								
17	01	01	1	21	-8.0	0.125	-9.000	-9.000	-999.	106.	21.8	0.15	1.20
1.00	1.44	120.	10.0	284.0	9.0								
17	01	01	1	22	-7.3	0.120	-9.000	-9.000	-999.	100.	21.1	0.17	1.20
1.00	1.34	127.	10.0	284.3	9.0								
17	01	01	1	23	-5.7	0.106	-9.000	-9.000	-999.	83.	18.6	0.17	1.20
1.00	1.19	128.	10.0	284.0	9.0								
17	01	01	1	24	-9.5	0.137	-9.000	-9.000	-999.	122.	24.2	0.17	1.20
1.00	1.52	129.	10.0	283.9	9.0								

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
17	01	01	01	9.0	0	-999.	-99.00	280.0	99.0	-99.00	-99.00
17	01	01	01	10.0	1	69.	0.86	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***      13:17:05

```

PAGE 43

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

```

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2
, VOL3 , VOL4 , VOL5 ,
, VOL11 , VOL12 , VOL13 , VOL8 , VOL9 , VOL10
, VOL19 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18
, VOL27 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26
, VOL28 , . . . ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		

431824.47	3720637.57	116.32325	(21121316)	431839.58
3720538.42	87.63486	(17011216)		
431848.44	3720506.30	69.05004	(17011216)	431808.02
3720544.24	67.13503	(17011216)		
432072.45	3720450.37	86.39282	(21122216)	432046.42
3720409.11	75.46316	(17010316)		
432081.39	3720459.96	84.64962	(21122216)	432108.76
3720473.97	73.34728	(21122216)		
431818.11	3720498.90	52.81511	(17011216)	431824.87
3720465.08	40.43254	(17011216)		
431746.87	3720630.10	41.83233	(17011216)	431718.91
3720636.87	41.80747	(17011216)		
431769.86	3720571.04	42.66294	(21122316)	431828.48
3720830.29	96.49627	(21121316)		
431795.56	3720851.94	72.19016	(21121316)	431709.90
3720687.81	65.70409	(17011216)		
431720.72	3720650.84	49.86868	(17011216)	431690.06
3720613.42	29.15965	(17011216)		
431685.55	3720648.14	38.30089	(17011216)	431653.09
3720714.87	30.94759	(19112715)		
431660.75	3720740.12	34.27808	(19112715)	431667.06
3720767.17	34.37669	(21122916)		
431672.47	3720800.08	46.13440	(21122916)	431676.08
3720826.23	53.85359	(21123016)		
431680.14	3720851.94	59.02148	(21121316)	433382.64
3721167.41	1.08728	(19021413)		
433341.15	3721247.68	1.03104	(19021413)	433323.12
3721251.28	1.02997	(19021413)		
432993.01	3721124.56	1.66960	(19011716)	432819.84
3721275.64	3.11188	(19011716)		
432735.51	3721287.81	3.22995	(19011716)	432701.69
3721285.56	3.25968	(19011716)		
432888.84	3721184.54	2.71129	(19011716)	432798.65
3721183.19	3.31006	(19011716)		
432741.38	3721201.68	3.59885	(19011716)	432669.67
3721211.60	3.79067	(19011716)		
432802.71	3721413.18	2.47526	(19011716)	432674.64
3721290.52	3.21252	(19011716)		
432613.30	3721308.11	3.05776	(20012116)	432550.62
3721318.93	3.22996	(20012116)		
432615.11	3721232.79	3.67521	(19011716)	432534.84
3721218.82	3.82648	(20012116)		
432381.96	3721246.77	4.02809	(20012116)	432413.98
3721344.18	3.33618	(17112816)		
432490.19	3721330.65	3.23525	(20012116)	432375.65
3721348.24	3.81897	(17112816)		
432365.73	3721270.22	4.05553	(17112816)	432314.77
3721271.13	4.79347	(17112816)		

432246.67	3721271.13	5.47603	(17112816)	432302.59
3721208.44	5.22269	(17112816)		
432234.05	3721217.01	6.07761	(17112816)	432247.12
3721359.97	4.68712	(17112816)		
432356.71	3721352.75	4.02232	(17112816)	432289.06
3721101.11	6.23728	(20012116)		
432217.81	3721121.86	7.23651	(17112816)	432214.66
3721047.45	8.04868	(17112816)		
432280.04	3721039.78	7.46313	(20012116)	432195.26
3720984.32	9.40430	(20012116)		
432188.05	3720943.73	10.72614	(20012116)	432243.97
3720808.89	14.41410	(19011716)		
432150.62	3720733.13	23.44368	(19011716)	432249.83
3720693.00	19.06868	(19123016)		
432206.99	3720559.06	44.70993	(19123016)	432232.69
3720348.46	27.16064	(21122216)		
432180.38	3720350.72	33.36202	(21122216)	432183.09
3720281.27	23.53335	(21122216)		
432236.75	3720646.55	25.52508	(19123016)	432042.84
3720348.46	58.99557	(17010316)		
431941.37	3720348.46	46.98920	(17011016)	431888.61
3720357.48	29.47616	(19120615)		
431923.34	3720345.30	36.97198	(17011016)	431907.10
3720352.52	32.75431	(17011016)		
431851.18	3720360.64	30.47404	(17011216)	431852.21
3720441.91	43.51438	(17011216)		
431852.07	3720489.04	58.11350	(17011216)	431845.13
3720523.74	79.88247	(17011216)		
431823.30	3720473.86	43.15690	(17011216)	431823.88
3720457.81	38.33914	(17011216)		
431793.30	3720942.34	39.52202	(19112016)	431690.56
3720987.19	35.50281	(21121316)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* 13:17:05

PAGE 44

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 , VOL11 , VOL12 , VOL13 , VOL8 , VOL9 , VOL10  
 , VOL19 , VOL20 , VOL21 , VOL16 , VOL17 , VOL18  
 , VOL27 , VOL28 , VOL23 , VOL24 , VOL25 , VOL26  
 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

		** CONC OF CO		IN MICROGRAMS/M**3	
X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)			
431680.98	3720921.25	46.49656	(21121316)	432011.44	
3720873.33	21.95946	(17010916)			
432052.07	3720849.95	20.31023	(17010916)	432084.66	
3720824.64	19.71809	(20012116)			
432095.01	3720762.16	24.72406	(19011716)	432127.98	
3720889.43	14.37967	(20012116)			
432095.77	3720936.20	13.66005	(17112816)	431860.12	
3720941.68	40.10207	(19120616)			
431774.93	3721018.65	26.25064	(19112016)	431864.43	
3720908.43	48.06311	(19120616)			
431846.93	3720964.64	36.87710	(19120616)	431144.82	
3719945.78	2.66394	(17011216)			
431157.20	3719933.07	2.47256	(17011216)	431994.43	
3719146.82	1.34924	(20121816)			
431999.70	3719120.50	1.30768	(20121816)	434516.47	
3720617.48	1.32794	(21121616)			
434406.06	3720633.41	1.28189	(21121616)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      13:17:05

PAGE 45

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      VOL1      , VOL2  
 , VOL3      , VOL4      , VOL5      ,  
                  VOL6      , VOL7      , VOL8      , VOL9      , VOL10  
 , VOL11      , VOL12      , VOL13      ,  
                  VOL14      , VOL15      , VOL16      , VOL17      , VOL18  
 , VOL19      , VOL20      , VOL21      ,  
                  VOL22      , VOL23      , VOL24      , VOL25      , VOL26  
 , VOL27      , VOL28      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF CO                      IN MICROGRAMS/M\*\*3

**					
X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	CONC	(YYMMDDHH)
Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC
431824.47	3720637.57	49.14569	(21123016)	431839.58	
3720538.42	32.56031	(21122316)			
431848.44	3720506.30	23.89355	(21122316)	431808.02	
3720544.24	23.78126	(21122316)			
432072.45	3720450.37	32.25947	(17122216)	432046.42	
3720409.11	28.05322	(18110716)			
432081.39	3720459.96	31.85080c	(21122016)	432108.76	
3720473.97	25.69487c	(21122016)			
431818.11	3720498.90	17.14702	(19123116)	431824.87	
3720465.08	14.95476	(19123116)			
431746.87	3720630.10	17.89616	(21122316)	431718.91	
3720636.87	14.67187	(21122316)			
431769.86	3720571.04	18.65843	(21122316)	431828.48	
3720830.29	33.89682	(21121316)			
431795.56	3720851.94	24.83538	(21121316)	431709.90	
3720687.81	24.68075	(21122316)			
431720.72	3720650.84	17.08225	(21122316)	431690.06	
3720613.42	10.37079	(21122316)			
431685.55	3720648.14	12.40771	(21122316)	431653.09	
3720714.87	12.99746	(21122316)			
431660.75	3720740.12	13.71921	(21122316)	431667.06	
3720767.17	16.44382	(21123016)			
431672.47	3720800.08	19.79082	(21123016)	431676.08	
3720826.23	20.09524	(21123016)			
431680.14	3720851.94	18.31870	(21123016)	433382.64	
3721167.41	0.31884	(17011916)			
433341.15	3721247.68	0.33697	(17011916)	433323.12	
3721251.28	0.34345	(17011916)			
432993.01	3721124.56	0.53894	(17011916)	432819.84	
3721275.64	0.94661	(19011716)			
432735.51	3721287.81	1.07684	(19011716)	432701.69	
3721285.56	1.12850	(19011716)			
432888.84	3721184.54	0.75811	(19011716)	432798.65	
3721183.19	0.96703	(19011716)			
432741.38	3721201.68	1.11000	(19011716)	432669.67	
3721211.60	1.26627	(19011716)			
432802.71	3721413.18	0.87196	(19011716)	432674.64	
3721290.52	1.15854	(19011716)			
432613.30	3721308.11	1.19495	(19061716)	432550.62	
3721318.93	1.30728	(19051516)			
432615.11	3721232.79	1.34431	(19011716)	432534.84	
3721218.82	1.51362	(19011716)			

432381.96	3721246.77	2.00642	(19051516)	432413.98
3721344.18	1.64523	(19051516)		
432490.19	3721330.65	1.48670	(19051516)	432375.65
3721348.24	1.69136	(19051516)		
432365.73	3721270.22	1.97712	(19051516)	432314.77
3721271.13	2.07333	(19051516)		
432246.67	3721271.13	2.10137	(19051516)	432302.59
3721208.44	2.40556	(19051516)		
432234.05	3721217.01	2.45498	(19051516)	432247.12
3721359.97	1.66577	(20040616)		
432356.71	3721352.75	1.69366	(19051516)	432289.06
3721101.11	3.04099	(19051516)		
432217.81	3721121.86	3.23146	(19051516)	432214.66
3721047.45	3.92551	(19051516)		
432280.04	3721039.78	3.45784	(19051516)	432195.26
3720984.32	4.77353	(19051516)		
432188.05	3720943.73	5.35860	(19051516)	432243.97
3720808.89	5.90053	(19011716)		
432150.62	3720733.13	11.49887	(19062016)	432249.83
3720693.00	6.53231	(19011716)		
432206.99	3720559.06	9.50655	(18121016)	432232.69
3720348.46	6.30488	(21122216)		
432180.38	3720350.72	9.07530	(17122216)	432183.09
3720281.27	7.50152	(17122216)		
432236.75	3720646.55	6.68545	(19011716)	432042.84
3720348.46	17.36437	(17010316)		
431941.37	3720348.46	16.19970c	(19031116)	431888.61
3720357.48	12.99525	(19123116)		
431923.34	3720345.30	14.88670	(17122116)	431907.10
3720352.52	14.65651	(17122116)		
431851.18	3720360.64	10.08820	(19123116)	431852.21
3720441.91	15.22110	(20020316)		
431852.07	3720489.04	21.31559	(19123116)	431845.13
3720523.74	28.77302	(21122316)		
431823.30	3720473.86	15.56267	(19123116)	431823.88
3720457.81	14.24799	(19123116)		
431793.30	3720942.34	12.54979	(21121316)	431690.56
3720987.19	9.93251	(21121316)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:17:05

PAGE 46

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,

```

, VOL11      VOL6      , VOL7      , VOL8      , VOL9      , VOL10
, VOL12      VOL12     , VOL13     ,           ,           ,
, VOL14      VOL14     , VOL15     , VOL16     , VOL17     , VOL18
, VOL19      VOL20     , VOL21     ,           ,           ,
, VOL22      VOL22     , VOL23     , VOL24     , VOL25     , VOL26
, VOL27      VOL28     , . . .     ,           ,           ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
431680.98	3720921.25	12.82719	(21121316)	432011.44
3720873.33	10.33088	(19051516)		
432052.07	3720849.95	10.51829	(19062016)	432084.66
3720824.64	10.67933	(19062016)		
432095.01	3720762.16	13.47686	(19062016)	432127.98
3720889.43	7.42632	(19051516)		
432095.77	3720936.20	6.76764	(19051516)	431860.12
3720941.68	11.08343	(19011516)		
431774.93	3721018.65	7.35506	(21121316)	431864.43
3720908.43	13.72144	(19011516)		
431846.93	3720964.64	9.98527	(19011516)	431144.82
3719945.78	0.73814	(21012016)		
431157.20	3719933.07	0.70113	(21012016)	431994.43
3719146.82	0.38753c	(19031116)		
431999.70	3719120.50	0.37442c	(19031116)	434516.47
3720617.48	0.20343	(21120916)		
434406.06	3720633.41	0.20988	(21120916)	

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:17:05

```

PAGE 47

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 1-HR

RESULTS \*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3

\*\*

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE CONC OF TYPE	NETWORK GRID-ID	DATE (YYMMDDHH)	RECEPTOR
---	-------------------------	--------------------	--------------------	----------

ALL HIGH 1ST HIGH VALUE IS 116.32325 ON 21121316: AT ( 431824.47,  
3720637.57, 107.74, 110.43, 2.00) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

PAGE 48

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 8-HR

RESULTS \*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE CONC OF TYPE	NETWORK GRID-ID	DATE (YYMMDDHH)	RECEPTOR
---	-------------------------	--------------------	--------------------	----------

ALL HIGH 1ST HIGH VALUE IS 49.14569 ON 21123016: AT ( 431824.47,  
3720637.57, 107.74, 110.43, 2.00) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:17:05

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
 A Total of 50 Warning Message(s)  
 A Total of 471 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 92 Calm Hours Identified

A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
 \*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*

ME W186 644 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
 0.50

ME W187 644 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

CN W733 1168 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2017021816

CN W733 10360 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2018030816

CN W733 12400 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2018060116

CN W733 19512 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2019032424

CN W733 22840 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2019081016

CN W733 28024 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2020031316

CN W733 28048 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2020031416

CN W733 28072 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2020031516

CN W733 28096 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2020031616

CN W733 28504 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2020040216

CN W733 28528 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2020040316

CN W733 28624 AVER: 8-hr avg, < 6 hours of data, calms policy used.

2020040716		
CN W733	28936	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020042016		
CN W733	33016	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020100716		
CN W733	33088	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020101016		
CN W733	33264	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020101724		
CN W733	33880	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020111216		
CN W733	34024	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020111816		
CN W733	34072	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112016		
CN W733	34096	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112116		
CN W733	34120	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112216		
CN W733	34144	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112316		
CN W733	34168	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112416		
CN W733	34192	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112516		
CN W733	34672	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020121516		
CN W733	34816	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020122116		
CN W733	35272	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021010916		
CN W733	35296	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011016		
CN W733	35320	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011116		
CN W733	35344	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011216		
CN W733	35608	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012316		
CN W733	35632	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012416		
CN W733	35656	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012516		
CN W733	36808	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021031416		
CN W733	37192	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021033016		
CN W733	37288	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021040316		
CN W733	37760	AVER: 8-hr avg, < 6 hours of data, calms policy used.

2021042308  
 CN W733 37784 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021042408  
 CN W733 38752 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021060316  
 CN W733 39888 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021072024  
 CN W733 39896 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021072108  
 CN W733 40088 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021072908  
 CN W733 40912 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021090116  
 CN W733 41384 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021092108  
 CN W733 41800 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021100816  
 CN W733 41824 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021100916  
 CN W733 43272 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021120824  
 CN W733 43536 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
 2021121924

\*\*\*\*\*  
 \*\*\* AERMOD Finishes Successfully \*\*\*  
 \*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI

\*\*

\*\*\*\*\*

\*\*

\*\* AERMOD Input Produced by:

\*\* AERMOD View Ver. 13.0.0

\*\* Lakes Environmental Software Inc.

\*\* Date: 3/5/2025

\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Con LST NOx Tier 4\Con LST NOx Tier 4.ADI

\*\*

\*\*\*\*\*

\*\*

\*\*

\*\*\*\*\*

\*\* AERMOD Control Pathway

\*\*\*\*\*

\*\*

\*\*

CO STARTING

TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is

MODELOPT DFAULT CONC

AVERTIME 1

URBANOPT 3135755 County\_of\_Orange  
POLLUTID NOX  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Con LST NOx Tier 4.err"

CO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Source Pathway

\*\*\*\*\*

\*\*

\*\*

SO STARTING

\*\* Source Location \*\*

\*\* Source ID - Type - X Coord. - Y Coord. \*\*

LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120
LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL2	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL3	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL4	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL5	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL6	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL7	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL8	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL9	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL10	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL11	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL12	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL13	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL14	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL15	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL16	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL17	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL18	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL19	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL20	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL21	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL22	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL23	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL24	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL25	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL26	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL27	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL28	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL29	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL30	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL31	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL32	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL33	0.0039242394	5.000	13.891	1.400
SRCPARAM VOL34	0.0039242394	5.000	13.891	1.400
URBANSRC ALL				

\*\* Variable Emissions Type: "By Hour / Day (HRDOW)"

\*\* Variable Emission Scenario: "Scenario 1"

\*\* WeekDays:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
---------------	-------	-----	-----	-----	-----	-----	-----



EMISFACT VOL5	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL5	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL6	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL7	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL8	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0





EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL19	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL20	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL21	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0





EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL29	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL29	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL30	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL31	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL31	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```

EMISFACT VOL31      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL31      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL31      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL32      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL33      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL34      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL
SO FINISHED

```

```

**
*****
** AERMOD Receptor Pathway
*****
**
**
RE STARTING
  INCLUDED "Con LST NOx Tier 4.rou"
RE FINISHED
**
*****
** AERMOD Meteorology Pathway
*****
**
**
ME STARTING
  SURFFILE MSVJ_V11_trimmed.sfc
  PROFFILE MSVJ_V11_trimmed.pfl
  SURFDATA 93184 2017
  UAIRDATA 3190 2017
  SITEDATA 60592022 2017
  PROFBASE 168.0 METERS
ME FINISHED
**
*****
** AERMOD Output Pathway
*****
**
**
OU STARTING
  RECTABLE ALLAVE 1ST
  RECTABLE 1 1ST
** Auto-Generated Plotfiles
  PLOTFILE 1 ALL 1ST "CON LST NOX TIER 4.AD\01H1GALL.PLT" 31
  SUMMFILE "Con LST NOx Tier 4.sum"
OU FINISHED

```

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

```

A Total of          0 Fatal Error Message(s)
A Total of          2 Warning Message(s)
A Total of          0 Informational Message(s)

```

```

***** FATAL ERROR MESSAGES *****
*** NONE ***

```

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*

ME W186 644 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 644 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 1

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 34 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: NOX

\*\*Model Calculates 1 Short Term Average(s) of: 1-HR

\*\*This Run Includes: 34 Source(s); 1 Source Group(s); and 97  
Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 34 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
Keyword)  
Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
Keyword)  
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE  
Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing  
Hours  
b for Both Calm  
and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.5 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Con LST NOx Tier 4.err

\*\*File for Summary of Results: Con LST NOx Tier 4.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*

\*\*\* 13:13:17

PAGE 2

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)								

VOL1		0	0.39242E-02	431744.3	3720778.9	108.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL2		0	0.39242E-02	431744.2	3720719.8	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL3		0	0.39242E-02	431804.3	3720766.5	107.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL4		0	0.39242E-02	431777.5	3720706.4	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL5		0	0.39242E-02	431838.7	3720705.6	105.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL6		0	0.39242E-02	431871.3	3720796.4	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL7		0	0.39242E-02	431859.0	3720765.4	106.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL8		0	0.39242E-02	431919.5	3720735.5	97.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL9		0	0.39242E-02	431859.4	3720645.5	105.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL10		0	0.39242E-02	431899.6	3720704.9	103.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL11		0	0.39242E-02	431793.2	3720683.0	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL12		0	0.39242E-02	431854.8	3720601.9	105.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL13		0	0.39242E-02	431870.5	3720582.0	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL14		0	0.39242E-02	431888.9	3720564.7	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL15		0	0.39242E-02	431907.6	3720544.8	102.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL16		0	0.39242E-02	431922.2	3720525.3	101.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL17		0	0.39242E-02	431942.9	3720464.4	99.9	5.00	13.89

1.40	YES	HRDOW	NO						
VOL18		0	0.39242E-02	431957.8	3720425.4	100.1	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL19		0	0.39242E-02	431990.7	3720422.7	98.6	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL20		0	0.39242E-02	432002.6	3720463.3	99.4	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL21		0	0.39242E-02	432016.0	3720477.4	99.6	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL22		0	0.39242E-02	431919.9	3720645.9	104.7	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL23		0	0.39242E-02	431921.0	3720591.9	103.9	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL24		0	0.39242E-02	431983.8	3720524.9	100.8	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL25		0	0.39242E-02	432044.7	3720537.5	101.0	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL26		0	0.39242E-02	432027.9	3720489.3	99.9	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL27		0	0.39242E-02	432045.5	3720508.1	100.6	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL28		0	0.39242E-02	431968.5	3720585.0	102.9	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL29		0	0.39242E-02	432027.5	3720584.3	102.0	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL30		0	0.39242E-02	432076.1	3720526.4	99.4	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL31		0	0.39242E-02	432060.8	3720567.4	97.1	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL32		0	0.39242E-02	432014.5	3720645.5	94.5	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL33		0	0.39242E-02	431960.9	3720706.4	92.3	5.00	13.89	
1.40	YES	HRDOW	NO						
VOL34		0	0.39242E-02	431980.9	3720645.9	102.3	5.00	13.89	
1.40	YES	HRDOW	NO						

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:13:17

PAGE 3

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID  
-----

SOURCE IDs  
-----

```

ALL      VOL1      , VOL2      , VOL3      , VOL4      , VOL5      ,
VOL6     , VOL7      , VOL8      ,
VOL14    VOL9      , VOL10     , VOL11     , VOL12     , VOL13     ,
          , VOL15     , VOL16     ,
VOL22    VOL17     , VOL18     , VOL19     , VOL20     , VOL21     ,
          , VOL23     , VOL24     ,
VOL30    VOL25     , VOL26     , VOL27     , VOL28     , VOL29     ,
          , VOL31     , VOL32     ,
          VOL33     , VOL34     ,

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 4

```

*** MODELOPTs:   RegDFault  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

```

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

```

URBAN ID      URBAN POP      SOURCE IDs
-----
VOL5          3135755. VOL1      , VOL2      , VOL3      , VOL4      ,
VOL8          , VOL6      , VOL7      ,
VOL14         VOL9      , VOL10     , VOL11     , VOL12     , VOL13     ,
          , VOL15     , VOL16     ,
VOL22         VOL17     , VOL18     , VOL19     , VOL20     , VOL21     ,
          , VOL23     , VOL24     ,
VOL30         VOL25     , VOL26     , VOL27     , VOL28     , VOL29     ,
          , VOL31     , VOL32     ,
          VOL33     , VOL34     ,

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 5

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 6

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 7

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

```

6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 8

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 9

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 10

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 11

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 12

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 13

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 14

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
 \*\*\*      13:13:17

PAGE 15

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL11                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 16

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 17

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR								
------	--------	------	--------	------	--------	------	--------	------	--------

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:13:17

PAGE 18

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL14      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR								
------	--------	------	--------	------	--------	------	--------	------	--------

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 19

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380

Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 20

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 21

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 22

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 23

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*

\*\*\* 13:13:17

PAGE 24

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 03/05/25
\*\*\* AERMET - VERSION 22112 \*\*\*
\*\*\* 13:13:17

PAGE 25

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
 \*\*\*      13:13:17

PAGE 26

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL22                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
***                                     13:13:17

```

PAGE 27

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
***                                     13:13:17

```

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 30

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 31

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 32

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 33

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01

14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 34

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     13:13:17

```

PAGE 35

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     13:13:17

```

PAGE 36

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) \*

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:13:17

PAGE 37

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 38

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

```

( 431824.5, 3720637.6, 107.7, 110.4, 2.0); ( 431839.6,
3720538.4, 103.2, 125.7, 2.0);
( 431848.4, 3720506.3, 102.3, 125.7, 2.0); ( 431808.0,
3720544.2, 103.9, 126.8, 2.0);
( 432072.5, 3720450.4, 95.2, 100.9, 2.0); ( 432046.4,
3720409.1, 94.0, 111.4, 2.0);
( 432081.4, 3720460.0, 95.4, 100.9, 2.0); ( 432108.8,
3720474.0, 93.4, 101.0, 2.0);
( 431818.1, 3720498.9, 104.4, 126.8, 2.0); ( 431824.9,
3720465.1, 105.1, 125.7, 2.0);
( 431746.9, 3720630.1, 108.4, 108.4, 2.0); ( 431718.9,
3720636.9, 111.0, 111.0, 2.0);
( 431769.9, 3720571.0, 107.0, 126.8, 2.0); ( 431828.5,
3720830.3, 96.2, 114.8, 2.0);
( 431795.6, 3720851.9, 97.6, 110.2, 2.0); ( 431709.9,
3720687.8, 110.8, 118.8, 2.0);
( 431720.7, 3720650.8, 110.9, 112.0, 2.0); ( 431690.1,
3720613.4, 113.1, 125.2, 2.0);
( 431685.5, 3720648.1, 114.0, 114.0, 2.0); ( 431653.1,
3720714.9, 116.8, 116.8, 2.0);
( 431660.8, 3720740.1, 114.9, 114.9, 2.0); ( 431667.1,
3720767.2, 111.5, 114.8, 2.0);
( 431672.5, 3720800.1, 108.8, 114.8, 2.0); ( 431676.1,
3720826.2, 105.7, 114.8, 2.0);
( 431680.1, 3720851.9, 103.2, 114.8, 2.0); ( 433382.6,
3721167.4, 93.2, 93.2, 2.0);
( 433341.1, 3721247.7, 91.2, 91.2, 2.0); ( 433323.1,
3721251.3, 91.2, 91.2, 2.0);
( 432993.0, 3721124.6, 86.1, 95.7, 2.0); ( 432819.8,
3721275.6, 85.5, 85.5, 2.0);
( 432735.5, 3721287.8, 84.4, 84.4, 2.0); ( 432701.7,
3721285.6, 83.2, 83.2, 2.0);
( 432888.8, 3721184.5, 86.9, 86.9, 2.0); ( 432798.6,
3721183.2, 84.5, 84.5, 2.0);
( 432741.4, 3721201.7, 83.7, 83.7, 2.0); ( 432669.7,
3721211.6, 82.8, 82.8, 2.0);

```

( 432802.7, 3721413.2, 86.1, 86.1, 2.0); ( 432674.6,  
3721290.5, 83.1, 83.1, 2.0);  
( 432613.3, 3721308.1, 82.2, 82.2, 2.0); ( 432550.6,  
3721318.9, 82.6, 82.6, 2.0);  
( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);  
( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
3720348.5, 91.2, 115.5, 2.0);  
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
3720281.3, 93.2, 115.5, 2.0);  
( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,  
3720348.5, 99.4, 111.4, 2.0);  
( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,  
3720357.5, 108.2, 111.6, 2.0);  
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,  
3720352.5, 108.6, 111.1, 2.0);  
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,  
3720441.9, 102.3, 125.7, 2.0);  
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,  
3720523.7, 102.7, 125.7, 2.0);  
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,  
3720457.8, 105.3, 125.7, 2.0);  
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,  
3720987.2, 88.7, 124.1, 2.0);  
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,  
3720873.3, 86.6, 109.9, 2.0);  
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,  
3720824.6, 87.4, 87.4, 2.0);  
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,  
3720889.4, 88.0, 88.0, 2.0);



1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

\*\*\* UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES \*\*\* (METERS/SEC)

10.80, 1.54, 3.09, 5.14, 8.23,

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is \*\*\* 03/05/25 \*\*\* AERMET - VERSION 22112 \*\*\* 13:13:17

PAGE 42

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA \*\*\*

Surface file: MSVJ\_V11\_trimmed.sfc Met Version: 22112 Profile file: MSVJ\_V11\_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 93184 Name: UNKNOWN Year: 2017 Upper air station no.: 3190 Name: UNKNOWN Year: 2017

Table with 14 columns: YR, MO, DY, JDY, HR, H0, U\*, W\*, DT/DZ, ZICNV, ZIMCH, M-O, LEN, Z0, BOWEN. It contains 4 rows of meteorological data for the first 24 hours.

17	01	01	1	05	-3.0	0.080	-9.000	-9.000	-999.	54.	14.8	0.15	1.20
1.00		0.86	113.		10.0	279.8	9.0						
17	01	01	1	06	-6.1	0.109	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00		1.26	92.		10.0	279.9	9.0						
17	01	01	1	07	-5.8	0.107	-9.000	-9.000	-999.	84.	18.8	0.20	1.20
1.00		1.14	86.		10.0	279.8	9.0						
17	01	01	1	08	-3.2	0.087	-9.000	-9.000	-999.	61.	18.2	0.15	1.20
0.53		1.00	98.		10.0	280.2	9.0						
17	01	01	1	09	36.6	0.148	0.553	0.005	163.	136.	-7.8	0.15	1.20
0.31		1.12	106.		10.0	283.2	9.0						
17	01	01	1	10	89.0	0.203	1.161	0.005	624.	219.	-8.3	0.19	1.20
0.24		1.45	159.		10.0	285.0	9.0						
17	01	01	1	11	102.2	0.298	1.444	0.005	1044.	390.	-22.9	0.25	1.20
0.21		2.23	183.		10.0	285.5	9.0						
17	01	01	1	12	116.1	0.262	1.560	0.005	1160.	323.	-13.7	0.25	1.20
0.20		1.83	200.		10.0	286.2	9.0						
17	01	01	1	13	114.8	0.302	1.599	0.005	1265.	399.	-21.4	0.17	1.20
0.20		2.51	225.		10.0	286.6	9.0						
17	01	01	1	14	98.2	0.415	1.544	0.005	1330.	641.	-64.5	0.25	1.20
0.21		3.44	205.		10.0	286.5	9.0						
17	01	01	1	15	79.0	0.324	1.451	0.005	1370.	448.	-38.2	0.25	1.20
0.25		2.57	199.		10.0	286.4	9.0						
17	01	01	1	16	26.2	0.313	1.007	0.005	1383.	420.	-103.7	0.25	1.20
0.33		2.68	195.		10.0	286.5	9.0						
17	01	01	1	17	-20.5	0.246	-9.000	-9.000	-999.	295.	66.8	0.25	1.20
0.61		2.33	190.		10.0	285.5	9.0						
17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20
1.00		1.29	162.		10.0	284.2	9.0						
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00		1.25	117.		10.0	283.5	9.0						
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20
1.00		1.46	104.		10.0	283.4	9.0						
17	01	01	1	21	-8.0	0.125	-9.000	-9.000	-999.	106.	21.8	0.15	1.20
1.00		1.44	120.		10.0	284.0	9.0						
17	01	01	1	22	-7.3	0.120	-9.000	-9.000	-999.	100.	21.1	0.17	1.20
1.00		1.34	127.		10.0	284.3	9.0						
17	01	01	1	23	-5.7	0.106	-9.000	-9.000	-999.	83.	18.6	0.17	1.20
1.00		1.19	128.		10.0	284.0	9.0						
17	01	01	1	24	-9.5	0.137	-9.000	-9.000	-999.	122.	24.2	0.17	1.20
1.00		1.52	129.		10.0	283.9	9.0						

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
17	01	01	01	9.0	0	-999.	-99.00	280.0	99.0	-99.00	-99.00
17	01	01	01	10.0	1	69.	0.86	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25

\*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* 13:13:17

PAGE 43

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 , VOL11 , VOL12 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL19 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL27 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF NOX IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)
431824.47	3720637.57	21.50312 (21121316)	431839.58
3720538.42	16.19988 (17011216)		
431848.44	3720506.30	12.76435 (17011216)	431808.02
3720544.24	12.41035 (17011216)		
432072.45	3720450.37	15.97028 (21122216)	432046.42
3720409.11	13.94986 (17010316)		
432081.39	3720459.96	15.64804 (21122216)	432108.76
3720473.97	13.55873 (21122216)		
431818.11	3720498.90	9.76322 (17011216)	431824.87
3720465.08	7.47422 (17011216)		
431746.87	3720630.10	7.73298 (17011216)	431718.91
3720636.87	7.72839 (17011216)		
431769.86	3720571.04	7.88653 (21122316)	431828.48
3720830.29	17.83797 (21121316)		
431795.56	3720851.94	13.34483 (21121316)	431709.90
3720687.81	12.14583 (17011216)		
431720.72	3720650.84	9.21855 (17011216)	431690.06
3720613.42	5.39035 (17011216)		
431685.55	3720648.14	7.08017 (17011216)	431653.09
3720714.87	5.72087 (19112715)		
431660.75	3720740.12	6.33653 (19112715)	431667.06
3720767.17	6.35476 (21122916)		
431672.47	3720800.08	8.52825 (21122916)	431676.08

3720826.23	9.95519	(21123016)		
431680.14	3720851.94	10.91051	(21121316)	433382.64
3721167.41	0.20099	(19021413)		
433341.15	3721247.68	0.19059	(19021413)	433323.12
3721251.28	0.19040	(19021413)		
432993.01	3721124.56	0.30864	(19011716)	432819.84
3721275.64	0.57525	(19011716)		
432735.51	3721287.81	0.59708	(19011716)	432701.69
3721285.56	0.60257	(19011716)		
432888.84	3721184.54	0.50120	(19011716)	432798.65
3721183.19	0.61189	(19011716)		
432741.38	3721201.68	0.66527	(19011716)	432669.67
3721211.60	0.70073	(19011716)		
432802.71	3721413.18	0.45757	(19011716)	432674.64
3721290.52	0.59385	(19011716)		
432613.30	3721308.11	0.56525	(20012116)	432550.62
3721318.93	0.59708	(20012116)		
432615.11	3721232.79	0.67939	(19011716)	432534.84
3721218.82	0.70735	(20012116)		
432381.96	3721246.77	0.74462	(20012116)	432413.98
3721344.18	0.61672	(17112816)		
432490.19	3721330.65	0.59806	(20012116)	432375.65
3721348.24	0.70596	(17112816)		
432365.73	3721270.22	0.74969	(17112816)	432314.77
3721271.13	0.88610	(17112816)		
432246.67	3721271.13	1.01228	(17112816)	432302.59
3721208.44	0.96545	(17112816)		
432234.05	3721217.01	1.12349	(17112816)	432247.12
3721359.97	0.86644	(17112816)		
432356.71	3721352.75	0.74355	(17112816)	432289.06
3721101.11	1.15300	(20012116)		
432217.81	3721121.86	1.33772	(17112816)	432214.66
3721047.45	1.48785	(17112816)		
432280.04	3721039.78	1.37961	(20012116)	432195.26
3720984.32	1.73845	(20012116)		
432188.05	3720943.73	1.98280	(20012116)	432243.97
3720808.89	2.66454	(19011716)		
432150.62	3720733.13	4.33372	(19011716)	432249.83
3720693.00	3.52497	(19123016)		
432206.99	3720559.06	8.26493	(19123016)	432232.69
3720348.46	5.02082	(21122216)		
432180.38	3720350.72	6.16719	(21122216)	432183.09
3720281.27	4.35029	(21122216)		
432236.75	3720646.55	4.71848	(19123016)	432042.84
3720348.46	10.90572	(17010316)		
431941.37	3720348.46	8.68626	(17011016)	431888.61
3720357.48	5.44886	(19120615)		
431923.34	3720345.30	6.83451	(17011016)	431907.10
3720352.52	6.05485	(17011016)		
431851.18	3720360.64	5.63333	(17011216)	431852.21

```

3720441.91      8.04392 (17011216)
      431852.07  3720489.04      10.74266 (17011216)      431845.13
3720523.74      14.76680 (17011216)
      431823.30  3720473.86      7.97784 (17011216)      431823.88
3720457.81      7.08724 (17011216)
      431793.30  3720942.34      7.30591 (19112016)      431690.56
3720987.19      6.56293 (21121316)

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:13:17

```

PAGE 44

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

```

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2
, VOL3 , VOL4 , VOL5 ,
, VOL11 , VOL12 , VOL13 , VOL8 , VOL9 , VOL10
, VOL19 , VOL20 , VOL21 , VOL16 , VOL17 , VOL18
, VOL27 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26
, VOL28 , . . . ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

```

** CONC OF NOX IN MICROGRAMS/M**3
**
X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)
-----
431680.98 3720921.25 8.59519 (21121316) 432011.44
3720873.33 4.05935 (17010916)
432052.07 3720849.95 3.75448 (17010916) 432084.66
3720824.64 3.64502 (20012116)
432095.01 3720762.16 4.57041 (19011716) 432127.98
3720889.43 2.65818 (20012116)
432095.77 3720936.20 2.52515 (17112816) 431860.12
3720941.68 7.41313 (19120616)
431774.93 3721018.65 4.85260 (19112016) 431864.43
3720908.43 8.88478 (19120616)
431846.93 3720964.64 6.81697 (19120616) 431144.82
3719945.78 0.49245 (17011216)
431157.20 3719933.07 0.45707 (17011216) 431994.43
3719146.82 0.24942 (20121816)

```

431999.70 3719120.50 0.24173 (20121816) 434516.47  
 3720617.48 0.24548 (21121616)  
 434406.06 3720633.41 0.23697 (21121616)

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 45

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 1-HR

RESULTS \*\*\*

\*\* CONC OF NOX IN MICROGRAMS/M\*\*3

\*\*

GROUP ID	AVERAGE CONC OF TYPE	NETWORK GRID-ID	DATE (YYMMDDHH)	RECEPTOR
----	----	----	----	----

ALL HIGH 1ST HIGH VALUE IS 21.50312 ON 21121316: AT ( 431824.47,  
 3720637.57, 107.74, 110.43, 2.00) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
 GP = GRIDPOLR  
 DC = DISCCART  
 DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:13:17

PAGE 46

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
 A Total of 2 Warning Message(s)  
 A Total of 471 Informational Message(s)

A Total of 43824 Hours Were Processed  
A Total of 92 Calm Hours Identified  
A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 644 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 644 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* AERMOD Finishes Successfully \*\*\*  
\*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI  
\*\*

\*\*\*\*\*  
\*\*

\*\* AERMOD Input Produced by:  
\*\* AERMOD View Ver. 13.0.0  
\*\* Lakes Environmental Software Inc.  
\*\* Date: 3/5/2025  
\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Con LST PM10 Tier 4\Con  
LST PM10 Tier 4.ADI  
\*\*

\*\*\*\*\*  
\*\*  
\*\*

\*\*\*\*\*  
\*\* AERMOD Control Pathway  
\*\*\*\*\*

\*\*  
\*\*

CO STARTING  
TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is  
MODELOPT DFAULT CONC  
AVERTIME 24  
URBANOPT 3135755 County\_of\_Orange  
POLLUTID PM\_10  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Con LST PM10 Tier 4.err"

CO FINISHED  
\*\*

\*\*\*\*\*

\*\* AERMOD Source Pathway

\*\*\*\*\*

\*\*

\*\*

SO STARTING

\*\* Source Location \*\*

\*\* Source ID - Type - X Coord. - Y Coord. \*\*

LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120
LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310
LOCATION PAREA1	AREAPOLY	431762.713	3720811.124	100.880

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL2	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL3	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL4	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL5	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL6	0.0001338222	5.000	13.891	1.400

SRCPARAM VOL7	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL8	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL9	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL10	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL11	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL12	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL13	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL14	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL15	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL16	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL17	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL18	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL19	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL20	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL21	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL22	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL23	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL24	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL25	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL26	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL27	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL28	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL29	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL30	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL31	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL32	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL33	0.0001338222	5.000	13.891	1.400
SRCPARAM VOL34	0.0001338222	5.000	13.891	1.400
SRCPARAM PAREA1	2.6815E-06	0.000	52	1.000
AREAVERT PAREA1	431762.713	3720811.124	431742.449	3720800.334
AREAVERT PAREA1	431731.660	3720790.071	431722.449	3720777.966
AREAVERT PAREA1	431715.870	3720764.544	431713.238	3720750.860
AREAVERT PAREA1	431714.028	3720729.544	431723.765	3720707.965
AREAVERT PAREA1	431743.502	3720686.649	431757.186	3720672.438
AREAVERT PAREA1	431770.081	3720657.701	431814.834	3720651.277
AREAVERT PAREA1	431824.531	3720718.186	431834.067	3720716.570
AREAVERT PAREA1	431826.794	3720666.469	431863.642	3720625.742
AREAVERT PAREA1	431824.531	3720589.378	431842.147	3720569.661
AREAVERT PAREA1	431879.481	3720529.096	431909.218	3720496.934
AREAVERT PAREA1	431914.874	3720490.147	431921.501	3720479.480
AREAVERT PAREA1	431925.864	3720468.652	431928.450	3720457.985
AREAVERT PAREA1	431929.581	3720397.864	432020.733	3720395.925
AREAVERT PAREA1	432019.925	3720433.096	432055.642	3720465.743
AREAVERT PAREA1	432052.248	3720469.298	432099.924	3720513.904
AREAVERT PAREA1	432088.126	3720559.964	432060.490	3720594.389
AREAVERT PAREA1	432034.955	3720629.136	432017.015	3720655.318
AREAVERT PAREA1	432011.682	3720662.913	431990.026	3720683.600
AREAVERT PAREA1	431971.440	3720700.570	431955.278	3720714.146
AREAVERT PAREA1	431923.278	3720757.782	431883.036	3720777.337
AREAVERT PAREA1	431883.844	3720812.085	431862.673	3720826.145

AREAVERT PAREA1	431839.562	3720826.307	431835.521	3720795.115
AREAVERT PAREA1	431835.036	3720791.721	431826.514	3720786.449
AREAVERT PAREA1	431821.150	3720783.280	431815.725	3720781.573
AREAVERT PAREA1	431809.874	3720780.902	431803.900	3720781.512
AREAVERT PAREA1	431797.439	3720783.889	431766.901	3720800.164
URBANSRC ALL				

\*\* Variable Emissions Type: "By Hour / Day (HRDOW)"

\*\* Variable Emission Scenario: "Scenario 1"

\*\* WeekDays:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* WeekDays:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* WeekDays:

EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:



EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL7	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL8	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	















```

EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL34      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT PAREA1     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL

```

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Con LST PM10 Tier 4.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*  
ME STARTING  
SURFFILE MSVJ\_V11\_trimmed.sfc  
PROFFILE MSVJ\_V11\_trimmed.pfl  
SURFDATA 93184 2017  
UAIRDATA 3190 2017  
SITEDATA 60592022 2017  
PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*

\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 24 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 24 ALL 1ST "CON LST PM10 TIER 4.AD\24H1GALL.PLT" 31

SUMMFILE "Con LST PM10 Tier 4.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of                   0 Fatal Error Message(s)  
A Total of                   2 Warning Message(s)  
A Total of                   0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186     687            MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
          0.50  
ME W187     687            MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*     \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\*       03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*     \*\*\*

\*\*\* 13:07:24

PAGE 1

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 35 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: PM\_10

\*\*Model Calculates 1 Short Term Average(s) of: 24-HR

\*\*This Run Includes: 35 Source(s); 1 Source Group(s); and 97  
Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 34 VOLUME source(s)  
and: 1 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE  
Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing  
Hours  
b for Both Calm  
and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.6 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Con LST PM10 Tier 4.err

\*\*File for Summary of Results: Con LST PM10 Tier 4.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:07:24

PAGE 2

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.
SZ	SOURCE	EMISSION	RATE	AIRCRAFT	ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY		(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)

VOL1		0	0.13382E-03	431744.3	3720778.9	108.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL2		0	0.13382E-03	431744.2	3720719.8	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL3		0	0.13382E-03	431804.3	3720766.5	107.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL4		0	0.13382E-03	431777.5	3720706.4	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL5		0	0.13382E-03	431838.7	3720705.6	105.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL6		0	0.13382E-03	431871.3	3720796.4	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL7		0	0.13382E-03	431859.0	3720765.4	106.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL8		0	0.13382E-03	431919.5	3720735.5	97.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL9		0	0.13382E-03	431859.4	3720645.5	105.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL10		0	0.13382E-03	431899.6	3720704.9	103.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL11		0	0.13382E-03	431793.2	3720683.0	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL12		0	0.13382E-03	431854.8	3720601.9	105.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL13		0	0.13382E-03	431870.5	3720582.0	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL14		0	0.13382E-03	431888.9	3720564.7	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL15		0	0.13382E-03	431907.6	3720544.8	102.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL16		0	0.13382E-03	431922.2	3720525.3	101.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL17		0	0.13382E-03	431942.9	3720464.4	99.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL18		0	0.13382E-03	431957.8	3720425.4	100.1	5.00	13.89
1.40	YES	HRDOW	NO					
VOL19		0	0.13382E-03	431990.7	3720422.7	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL20		0	0.13382E-03	432002.6	3720463.3	99.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL21		0	0.13382E-03	432016.0	3720477.4	99.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL22		0	0.13382E-03	431919.9	3720645.9	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL23		0	0.13382E-03	431921.0	3720591.9	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL24		0	0.13382E-03	431983.8	3720524.9	100.8	5.00	13.89

1.40	YES	HRDOW		NO					
VOL25		0	0.13382E-03	432044.7	3720537.5	101.0	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL26		0	0.13382E-03	432027.9	3720489.3	99.9	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL27		0	0.13382E-03	432045.5	3720508.1	100.6	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL28		0	0.13382E-03	431968.5	3720585.0	102.9	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL29		0	0.13382E-03	432027.5	3720584.3	102.0	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL30		0	0.13382E-03	432076.1	3720526.4	99.4	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL31		0	0.13382E-03	432060.8	3720567.4	97.1	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL32		0	0.13382E-03	432014.5	3720645.5	94.5	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL33		0	0.13382E-03	431960.9	3720706.4	92.3	5.00	13.89	
1.40	YES	HRDOW		NO					
VOL34		0	0.13382E-03	431980.9	3720645.9	102.3	5.00	13.89	
1.40	YES	HRDOW		NO					

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      13:07:24

PAGE 3

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* AREAPOLY SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER EMISSION RATE	LOCATION OF AREA	BASE	RELEASE	NUMBER
SOURCE	PART.	(GRAMS/SEC	X	Y	ELEV.	HEIGHT OF VERTS.
SZ	SOURCE	SCALAR VARY				
ID	CATS.	/METER**2)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	BY					

PAREA1		0	0.26815E-05	431762.7	3720811.1	100.9	0.00	52
1.00	YES	HRDOW		NO				

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      13:07:24

PAGE 4

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID	SOURCE IDs					
-----	-----					
ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,
VOL6	, VOL7	, VOL8	,			
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	,
VOL14	, VOL15	, VOL16	,			
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	,
VOL22	, VOL23	, VOL24	,			
	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	,
VOL30	, VOL31	, VOL32	,			
	VOL33	, VOL34	, PAREA1	,		
▲ *** AERMOD - VERSION 24142 ***	Terravita\16380 Terravita.is ***		*** C:\Users\adadabhoy\Desktop\AERMOD\16380			03/05/25
*** AERMET - VERSION 22112 ***	***		***			13:07:24

PAGE 5

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID	URBAN POP	SOURCE IDs					
-----	-----	-----					
VOL5	3135755.	VOL1	, VOL2	, VOL3	, VOL4	,	
VOL8	, VOL6	, VOL7	,				
	,						
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	,	
VOL14	, VOL15	, VOL16	,				
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	,	
VOL22	, VOL23	, VOL24	,				
	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	,	
VOL30	, VOL31	, VOL32	,				

VOL33 , VOL34 , PAREA1 ,  
 \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 6

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 7

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 8

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:07:24

```

PAGE 9

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

PAGE 10

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL5                    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

PAGE 11

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL6                    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 12

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 13

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25

\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:07:24

PAGE 14

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:07:24

PAGE 15

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL11                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 17

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 03/05/25
\*\*\* AERMET - VERSION 22112 \*\*\*
\*\*\* 13:07:24

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

PAGE 20

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL15                    ; SOURCE TYPE = VOLUME            ;  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

PAGE 21

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL16                    ; SOURCE TYPE = VOLUME            :

HOUR	SCALAR								
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

PAGE 22

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 23

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 24

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

```

6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:07:24

```

PAGE 25

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:07:24

```

PAGE 26

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 27

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 28

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 29

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 30

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 31

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:07:24

PAGE 32

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL27                    ; SOURCE TYPE = VOLUME            :

HOUR	SCALAR								
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 33

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 34

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :



6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 36

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380

Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 37

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 38

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***
                                     13:07:24

```

PAGE 39

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

-----
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 40

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*

\*\*\* 13:07:24

PAGE 41

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 431824.5, 3720637.6, 107.7, 110.4, 2.0);	( 431839.6,
3720538.4, 103.2, 125.7, 2.0);	
( 431848.4, 3720506.3, 102.3, 125.7, 2.0);	( 431808.0,
3720544.2, 103.9, 126.8, 2.0);	
( 432072.5, 3720450.4, 95.2, 100.9, 2.0);	( 432046.4,
3720409.1, 94.0, 111.4, 2.0);	
( 432081.4, 3720460.0, 95.4, 100.9, 2.0);	( 432108.8,
3720474.0, 93.4, 101.0, 2.0);	
( 431818.1, 3720498.9, 104.4, 126.8, 2.0);	( 431824.9,
3720465.1, 105.1, 125.7, 2.0);	
( 431746.9, 3720630.1, 108.4, 108.4, 2.0);	( 431718.9,
3720636.9, 111.0, 111.0, 2.0);	
( 431769.9, 3720571.0, 107.0, 126.8, 2.0);	( 431828.5,
3720830.3, 96.2, 114.8, 2.0);	
( 431795.6, 3720851.9, 97.6, 110.2, 2.0);	( 431709.9,
3720687.8, 110.8, 118.8, 2.0);	
( 431720.7, 3720650.8, 110.9, 112.0, 2.0);	( 431690.1,
3720613.4, 113.1, 125.2, 2.0);	
( 431685.5, 3720648.1, 114.0, 114.0, 2.0);	( 431653.1,
3720714.9, 116.8, 116.8, 2.0);	
( 431660.8, 3720740.1, 114.9, 114.9, 2.0);	( 431667.1,
3720767.2, 111.5, 114.8, 2.0);	
( 431672.5, 3720800.1, 108.8, 114.8, 2.0);	( 431676.1,
3720826.2, 105.7, 114.8, 2.0);	
( 431680.1, 3720851.9, 103.2, 114.8, 2.0);	( 433382.6,
3721167.4, 93.2, 93.2, 2.0);	
( 433341.1, 3721247.7, 91.2, 91.2, 2.0);	( 433323.1,
3721251.3, 91.2, 91.2, 2.0);	
( 432993.0, 3721124.6, 86.1, 95.7, 2.0);	( 432819.8,
3721275.6, 85.5, 85.5, 2.0);	
( 432735.5, 3721287.8, 84.4, 84.4, 2.0);	( 432701.7,
3721285.6, 83.2, 83.2, 2.0);	
( 432888.8, 3721184.5, 86.9, 86.9, 2.0);	( 432798.6,
3721183.2, 84.5, 84.5, 2.0);	
( 432741.4, 3721201.7, 83.7, 83.7, 2.0);	( 432669.7,
3721211.6, 82.8, 82.8, 2.0);	
( 432802.7, 3721413.2, 86.1, 86.1, 2.0);	( 432674.6,
3721290.5, 83.1, 83.1, 2.0);	
( 432613.3, 3721308.1, 82.2, 82.2, 2.0);	( 432550.6,
3721318.9, 82.6, 82.6, 2.0);	
( 432615.1, 3721232.8, 82.0, 82.0, 2.0);	( 432534.8,

3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);  
( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
3720348.5, 91.2, 115.5, 2.0);  
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
3720281.3, 93.2, 115.5, 2.0);  
( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,  
3720348.5, 99.4, 111.4, 2.0);  
( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,  
3720357.5, 108.2, 111.6, 2.0);  
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,  
3720352.5, 108.6, 111.1, 2.0);  
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,  
3720441.9, 102.3, 125.7, 2.0);  
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,  
3720523.7, 102.7, 125.7, 2.0);  
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,  
3720457.8, 105.3, 125.7, 2.0);  
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,  
3720987.2, 88.7, 124.1, 2.0);  
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,  
3720873.3, 86.6, 109.9, 2.0);  
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,  
3720824.6, 87.4, 87.4, 2.0);  
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,  
3720889.4, 88.0, 88.0, 2.0);  
( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,  
3720941.7, 81.2, 124.1, 2.0);  
( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,  
3720908.4, 82.7, 124.1, 2.0);



\*\*\* UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED

CATEGORIES \*\*\*

(METERS/SEC)

1.54, 3.09, 5.14, 8.23,

10.80,

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 44

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* UP TO THE FIRST 24 HOURS OF METEOROLOGICAL

DATA \*\*\*

Surface file: MSVJ\_V11\_trimmed.sfc  
 Met Version: 22112  
 Profile file: MSVJ\_V11\_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 93184  
 Name: UNKNOWN  
 Year: 2017

Upper air station no.: 3190  
 Name: UNKNOWN  
 Year: 2017

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN
ALBEDO	REF	WS	WD	HT	REF	TA	HT							
17	01	01	1	01	-3.5	0.085	-9.000	-9.000	-999.	59.	15.7	0.20	1.20	
1.00	0.86	69.			10.0	280.0	9.0							
17	01	01	1	02	-3.7	0.087	-9.000	-9.000	-999.	62.	15.9	0.20	1.20	
1.00	0.90	61.			10.0	279.7	9.0							
17	01	01	1	03	-8.0	0.126	-9.000	-9.000	-999.	107.	22.3	0.20	1.20	
1.00	1.34	69.			10.0	280.4	9.0							
17	01	01	1	04	-3.1	0.081	-9.000	-9.000	-999.	56.	15.5	0.20	1.20	
1.00	0.80	67.			10.0	279.9	9.0							
17	01	01	1	05	-3.0	0.080	-9.000	-9.000	-999.	54.	14.8	0.15	1.20	
1.00	0.86	113.			10.0	279.8	9.0							
17	01	01	1	06	-6.1	0.109	-9.000	-9.000	-999.	86.	18.7	0.15	1.20	
1.00	1.26	92.			10.0	279.9	9.0							
17	01	01	1	07	-5.8	0.107	-9.000	-9.000	-999.	84.	18.8	0.20	1.20	

1.00	1.14	86.	10.0	279.8	9.0								
17	01	01	1	08	-3.2	0.087	-9.000	-9.000	-999.	61.	18.2	0.15	1.20
0.53	1.00	98.	10.0	280.2	9.0								
17	01	01	1	09	36.6	0.148	0.553	0.005	163.	136.	-7.8	0.15	1.20
0.31	1.12	106.	10.0	283.2	9.0								
17	01	01	1	10	89.0	0.203	1.161	0.005	624.	219.	-8.3	0.19	1.20
0.24	1.45	159.	10.0	285.0	9.0								
17	01	01	1	11	102.2	0.298	1.444	0.005	1044.	390.	-22.9	0.25	1.20
0.21	2.23	183.	10.0	285.5	9.0								
17	01	01	1	12	116.1	0.262	1.560	0.005	1160.	323.	-13.7	0.25	1.20
0.20	1.83	200.	10.0	286.2	9.0								
17	01	01	1	13	114.8	0.302	1.599	0.005	1265.	399.	-21.4	0.17	1.20
0.20	2.51	225.	10.0	286.6	9.0								
17	01	01	1	14	98.2	0.415	1.544	0.005	1330.	641.	-64.5	0.25	1.20
0.21	3.44	205.	10.0	286.5	9.0								
17	01	01	1	15	79.0	0.324	1.451	0.005	1370.	448.	-38.2	0.25	1.20
0.25	2.57	199.	10.0	286.4	9.0								
17	01	01	1	16	26.2	0.313	1.007	0.005	1383.	420.	-103.7	0.25	1.20
0.33	2.68	195.	10.0	286.5	9.0								
17	01	01	1	17	-20.5	0.246	-9.000	-9.000	-999.	295.	66.8	0.25	1.20
0.61	2.33	190.	10.0	285.5	9.0								
17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20
1.00	1.29	162.	10.0	284.2	9.0								
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00	1.25	117.	10.0	283.5	9.0								
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20
1.00	1.46	104.	10.0	283.4	9.0								
17	01	01	1	21	-8.0	0.125	-9.000	-9.000	-999.	106.	21.8	0.15	1.20
1.00	1.44	120.	10.0	284.0	9.0								
17	01	01	1	22	-7.3	0.120	-9.000	-9.000	-999.	100.	21.1	0.17	1.20
1.00	1.34	127.	10.0	284.3	9.0								
17	01	01	1	23	-5.7	0.106	-9.000	-9.000	-999.	83.	18.6	0.17	1.20
1.00	1.19	128.	10.0	284.0	9.0								
17	01	01	1	24	-9.5	0.137	-9.000	-9.000	-999.	122.	24.2	0.17	1.20
1.00	1.52	129.	10.0	283.9	9.0								

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
17	01	01	01	9.0	0	-999.	-99.00	280.0	99.0	-99.00	-99.00
17	01	01	01	10.0	1	69.	0.86	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***      13:07:24

```

PAGE 45

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

VALUES FOR SOURCE GROUP: ALL \*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION \*\*\*

INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 VOL6 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL11 , VOL12 , VOL13 ,  
 VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL19 , VOL20 , VOL21 ,  
 VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M<sup>3</sup>

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
431824.47	3720637.57	4.52257	(19122324)	431839.58
3720538.42	3.50873	(20120824)		
431848.44	3720506.30	2.64885	(19123124)	431808.02
3720544.24	2.48314	(20120824)		
432072.45	3720450.37	4.90450c	(21110924)	432046.42
3720409.11	4.65314	(17010324)		
432081.39	3720459.96	4.94812c	(21110924)	432108.76
3720473.97	4.20503c	(21110924)		
431818.11	3720498.90	1.83208	(19123124)	431824.87
3720465.08	1.59321	(19123124)		
431746.87	3720630.10	2.06706	(19122324)	431718.91
3720636.87	1.66969	(20120824)		
431769.86	3720571.04	1.85323	(21122324)	431828.48
3720830.29	7.30136	(21121324)		
431795.56	3720851.94	4.45379	(21121324)	431709.90
3720687.81	2.58516	(20120824)		
431720.72	3720650.84	1.89543	(20120824)	431690.06
3720613.42	1.22157	(20120824)		
431685.55	3720648.14	1.43571	(20120824)	431653.09
3720714.87	1.62789	(21122324)		
431660.75	3720740.12	2.08711	(19122324)	431667.06
3720767.17	2.58294	(19122324)		
431672.47	3720800.08	2.58657	(21123024)	431676.08
3720826.23	2.72275	(21123024)		
431680.14	3720851.94	2.54846	(21123024)	433382.64
3721167.41	0.07683	(17021624)		
433341.15	3721247.68	0.07772	(17120424)	433323.12
3721251.28	0.07915	(17120424)		

432993.01	3721124.56	0.09594	(17011924)	432819.84
3721275.64	0.14445	(21121424)		
432735.51	3721287.81	0.15268	(21121424)	432701.69
3721285.56	0.15373	(21121424)		
432888.84	3721184.54	0.10916	(21121424)	432798.65
3721183.19	0.14109	(21121424)		
432741.38	3721201.68	0.15980	(21121424)	432669.67
3721211.60	0.17077	(21121424)		
432802.71	3721413.18	0.12522	(21121424)	432674.64
3721290.52	0.15183	(21121424)		
432613.30	3721308.11	0.17387	(19061724)	432550.62
3721318.93	0.19365	(19061724)		
432615.11	3721232.79	0.16974	(19061724)	432534.84
3721218.82	0.21094	(19061724)		
432381.96	3721246.77	0.28639	(19051524)	432413.98
3721344.18	0.23827	(19051524)		
432490.19	3721330.65	0.21094	(19051524)	432375.65
3721348.24	0.24357	(19051524)		
432365.73	3721270.22	0.28419	(19051524)	432314.77
3721271.13	0.29630	(19051524)		
432246.67	3721271.13	0.29235	(19051524)	432302.59
3721208.44	0.34260	(19051524)		
432234.05	3721217.01	0.34452	(19051524)	432247.12
3721359.97	0.23894	(20040624)		
432356.71	3721352.75	0.24229	(19051524)	432289.06
3721101.11	0.42199	(19051524)		
432217.81	3721121.86	0.45203	(19051524)	432214.66
3721047.45	0.53865	(19051524)		
432280.04	3721039.78	0.47087	(19051524)	432195.26
3720984.32	0.64340	(19051524)		
432188.05	3720943.73	0.71757	(19051524)	432243.97
3720808.89	0.74177	(19062024)		
432150.62	3720733.13	1.49620	(19062024)	432249.83
3720693.00	0.82833b	(21120924)		
432206.99	3720559.06	1.97812b	(21120924)	432232.69
3720348.46	1.10207	(21122224)		
432180.38	3720350.72	1.40001	(21122224)	432183.09
3720281.27	1.08289	(17122224)		
432236.75	3720646.55	1.16465b	(21120924)	432042.84
3720348.46	3.02822	(17010324)		
431941.37	3720348.46	1.94222	(19031524)	431888.61
3720357.48	1.50368	(20020424)		
431923.34	3720345.30	1.72615	(19031524)	431907.10
3720352.52	1.70975	(20020424)		
431851.18	3720360.64	1.09758	(19123124)	431852.21
3720441.91	1.75315	(19123124)		
431852.07	3720489.04	2.38808	(19123124)	431845.13
3720523.74	3.11846	(20120824)		
431823.30	3720473.86	1.65125	(19123124)	431823.88
3720457.81	1.52462	(19123124)		

431793.30 3720942.34 2.00389 (21121324) 431690.56  
 3720987.19 1.70128 (21121324)  
 \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:07:24

PAGE 46

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
431680.98	3720921.25	2.14008	(21121324)	432011.44
3720873.33	1.48144	(17032124)		
432052.07	3720849.95	1.43349	(19062024)	432084.66
3720824.64	1.44262	(19062024)		
432095.01	3720762.16	1.80680	(19062024)	432127.98
3720889.43	0.99293	(19062024)		
432095.77	3720936.20	0.89414	(19051524)	431860.12
3720941.68	1.64057	(21041324)		
431774.93	3721018.65	1.06236	(21121324)	431864.43
3720908.43	2.02238	(21041324)		
431846.93	3720964.64	1.44877	(21041324)	431144.82
3719945.78	0.09621	(20010724)		
431157.20	3719933.07	0.09942	(20010724)	431994.43
3719146.82	0.07306	(19021224)		
431999.70	3719120.50	0.07214	(19021224)	434516.47
3720617.48	0.06865	(21121624)		
434406.06	3720633.41	0.07414	(21121624)	

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380

Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 47  
\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 24-HR  
RESULTS \*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3  
\*\*

GROUP ID	AVERAGE CONC	DATE	RECEPTOR
(XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE GRID-ID	(YYMMDDHH)	
ALL HIGH	1ST HIGH VALUE IS	7.30136 ON 21121324: AT (	431828.48,
3720830.29,	96.22, 114.81,	2.00) DC	

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:07:24

PAGE 48  
\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 41 Warning Message(s)  
A Total of 471 Informational Message(s)  
  
A Total of 43824 Hours Were Processed  
A Total of 92 Calm Hours Identified  
A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*

ME W186	687	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
0.50		
ME W187	687	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
CN W732	1176	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2017021824		
CN W732	10368	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2018030824		
CN W732	12408	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2018060124		
CN W732	22848	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2019081024		
CN W732	28032	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031324		
CN W732	28056	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031424		
CN W732	28080	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031524		
CN W732	28104	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031624		
CN W732	28512	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040224		
CN W732	28536	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040324		
CN W732	28632	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040724		
CN W732	28944	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020042024		
CN W732	33024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020100724		
CN W732	33096	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020101024		
CN W732	33888	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111224		
CN W732	34032	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111824		
CN W732	34080	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112024		
CN W732	34104	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112124		
CN W732	34128	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112224		
CN W732	34152	AVER: 24-hr avg, < 18 hours of data, calms policy used.

2020112324			
CN W732	34176		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112424			
CN W732	34200		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112524			
CN W732	34680		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020121524			
CN W732	34824		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020122124			
CN W732	35280		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021010924			
CN W732	35304		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011024			
CN W732	35328		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011124			
CN W732	35352		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011224			
CN W732	35616		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012324			
CN W732	35640		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012424			
CN W732	35664		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012524			
CN W732	36816		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021031424			
CN W732	37200		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021033024			
CN W732	37296		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021040324			
CN W732	38760		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021060324			
CN W732	39888		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021072024			
CN W732	40920		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021090124			
CN W732	41808		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100824			
CN W732	41832		AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100924			

\*\*\*\*\*  
 \*\*\* AERMOD Finishes Successfully \*\*\*  
 \*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI  
 \*\*  
 \*\*\*\*\*  
 \*\*  
 \*\* AERMOD Input Produced by:  
 \*\* AERMOD View Ver. 13.0.0  
 \*\* Lakes Environmental Software Inc.

\*\* Date: 3/5/2025  
\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Con LST PM25 Tier 4\Con LST PM25 Tier 4.ADI

\*\*  
\*\*\*\*\*  
\*\*

\*\*  
\*\*\*\*\*  
\*\*

\*\* AERMOD Control Pathway  
\*\*\*\*\*

\*\*  
\*\*  
CO STARTING  
TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is  
MODELOPT DFAULT CONC  
AVERTIME 24  
URBANOPT 3135755 County\_of\_Orange  
POLLUTID PM\_2.5  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Con LST PM25 Tier 4.err"

CO FINISHED  
\*\*  
\*\*\*\*\*

\*\* AERMOD Source Pathway  
\*\*\*\*\*

\*\*  
\*\*

SO STARTING  
\*\* Source Location \*\*  
\*\* Source ID - Type - X Coord. - Y Coord. \*\*

LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120
LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630

LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310
LOCATION PAREA1	AREAPOLY	431762.713	3720811.124	100.880

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL2	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL3	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL4	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL5	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL6	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL7	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL8	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL9	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL10	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL11	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL12	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL13	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL14	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL15	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL16	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL17	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL18	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL19	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL20	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL21	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL22	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL23	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL24	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL25	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL26	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL27	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL28	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL29	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL30	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL31	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL32	0.0001280799	5.000	13.891	1.400
SRCPARAM VOL33	0.0001280799	5.000	13.891	1.400

SRCPARAM	VOL34	0.0001280799	5.000	13.891	1.400
SRCPARAM	PAREA1	1.3728E-06	0.000	52	1.000
AREAVERT	PAREA1	431762.713	3720811.124	431742.449	3720800.334
AREAVERT	PAREA1	431731.660	3720790.071	431722.449	3720777.966
AREAVERT	PAREA1	431715.870	3720764.544	431713.238	3720750.860
AREAVERT	PAREA1	431714.028	3720729.544	431723.765	3720707.965
AREAVERT	PAREA1	431743.502	3720686.649	431757.186	3720672.438
AREAVERT	PAREA1	431770.081	3720657.701	431814.834	3720651.277
AREAVERT	PAREA1	431824.531	3720718.186	431834.067	3720716.570
AREAVERT	PAREA1	431826.794	3720666.469	431863.642	3720625.742
AREAVERT	PAREA1	431824.531	3720589.378	431842.147	3720569.661
AREAVERT	PAREA1	431879.481	3720529.096	431909.218	3720496.934
AREAVERT	PAREA1	431914.874	3720490.147	431921.501	3720479.480
AREAVERT	PAREA1	431925.864	3720468.652	431928.450	3720457.985
AREAVERT	PAREA1	431929.581	3720397.864	432020.733	3720395.925
AREAVERT	PAREA1	432019.925	3720433.096	432055.642	3720465.743
AREAVERT	PAREA1	432052.248	3720469.298	432099.924	3720513.904
AREAVERT	PAREA1	432088.126	3720559.964	432060.490	3720594.389
AREAVERT	PAREA1	432034.955	3720629.136	432017.015	3720655.318
AREAVERT	PAREA1	432011.682	3720662.913	431990.026	3720683.600
AREAVERT	PAREA1	431971.440	3720700.570	431955.278	3720714.146
AREAVERT	PAREA1	431923.278	3720757.782	431883.036	3720777.337
AREAVERT	PAREA1	431883.844	3720812.085	431862.673	3720826.145
AREAVERT	PAREA1	431839.562	3720826.307	431835.521	3720795.115
AREAVERT	PAREA1	431835.036	3720791.721	431826.514	3720786.449
AREAVERT	PAREA1	431821.150	3720783.280	431815.725	3720781.573
AREAVERT	PAREA1	431809.874	3720780.902	431803.900	3720781.512
AREAVERT	PAREA1	431797.439	3720783.889	431766.901	3720800.164
URBANSRC	ALL				

\*\* Variable Emissions Type: "By Hour / Day (HRDOW)"

\*\* Variable Emission Scenario: "Scenario 1"

\*\* WeekDays:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Saturday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* Sunday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

\*\* WeekDays:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0



EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Sunday:							
EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** WeekDays:							
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL6	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Saturday:							
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Sunday:							
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** WeekDays:							
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL7	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Saturday:							
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Sunday:							
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** WeekDays:							
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL8	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL8	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Saturday:							
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
** Sunday:							
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays :	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday :	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday :	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays :	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday :	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday :	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays :	
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday :	
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday :	
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays :	
EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0



EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL18	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0





EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL26	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL27	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL27	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL28	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL28	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0



EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT PAREA1	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT PAREA1	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT PAREA1	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT PAREA1	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA1      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL
```

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Con LST PM25 Tier 4.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE MSVJ\_V11\_trimmed.sfc

PROFFILE MSVJ\_V11\_trimmed.pfl

SURFDATA 93184 2017

UAIRDATA 3190 2017

SITEDATA 60592022 2017

PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*

\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 24 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 24 ALL 1ST "CON LST PM25 TIER 4.AD\24H1GALL.PLT" 31

SUMMFILE "Con LST PM25 Tier 4.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 2 Warning Message(s)  
A Total of 0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 687 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 687 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 1  
\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

---  
---  
\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 35 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET

- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: PM\_2.5

\*\*Model Calculates 1 Short Term Average(s) of: 24-HR

\*\*This Run Includes: 35 Source(s); 1 Source Group(s); and 97 Receptor(s)

with: 0 POINT(s), including  
 0 POINTCAP(s) and 0 POINTHOR(s)  
 and: 34 VOLUME source(s)  
 and: 1 AREA type source(s)  
 and: 0 LINE source(s)  
 and: 0 RLINE/RLINEXT source(s)  
 and: 0 OPENPIT source(s)  
 and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
 and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
 Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
 Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE  
 Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
 m for Missing

Hours

b for Both Calm

and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
 Coef. = 0.000 ; Rot. Angle = 0.0

Emission Units = GRAMS/SEC ;

Emission Rate Unit Factor = 0.10000E+07

Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.6 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Con LST PM25 Tier 4.err

\*\*File for Summary of Results: Con LST PM25 Tier 4.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 2

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER EMISSION RATE	BASE	RELEASE	INIT.
SZ	SOURCE	EMISSION RATE AIRCRAFT	ELEV.	HEIGHT	SY
ID	SCALAR VARY	(GRAMS/SEC) X Y	(METERS)	(METERS)	(METERS)
(METERS)	CATS.	BY			

VOL1		0	0.12808E-03	431744.3	3720778.9	108.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL2		0	0.12808E-03	431744.2	3720719.8	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL3		0	0.12808E-03	431804.3	3720766.5	107.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL4		0	0.12808E-03	431777.5	3720706.4	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL5		0	0.12808E-03	431838.7	3720705.6	105.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL6		0	0.12808E-03	431871.3	3720796.4	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL7		0	0.12808E-03	431859.0	3720765.4	106.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL8		0	0.12808E-03	431919.5	3720735.5	97.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL9		0	0.12808E-03	431859.4	3720645.5	105.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL10		0	0.12808E-03	431899.6	3720704.9	103.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL11		0	0.12808E-03	431793.2	3720683.0	110.2	5.00	13.89
1.40	YES	HRDOW	NO					
VOL12		0	0.12808E-03	431854.8	3720601.9	105.7	5.00	13.89
1.40	YES	HRDOW	NO					

VOL13		0	0.12808E-03	431870.5	3720582.0	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL14		0	0.12808E-03	431888.9	3720564.7	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL15		0	0.12808E-03	431907.6	3720544.8	102.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL16		0	0.12808E-03	431922.2	3720525.3	101.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL17		0	0.12808E-03	431942.9	3720464.4	99.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL18		0	0.12808E-03	431957.8	3720425.4	100.1	5.00	13.89
1.40	YES	HRDOW	NO					
VOL19		0	0.12808E-03	431990.7	3720422.7	98.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL20		0	0.12808E-03	432002.6	3720463.3	99.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL21		0	0.12808E-03	432016.0	3720477.4	99.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL22		0	0.12808E-03	431919.9	3720645.9	104.7	5.00	13.89
1.40	YES	HRDOW	NO					
VOL23		0	0.12808E-03	431921.0	3720591.9	103.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL24		0	0.12808E-03	431983.8	3720524.9	100.8	5.00	13.89
1.40	YES	HRDOW	NO					
VOL25		0	0.12808E-03	432044.7	3720537.5	101.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL26		0	0.12808E-03	432027.9	3720489.3	99.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL27		0	0.12808E-03	432045.5	3720508.1	100.6	5.00	13.89
1.40	YES	HRDOW	NO					
VOL28		0	0.12808E-03	431968.5	3720585.0	102.9	5.00	13.89
1.40	YES	HRDOW	NO					
VOL29		0	0.12808E-03	432027.5	3720584.3	102.0	5.00	13.89
1.40	YES	HRDOW	NO					
VOL30		0	0.12808E-03	432076.1	3720526.4	99.4	5.00	13.89
1.40	YES	HRDOW	NO					
VOL31		0	0.12808E-03	432060.8	3720567.4	97.1	5.00	13.89
1.40	YES	HRDOW	NO					
VOL32		0	0.12808E-03	432014.5	3720645.5	94.5	5.00	13.89
1.40	YES	HRDOW	NO					
VOL33		0	0.12808E-03	431960.9	3720706.4	92.3	5.00	13.89
1.40	YES	HRDOW	NO					
VOL34		0	0.12808E-03	431980.9	3720645.9	102.3	5.00	13.89
1.40	YES	HRDOW	NO					

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:00:52

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* AREAPOLY SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER EMISSION RATE	LOCATION OF AREA	BASE	RELEASE	NUMBER
SOURCE	PART.	(GRAMS/SEC	X	Y	ELEV.	HEIGHT OF VERTS.
SZ	SOURCE	SCALAR VARY	(METERS)	(METERS)	(METERS)	(METERS)
ID	CATS.	/METER**2)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	BY					

```

-----
PAREA1          0  0.13728E-05  431762.7  3720811.1  100.9  0.00  52
  1.00  YES  HRDOW  NO
^ *** AERMOD - VERSION 24142 ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***   03/05/25
*** AERMET - VERSION 22112 ***   ***
***                               ***   13:00:52

```

PAGE 4

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID	SOURCE IDs
-----	-----
ALL	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
VOL6	, VOL7 , VOL8 ,
VOL14	VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
	, VOL15 , VOL16 ,
VOL22	VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
	, VOL23 , VOL24 ,
VOL30	VOL25 , VOL26 , VOL27 , VOL28 , VOL29 ,
	, VOL31 , VOL32 ,
	VOL33 , VOL34 , PAREA1 ,
^ *** AERMOD - VERSION 24142 ***	*** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***	03/05/25
*** AERMET - VERSION 22112 ***	***
***	13:00:52

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID	URBAN POP	SOURCE IDs					
-----	-----	-----					
	3135755.	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	, VOL6
VOL5	, VOL6	, VOL7	, VOL8	, VOL9	, VOL10	, VOL11	, VOL12
VOL8	, VOL9	, VOL10	, VOL11	, VOL12	, VOL13	, VOL14	, VOL15
VOL14	, VOL15	, VOL16	, VOL17	, VOL18	, VOL19	, VOL20	, VOL21
VOL22	, VOL23	, VOL24	, VOL25	, VOL26	, VOL27	, VOL28	, VOL29
VOL30	, VOL31	, VOL32	, VOL33	, VOL34	, PAREA1	, PAREA2	, PAREA3

\*\*\* AERMOD - VERSION 24142 \*\*\*  
 Terravita\16380 Terravita.is  
 \*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 03/05/25  
 \*\*\* 13:00:52

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 7

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME ;  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380

Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 8

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 9

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 10

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

-----
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 11

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*

\*\*\* 13:00:52

PAGE 12

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 03/05/25

\*\*\* AERMET - VERSION 22112 \*\*\*
\*\*\*

13:00:52

PAGE 13

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
 \*\*\*      13:00:52

PAGE 14

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL9                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
***                                     13:00:52

```

PAGE 15

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
***                                     13:00:52

```

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

PAGE 18

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 19

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 20

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

PAGE 21

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01

14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 22

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 *** ***
***                               ***
                               13:00:52

```

PAGE 23

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      03/05/25
*** AERMET - VERSION 22112 *** ***
***                               ***
                               13:00:52

```

PAGE 24

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) \*

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 03/05/25
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*
\*\*\* 13:00:52

PAGE 25

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) \*

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

PAGE 26

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 27

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 28

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

PAGE 29

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
 OF WEEK (HRDOW) \*

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 30

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:00:52

PAGE 31

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL26                    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      13:00:52

PAGE 32

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL27                    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 33

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 34

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25

\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:00:52

PAGE 35

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 13:00:52

PAGE 36

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
 \*\*\*      13:00:52

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL32                    ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 38

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY  
OF WEEK (HRDOW) \*

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
14 .1000E+01 15 .1000E+01 16 .1000E+01  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 03/05/25
\*\*\* AERMET - VERSION 22112 \*\*\*
\*\*\* 13:00:52

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01  
 14 .1000E+01 15 .1000E+01 16 .1000E+01  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

PAGE 41

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
 (METERS)

( 431824.5, 3720637.6, 107.7, 110.4, 2.0); ( 431839.6,  
 3720538.4, 103.2, 125.7, 2.0);  
 ( 431848.4, 3720506.3, 102.3, 125.7, 2.0); ( 431808.0,  
 3720544.2, 103.9, 126.8, 2.0);  
 ( 432072.5, 3720450.4, 95.2, 100.9, 2.0); ( 432046.4,  
 3720409.1, 94.0, 111.4, 2.0);  
 ( 432081.4, 3720460.0, 95.4, 100.9, 2.0); ( 432108.8,  
 3720474.0, 93.4, 101.0, 2.0);  
 ( 431818.1, 3720498.9, 104.4, 126.8, 2.0); ( 431824.9,  
 3720465.1, 105.1, 125.7, 2.0);  
 ( 431746.9, 3720630.1, 108.4, 108.4, 2.0); ( 431718.9,  
 3720636.9, 111.0, 111.0, 2.0);  
 ( 431769.9, 3720571.0, 107.0, 126.8, 2.0); ( 431828.5,  
 3720830.3, 96.2, 114.8, 2.0);  
 ( 431795.6, 3720851.9, 97.6, 110.2, 2.0); ( 431709.9,  
 3720687.8, 110.8, 118.8, 2.0);  
 ( 431720.7, 3720650.8, 110.9, 112.0, 2.0); ( 431690.1,  
 3720613.4, 113.1, 125.2, 2.0);

( 431685.5, 3720648.1, 114.0, 114.0, 2.0); ( 431653.1,  
3720714.9, 116.8, 116.8, 2.0);  
( 431660.8, 3720740.1, 114.9, 114.9, 2.0); ( 431667.1,  
3720767.2, 111.5, 114.8, 2.0);  
( 431672.5, 3720800.1, 108.8, 114.8, 2.0); ( 431676.1,  
3720826.2, 105.7, 114.8, 2.0);  
( 431680.1, 3720851.9, 103.2, 114.8, 2.0); ( 433382.6,  
3721167.4, 93.2, 93.2, 2.0);  
( 433341.1, 3721247.7, 91.2, 91.2, 2.0); ( 433323.1,  
3721251.3, 91.2, 91.2, 2.0);  
( 432993.0, 3721124.6, 86.1, 95.7, 2.0); ( 432819.8,  
3721275.6, 85.5, 85.5, 2.0);  
( 432735.5, 3721287.8, 84.4, 84.4, 2.0); ( 432701.7,  
3721285.6, 83.2, 83.2, 2.0);  
( 432888.8, 3721184.5, 86.9, 86.9, 2.0); ( 432798.6,  
3721183.2, 84.5, 84.5, 2.0);  
( 432741.4, 3721201.7, 83.7, 83.7, 2.0); ( 432669.7,  
3721211.6, 82.8, 82.8, 2.0);  
( 432802.7, 3721413.2, 86.1, 86.1, 2.0); ( 432674.6,  
3721290.5, 83.1, 83.1, 2.0);  
( 432613.3, 3721308.1, 82.2, 82.2, 2.0); ( 432550.6,  
3721318.9, 82.6, 82.6, 2.0);  
( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);  
( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
3720348.5, 91.2, 115.5, 2.0);  
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
3720281.3, 93.2, 115.5, 2.0);  
( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,  
3720348.5, 99.4, 111.4, 2.0);

```

( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,
3720357.5, 108.2, 111.6, 2.0);
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,
3720352.5, 108.6, 111.1, 2.0);
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,
3720441.9, 102.3, 125.7, 2.0);
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,
3720523.7, 102.7, 125.7, 2.0);
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,
3720457.8, 105.3, 125.7, 2.0);
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,
3720987.2, 88.7, 124.1, 2.0);
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,
3720873.3, 86.6, 109.9, 2.0);
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,
3720824.6, 87.4, 87.4, 2.0);
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,
3720889.4, 88.0, 88.0, 2.0);
( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,
3720941.7, 81.2, 124.1, 2.0);
( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,
3720908.4, 82.7, 124.1, 2.0);

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 42

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

```

( 431846.9, 3720964.6, 82.2, 124.1, 2.0); ( 431144.8,
3719945.8, 113.4, 113.4, 2.0);
( 431157.2, 3719933.1, 113.9, 113.9, 2.0); ( 431994.4,
3719146.8, 148.9, 148.9, 2.0);
( 431999.7, 3719120.5, 149.2, 149.2, 2.0); ( 434516.5,
3720617.5, 115.5, 115.5, 2.0);
( 434406.1, 3720633.4, 113.7, 113.7, 2.0);

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 43

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*



Surface station no.: 93184  
Name: UNKNOWN

Upper air station no.: 3190  
Name: UNKNOWN

Year: 2017

Year: 2017

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN
ALBEDO	REF	WS	WD	HT	REF	TA	HT							
17	01	01	1	01	-3.5	0.085	-9.000	-9.000	-999.	59.	15.7	0.20	1.20	
1.00	0.86	69.		10.0	280.0	9.0								
17	01	01	1	02	-3.7	0.087	-9.000	-9.000	-999.	62.	15.9	0.20	1.20	
1.00	0.90	61.		10.0	279.7	9.0								
17	01	01	1	03	-8.0	0.126	-9.000	-9.000	-999.	107.	22.3	0.20	1.20	
1.00	1.34	69.		10.0	280.4	9.0								
17	01	01	1	04	-3.1	0.081	-9.000	-9.000	-999.	56.	15.5	0.20	1.20	
1.00	0.80	67.		10.0	279.9	9.0								
17	01	01	1	05	-3.0	0.080	-9.000	-9.000	-999.	54.	14.8	0.15	1.20	
1.00	0.86	113.		10.0	279.8	9.0								
17	01	01	1	06	-6.1	0.109	-9.000	-9.000	-999.	86.	18.7	0.15	1.20	
1.00	1.26	92.		10.0	279.9	9.0								
17	01	01	1	07	-5.8	0.107	-9.000	-9.000	-999.	84.	18.8	0.20	1.20	
1.00	1.14	86.		10.0	279.8	9.0								
17	01	01	1	08	-3.2	0.087	-9.000	-9.000	-999.	61.	18.2	0.15	1.20	
0.53	1.00	98.		10.0	280.2	9.0								
17	01	01	1	09	36.6	0.148	0.553	0.005	163.	136.	-7.8	0.15	1.20	
0.31	1.12	106.		10.0	283.2	9.0								
17	01	01	1	10	89.0	0.203	1.161	0.005	624.	219.	-8.3	0.19	1.20	
0.24	1.45	159.		10.0	285.0	9.0								
17	01	01	1	11	102.2	0.298	1.444	0.005	1044.	390.	-22.9	0.25	1.20	
0.21	2.23	183.		10.0	285.5	9.0								
17	01	01	1	12	116.1	0.262	1.560	0.005	1160.	323.	-13.7	0.25	1.20	
0.20	1.83	200.		10.0	286.2	9.0								
17	01	01	1	13	114.8	0.302	1.599	0.005	1265.	399.	-21.4	0.17	1.20	
0.20	2.51	225.		10.0	286.6	9.0								
17	01	01	1	14	98.2	0.415	1.544	0.005	1330.	641.	-64.5	0.25	1.20	
0.21	3.44	205.		10.0	286.5	9.0								
17	01	01	1	15	79.0	0.324	1.451	0.005	1370.	448.	-38.2	0.25	1.20	
0.25	2.57	199.		10.0	286.4	9.0								
17	01	01	1	16	26.2	0.313	1.007	0.005	1383.	420.	-103.7	0.25	1.20	
0.33	2.68	195.		10.0	286.5	9.0								
17	01	01	1	17	-20.5	0.246	-9.000	-9.000	-999.	295.	66.8	0.25	1.20	
0.61	2.33	190.		10.0	285.5	9.0								
17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20	
1.00	1.29	162.		10.0	284.2	9.0								
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20	
1.00	1.25	117.		10.0	283.5	9.0								
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20	
1.00	1.46	104.		10.0	283.4	9.0								

```

17 01 01 1 21 -8.0 0.125 -9.000 -9.000 -999. 106. 21.8 0.15 1.20
1.00 1.44 120. 10.0 284.0 9.0
17 01 01 1 22 -7.3 0.120 -9.000 -9.000 -999. 100. 21.1 0.17 1.20
1.00 1.34 127. 10.0 284.3 9.0
17 01 01 1 23 -5.7 0.106 -9.000 -9.000 -999. 83. 18.6 0.17 1.20
1.00 1.19 128. 10.0 284.0 9.0
17 01 01 1 24 -9.5 0.137 -9.000 -9.000 -999. 122. 24.2 0.17 1.20
1.00 1.52 129. 10.0 283.9 9.0

```

First hour of profile data

```

YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
17 01 01 01 9.0 0 -999. -99.00 280.0 99.0 -99.00 -99.00
17 01 01 01 10.0 1 69. 0.86 -999.0 99.0 -99.00 -99.00

```

F indicates top of profile (=1) or below (=0)

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 03/05/25
*** AERMET - VERSION 22112 *** ***
*** 13:00:52

```

PAGE 45

```

*** MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ_U*

```

```

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2
, VOL3 , VOL4 , VOL5 ,
, VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18
, VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26
, VOL27 , VOL28 , . . . ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>2.5</sub> IN MICROGRAMS/M\*\*3

\*\*

```

X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)
-----
431824.47 3720637.57 2.35614 (19122324) 431839.58
3720538.42 1.82212 (20120824)
431848.44 3720506.30 1.37806 (19123124) 431808.02
3720544.24 1.29030 (20120824)
432072.45 3720450.37 2.53644c (21110924) 432046.42

```

3720409.11	2.40731	(17010324)	
432081.39	3720459.96	2.55900c	(21110924) 432108.76
3720473.97	2.17400c	(21110924)	
431818.11	3720498.90	0.95398	(19123124) 431824.87
3720465.08	0.82964	(19123124)	
431746.87	3720630.10	1.07360	(19122324) 431718.91
3720636.87	0.86771	(20120824)	
431769.86	3720571.04	0.96622	(21122324) 431828.48
3720830.29	3.76965	(21121324)	
431795.56	3720851.94	2.30336	(21121324) 431709.90
3720687.81	1.34276	(20120824)	
431720.72	3720650.84	0.98495	(20120824) 431690.06
3720613.42	0.63460	(20120824)	
431685.55	3720648.14	0.74567	(20120824) 431653.09
3720714.87	0.84556	(21122324)	
431660.75	3720740.12	1.07853	(19122324) 431667.06
3720767.17	1.33388	(19122324)	
431672.47	3720800.08	1.34271	(21123024) 431676.08
3720826.23	1.41272	(21123024)	
431680.14	3720851.94	1.32182	(21123024) 433382.64
3721167.41	0.03945	(17021624)	
433341.15	3721247.68	0.03991	(17120424) 433323.12
3721251.28	0.04064	(17120424)	
432993.01	3721124.56	0.04962	(17011924) 432819.84
3721275.64	0.07425	(21121424)	
432735.51	3721287.81	0.07852	(21121424) 432701.69
3721285.56	0.07907	(21121424)	
432888.84	3721184.54	0.05613	(21121424) 432798.65
3721183.19	0.07254	(21121424)	
432741.38	3721201.68	0.08216	(21121424) 432669.67
3721211.60	0.08783	(21121424)	
432802.71	3721413.18	0.06440	(21121424) 432674.64
3721290.52	0.07810	(21121424)	
432613.30	3721308.11	0.09013	(19061724) 432550.62
3721318.93	0.10036	(19061724)	
432615.11	3721232.79	0.08805	(19061724) 432534.84
3721218.82	0.10937	(19061724)	
432381.96	3721246.77	0.14849	(19051524) 432413.98
3721344.18	0.12352	(19051524)	
432490.19	3721330.65	0.10938	(19051524) 432375.65
3721348.24	0.12628	(19051524)	
432365.73	3721270.22	0.14734	(19051524) 432314.77
3721271.13	0.15363	(19051524)	
432246.67	3721271.13	0.15163	(19051524) 432302.59
3721208.44	0.17764	(19051524)	
432234.05	3721217.01	0.17868	(19051524) 432247.12
3721359.97	0.12388	(20040624)	
432356.71	3721352.75	0.12563	(19051524) 432289.06
3721101.11	0.21888	(19051524)	
432217.81	3721121.86	0.23444	(19051524) 432214.66

3721047.45	0.27944	(19051524)		
432280.04	3721039.78	0.24430	(19051524)	432195.26
3720984.32	0.33386	(19051524)		
432188.05	3720943.73	0.37237	(19051524)	432243.97
3720808.89	0.38525	(19062024)		
432150.62	3720733.13	0.77674	(19062024)	432249.83
3720693.00	0.42833b	(21120924)		
432206.99	3720559.06	1.02180b	(21120924)	432232.69
3720348.46	0.57010	(21122224)		
432180.38	3720350.72	0.72428	(21122224)	432183.09
3720281.27	0.56140	(17122224)		
432236.75	3720646.55	0.60181b	(21120924)	432042.84
3720348.46	1.56655	(17010324)		
431941.37	3720348.46	1.00906	(19031524)	431888.61
3720357.48	0.78135	(20020424)		
431923.34	3720345.30	0.89633	(19031524)	431907.10
3720352.52	0.88826	(20020424)		
431851.18	3720360.64	0.57134	(19123124)	431852.21
3720441.91	0.91161	(19123124)		
431852.07	3720489.04	1.24252	(19123124)	431845.13
3720523.74	1.61953	(20120824)		
431823.30	3720473.86	0.85992	(19123124)	431823.88
3720457.81	0.79386	(19123124)		
431793.30	3720942.34	1.03764	(21121324)	431690.56
3720987.19	0.88027	(21121324)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 03/05/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 13:00:52

PAGE 46

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 , VOL11 , VOL12 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL19 , VOL14 , VOL13 ,  
 , VOL20 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL27 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>2.5</sub> IN MICROGRAMS/M\*\*3

\*\*



DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 03/05/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 13:00:52

PAGE 48

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 41 Warning Message(s)  
A Total of 471 Informational Message(s)  
  
A Total of 43824 Hours Were Processed  
  
A Total of 92 Calm Hours Identified  
  
A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 687 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 687 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET  
  
CN W732 1176 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2017021824  
CN W732 10368 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2018030824  
CN W732 12408 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2018060124  
CN W732 22848 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2019081024  
CN W732 28032 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2020031324  
CN W732 28056 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2020031424  
CN W732 28080 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2020031524  
CN W732 28104 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2020031624

CN W732 28512 2020040224	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 28536 2020040324	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 28632 2020040724	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 28944 2020042024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 33024 2020100724	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 33096 2020101024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 33888 2020111224	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34032 2020111824	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34080 2020112024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34104 2020112124	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34128 2020112224	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34152 2020112324	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34176 2020112424	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34200 2020112524	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34680 2020121524	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 34824 2020122124	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35280 2021010924	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35304 2021011024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35328 2021011124	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35352 2021011224	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35616 2021012324	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35640 2021012424	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 35664 2021012524	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 36816 2021031424	AVER: 24-hr avg, < 18 hours of data, calms policy used.
CN W732 37200 2021033024	AVER: 24-hr avg, < 18 hours of data, calms policy used.

CN W732 37296 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2021040324  
CN W732 38760 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2021060324  
CN W732 39888 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2021072024  
CN W732 40920 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2021090124  
CN W732 41808 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2021100824  
CN W732 41832 AVER: 24-hr avg, < 18 hours of data, calms policy used.  
2021100924

\*\*\*\*\*  
\*\*\* AERMOD Finishes Successfully \*\*\*  
\*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI  
\*\*

\*\*\*\*\*  
\*\*

\*\* AERMOD Input Produced by:  
\*\* AERMOD View Ver. 13.0.0  
\*\* Lakes Environmental Software Inc.  
\*\* Date: 2/28/2025  
\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Ops LST CO\Ops LST  
CO.ADI  
\*\*

\*\*\*\*\*  
\*\*  
\*\*

\*\*\*\*\*  
\*\* AERMOD Control Pathway  
\*\*\*\*\*  
\*\*  
\*\*

CO STARTING  
TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is  
MODELOPT DFAULT CONC  
AVERTIME 1 8  
URBANOPT 3135755 County\_of\_Orange  
POLLUTID CO  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Ops LST CO.err"

CO FINISHED  
\*\*  
\*\*\*\*\*  
\*\* AERMOD Source Pathway  
\*\*\*\*\*  
\*\*

\*\*

SO STARTING

\*\* Source Location \*\*

\*\* Source ID - Type - X Coord. - Y Coord. \*\*

LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120
LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL2	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL3	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL4	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL5	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL6	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL7	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL8	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL9	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL10	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL11	0.0078975472	5.000	13.891	1.400

SRCPARAM VOL12	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL13	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL14	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL15	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL16	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL17	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL18	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL19	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL20	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL21	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL22	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL23	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL24	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL25	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL26	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL27	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL28	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL29	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL30	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL31	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL32	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL33	0.0078975472	5.000	13.891	1.400
SRCPARAM VOL34	0.0078975472	5.000	13.891	1.400

URBANSRC ALL  
SRCGROUP ALL

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Ops LST CO.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE MSVJ\_V11\_trimmed.sfc

PROFFILE MSVJ\_V11\_trimmed.pfl

SURFDATA 93184 2017

UAIRDATA 3190 2017

SITEDATA 60592022 2017

PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*  
\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 1 1ST

RECTABLE 8 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 1 ALL 1ST "OPS LST CO.AD\01H1GALL.PLT" 31

PLOTFILE 8 ALL 1ST "OPS LST CO.AD\08H1GALL.PLT" 32

SUMMFILE "Ops LST CO.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of                   0 Fatal Error Message(s)  
A Total of                   2 Warning Message(s)  
A Total of                   0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
          \*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186     131            MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
          0.50  
ME W187     131            MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*     \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\*     02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\*     \*\*\*  
                                  \*\*\*     10:34:43

PAGE 1

\*\*\* MODELOPTs:     RegDFault   CONC   ELEV   FLGPOL   URBAN   ADJ\_U\*

\*\*\*                                    MODEL SETUP OPTIONS SUMMARY

\*\*\*

-----

-----  
\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 34 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: CO

\*\*Model Calculates 2 Short Term Average(s) of: 1-HR 8-HR

\*\*This Run Includes: 34 Source(s); 1 Source Group(s); and 97  
Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 34 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNning After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE

Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing

Hours

b for Both Calm

and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.5 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Ops LST CO.err

\*\*File for Summary of Results: Ops LST CO.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\*  
\*\*\* 10:34:43

PAGE 2

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)

VOL1		0	0.78975E-02	431744.3	3720778.9	108.6	5.00	13.89
1.40	YES			NO				
VOL2		0	0.78975E-02	431744.2	3720719.8	110.2	5.00	13.89
1.40	YES			NO				
VOL3		0	0.78975E-02	431804.3	3720766.5	107.2	5.00	13.89

1.40	YES		NO					
VOL4		0	0.78975E-02	431777.5	3720706.4	110.2	5.00	13.89
1.40	YES		NO					
VOL5		0	0.78975E-02	431838.7	3720705.6	105.2	5.00	13.89
1.40	YES		NO					
VOL6		0	0.78975E-02	431871.3	3720796.4	98.6	5.00	13.89
1.40	YES		NO					
VOL7		0	0.78975E-02	431859.0	3720765.4	106.3	5.00	13.89
1.40	YES		NO					
VOL8		0	0.78975E-02	431919.5	3720735.5	97.4	5.00	13.89
1.40	YES		NO					
VOL9		0	0.78975E-02	431859.4	3720645.5	105.3	5.00	13.89
1.40	YES		NO					
VOL10		0	0.78975E-02	431899.6	3720704.9	103.6	5.00	13.89
1.40	YES		NO					
VOL11		0	0.78975E-02	431793.2	3720683.0	110.2	5.00	13.89
1.40	YES		NO					
VOL12		0	0.78975E-02	431854.8	3720601.9	105.7	5.00	13.89
1.40	YES		NO					
VOL13		0	0.78975E-02	431870.5	3720582.0	104.7	5.00	13.89
1.40	YES		NO					
VOL14		0	0.78975E-02	431888.9	3720564.7	103.9	5.00	13.89
1.40	YES		NO					
VOL15		0	0.78975E-02	431907.6	3720544.8	102.0	5.00	13.89
1.40	YES		NO					
VOL16		0	0.78975E-02	431922.2	3720525.3	101.4	5.00	13.89
1.40	YES		NO					
VOL17		0	0.78975E-02	431942.9	3720464.4	99.9	5.00	13.89
1.40	YES		NO					
VOL18		0	0.78975E-02	431957.8	3720425.4	100.1	5.00	13.89
1.40	YES		NO					
VOL19		0	0.78975E-02	431990.7	3720422.7	98.6	5.00	13.89
1.40	YES		NO					
VOL20		0	0.78975E-02	432002.6	3720463.3	99.4	5.00	13.89
1.40	YES		NO					
VOL21		0	0.78975E-02	432016.0	3720477.4	99.6	5.00	13.89
1.40	YES		NO					
VOL22		0	0.78975E-02	431919.9	3720645.9	104.7	5.00	13.89
1.40	YES		NO					
VOL23		0	0.78975E-02	431921.0	3720591.9	103.9	5.00	13.89
1.40	YES		NO					
VOL24		0	0.78975E-02	431983.8	3720524.9	100.8	5.00	13.89
1.40	YES		NO					
VOL25		0	0.78975E-02	432044.7	3720537.5	101.0	5.00	13.89
1.40	YES		NO					
VOL26		0	0.78975E-02	432027.9	3720489.3	99.9	5.00	13.89
1.40	YES		NO					
VOL27		0	0.78975E-02	432045.5	3720508.1	100.6	5.00	13.89
1.40	YES		NO					
VOL28		0	0.78975E-02	431968.5	3720585.0	102.9	5.00	13.89

1.40	YES			NO				
VOL29		0	0.78975E-02	432027.5	3720584.3	102.0	5.00	13.89
1.40	YES			NO				
VOL30		0	0.78975E-02	432076.1	3720526.4	99.4	5.00	13.89
1.40	YES			NO				
VOL31		0	0.78975E-02	432060.8	3720567.4	97.1	5.00	13.89
1.40	YES			NO				
VOL32		0	0.78975E-02	432014.5	3720645.5	94.5	5.00	13.89
1.40	YES			NO				
VOL33		0	0.78975E-02	431960.9	3720706.4	92.3	5.00	13.89
1.40	YES			NO				
VOL34		0	0.78975E-02	431980.9	3720645.9	102.3	5.00	13.89

1.40 YES NO  
 \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 10:34:43

PAGE 3

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID	SOURCE IDs					
-----	-----					
ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,
VOL6	, VOL7	, VOL8	,			
VOL14	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	,
	, VOL15	, VOL16	,			
VOL22	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	,
	, VOL23	, VOL24	,			
VOL30	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	,
	, VOL31	, VOL32	,			
	VOL33	, VOL34	,			

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 10:34:43

PAGE 4

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID	URBAN POP	SOURCE IDs			
-----	-----	-----	-----	-----	-----
VOL5 VOL8	3135755. , VOL6 ,	VOL1 , VOL7	, VOL2 ,	, VOL3 ,	, VOL4 ,
VOL14	VOL9 , VOL15	, VOL10 , VOL16	, VOL11 ,	, VOL12 ,	, VOL13 ,
VOL22	VOL17 , VOL23	, VOL18 , VOL24	, VOL19 ,	, VOL20 ,	, VOL21 ,
VOL30	VOL25 , VOL31	, VOL26 , VOL32	, VOL27 ,	, VOL28 ,	, VOL29 ,
	VOL33	, VOL34	,		

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      10:34:43

PAGE 5

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
 (METERS)

( 431824.5, 3720637.6, 107.7, 110.4, 2.0);      ( 431839.6,  
 3720538.4, 103.2, 125.7, 2.0);  
 ( 431848.4, 3720506.3, 102.3, 125.7, 2.0);      ( 431808.0,  
 3720544.2, 103.9, 126.8, 2.0);  
 ( 432072.5, 3720450.4, 95.2, 100.9, 2.0);      ( 432046.4,  
 3720409.1, 94.0, 111.4, 2.0);  
 ( 432081.4, 3720460.0, 95.4, 100.9, 2.0);      ( 432108.8,  
 3720474.0, 93.4, 101.0, 2.0);  
 ( 431818.1, 3720498.9, 104.4, 126.8, 2.0);      ( 431824.9,  
 3720465.1, 105.1, 125.7, 2.0);  
 ( 431746.9, 3720630.1, 108.4, 108.4, 2.0);      ( 431718.9,  
 3720636.9, 111.0, 111.0, 2.0);  
 ( 431769.9, 3720571.0, 107.0, 126.8, 2.0);      ( 431828.5,  
 3720830.3, 96.2, 114.8, 2.0);  
 ( 431795.6, 3720851.9, 97.6, 110.2, 2.0);      ( 431709.9,  
 3720687.8, 110.8, 118.8, 2.0);

( 431720.7, 3720650.8, 110.9, 112.0, 2.0); ( 431690.1,  
3720613.4, 113.1, 125.2, 2.0);  
( 431685.5, 3720648.1, 114.0, 114.0, 2.0); ( 431653.1,  
3720714.9, 116.8, 116.8, 2.0);  
( 431660.8, 3720740.1, 114.9, 114.9, 2.0); ( 431667.1,  
3720767.2, 111.5, 114.8, 2.0);  
( 431672.5, 3720800.1, 108.8, 114.8, 2.0); ( 431676.1,  
3720826.2, 105.7, 114.8, 2.0);  
( 431680.1, 3720851.9, 103.2, 114.8, 2.0); ( 433382.6,  
3721167.4, 93.2, 93.2, 2.0);  
( 433341.1, 3721247.7, 91.2, 91.2, 2.0); ( 433323.1,  
3721251.3, 91.2, 91.2, 2.0);  
( 432993.0, 3721124.6, 86.1, 95.7, 2.0); ( 432819.8,  
3721275.6, 85.5, 85.5, 2.0);  
( 432735.5, 3721287.8, 84.4, 84.4, 2.0); ( 432701.7,  
3721285.6, 83.2, 83.2, 2.0);  
( 432888.8, 3721184.5, 86.9, 86.9, 2.0); ( 432798.6,  
3721183.2, 84.5, 84.5, 2.0);  
( 432741.4, 3721201.7, 83.7, 83.7, 2.0); ( 432669.7,  
3721211.6, 82.8, 82.8, 2.0);  
( 432802.7, 3721413.2, 86.1, 86.1, 2.0); ( 432674.6,  
3721290.5, 83.1, 83.1, 2.0);  
( 432613.3, 3721308.1, 82.2, 82.2, 2.0); ( 432550.6,  
3721318.9, 82.6, 82.6, 2.0);  
( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);  
( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
3720348.5, 91.2, 115.5, 2.0);  
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
3720281.3, 93.2, 115.5, 2.0);

```

( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,
3720348.5, 99.4, 111.4, 2.0);
( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,
3720357.5, 108.2, 111.6, 2.0);
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,
3720352.5, 108.6, 111.1, 2.0);
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,
3720441.9, 102.3, 125.7, 2.0);
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,
3720523.7, 102.7, 125.7, 2.0);
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,
3720457.8, 105.3, 125.7, 2.0);
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,
3720987.2, 88.7, 124.1, 2.0);
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,
3720873.3, 86.6, 109.9, 2.0);
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,
3720824.6, 87.4, 87.4, 2.0);
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,
3720889.4, 88.0, 88.0, 2.0);
( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,
3720941.7, 81.2, 124.1, 2.0);
( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,
3720908.4, 82.7, 124.1, 2.0);

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 02/28/25
*** AERMET - VERSION 22112 *** ***
*** 10:34:43

```

PAGE 6

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

```

( 431846.9, 3720964.6, 82.2, 124.1, 2.0); ( 431144.8,
3719945.8, 113.4, 113.4, 2.0);
( 431157.2, 3719933.1, 113.9, 113.9, 2.0); ( 431994.4,
3719146.8, 148.9, 148.9, 2.0);
( 431999.7, 3719120.5, 149.2, 149.2, 2.0); ( 434516.5,
3720617.5, 115.5, 115.5, 2.0);
( 434406.1, 3720633.4, 113.7, 113.7, 2.0);

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 02/28/25
*** AERMET - VERSION 22112 *** ***
*** 10:34:43

```

PAGE 7





```

17 01 01 1 20 -8.2 0.127 -9.000 -9.000 -999. 108. 22.1 0.15 1.20
1.00 1.46 104. 10.0 283.4 9.0
17 01 01 1 21 -8.0 0.125 -9.000 -9.000 -999. 106. 21.8 0.15 1.20
1.00 1.44 120. 10.0 284.0 9.0
17 01 01 1 22 -7.3 0.120 -9.000 -9.000 -999. 100. 21.1 0.17 1.20
1.00 1.34 127. 10.0 284.3 9.0
17 01 01 1 23 -5.7 0.106 -9.000 -9.000 -999. 83. 18.6 0.17 1.20
1.00 1.19 128. 10.0 284.0 9.0
17 01 01 1 24 -9.5 0.137 -9.000 -9.000 -999. 122. 24.2 0.17 1.20
1.00 1.52 129. 10.0 283.9 9.0

```

First hour of profile data

```

YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
17 01 01 01 9.0 0 -999. -99.00 280.0 99.0 -99.00 -99.00
17 01 01 01 10.0 1 69. 0.86 -999.0 99.0 -99.00 -99.00

```

F indicates top of profile (=1) or below (=0)

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoj\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 02/28/25
*** AERMET - VERSION 22112 *** ***
*** 10:34:43

```

PAGE 9

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

```

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2
, VOL3 , VOL4 , VOL5 ,
, VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18
, VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26
, VOL27 , VOL28 , . . . ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3

\*\*

```

X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)
-----
431824.47 3720637.57 51.94447 (17091907) 431839.58
3720538.42 32.88525 (21120204)
431848.44 3720506.30 28.00229 (19033001) 431808.02

```

3720544.24	29.07119	(21120204)		
432072.45	3720450.37	48.67571	(19122116)	432046.42
3720409.11	41.66666	(20090918)		
432081.39	3720459.96	47.80843	(19122116)	432108.76
3720473.97	38.66313	(20041418)		
431818.11	3720498.90	27.85133	(20020723)	431824.87
3720465.08	27.16383	(20102504)		
431746.87	3720630.10	30.16824	(20091405)	431718.91
3720636.87	25.20086	(21090404)		
431769.86	3720571.04	29.37824	(21120204)	431828.48
3720830.29	44.55155	(19021217)		
431795.56	3720851.94	32.67709	(19021217)	431709.90
3720687.81	33.64701	(20050504)		
431720.72	3720650.84	28.91179	(20050504)	431690.06
3720613.42	22.86679	(20020723)		
431685.55	3720648.14	20.94902	(20101104)	431653.09
3720714.87	23.94437	(20020723)		
431660.75	3720740.12	31.19462	(20091405)	431667.06
3720767.17	30.70691	(20091302)		
431672.47	3720800.08	31.84263	(21102222)	431676.08
3720826.23	27.28499	(17010423)		
431680.14	3720851.94	25.43482	(17091907)	433382.64
3721167.41	1.37016	(19040418)		
433341.15	3721247.68	1.33603	(19040418)	433323.12
3721251.28	1.34245	(19040418)		
432993.01	3721124.56	2.02828	(19040418)	432819.84
3721275.64	2.47909	(17070719)		
432735.51	3721287.81	2.74543	(17070719)	432701.69
3721285.56	2.82510	(17070719)		
432888.84	3721184.54	1.94548	(17070719)	432798.65
3721183.19	2.50907	(17070719)		
432741.38	3721201.68	2.86648	(17070719)	432669.67
3721211.60	3.17968	(17070719)		
432802.71	3721413.18	2.21196	(17070719)	432674.64
3721290.52	2.84277	(17070719)		
432613.30	3721308.11	2.73958	(17070719)	432550.62
3721318.93	2.83906	(20082924)		
432615.11	3721232.79	3.22793	(17070719)	432534.84
3721218.82	3.37658	(17070719)		
432381.96	3721246.77	4.66086	(18052223)	432413.98
3721344.18	4.38401	(18052223)		
432490.19	3721330.65	3.55054	(18071405)	432375.65
3721348.24	4.73186	(18052223)		
432365.73	3721270.22	4.84703	(18052223)	432314.77
3721271.13	5.26247	(21021920)		
432246.67	3721271.13	5.61504	(21021920)	432302.59
3721208.44	5.52911	(18052223)		
432234.05	3721217.01	5.98390	(21021920)	432247.12
3721359.97	5.42187	(20022307)		
432356.71	3721352.75	4.88175	(21021920)	432289.06

3721101.11	5.86654	(18052223)			
432217.81	3721121.86	6.64181	(21021920)		432214.66
3721047.45	7.01254	(18052223)			
432280.04	3721039.78	6.15472	(18052223)		432195.26
3720984.32	7.84696	(18052223)			
432188.05	3720943.73	8.31145	(18052223)		432243.97
3720808.89	10.50983	(17070719)			
432150.62	3720733.13	16.27695	(17070719)		432249.83
3720693.00	12.70681	(19040418)			
432206.99	3720559.06	24.26153	(21101617)		432232.69
3720348.46	14.10494	(20041418)			
432180.38	3720350.72	18.22926	(20041418)		432183.09
3720281.27	14.06541	(20090918)			
432236.75	3720646.55	15.47107	(21101617)		432042.84
3720348.46	31.60410	(20090918)			
431941.37	3720348.46	25.36035	(18011621)		431888.61
3720357.48	23.53021	(21122223)			
431923.34	3720345.30	24.62426	(20012122)		431907.10
3720352.52	24.58118	(21121703)			
431851.18	3720360.64	20.59989	(21090405)		431852.21
3720441.91	21.38821	(19033001)			
431852.07	3720489.04	25.39466	(19033001)		431845.13
3720523.74	30.71209	(21120204)			
431823.30	3720473.86	27.35331	(20102504)		431823.88
3720457.81	26.85628	(20102504)			
431793.30	3720942.34	20.83946	(19021217)		431690.56
3720987.19	13.70755	(21121819)			

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* 10:34:43

PAGE 10

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 , VOL11 , VOL12 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL19 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL27 , VOL20 , VOL21 ,  
 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
431680.98	3720921.25	17.72728	(17091907)	432011.44
3720873.33	14.37173	(20122620)		
432052.07	3720849.95	13.95943	(20022307)	432084.66
3720824.64	13.68673	(20022307)		
432095.01	3720762.16	16.93532	(17070719)	432127.98
3720889.43	11.07734	(21021920)		
432095.77	3720936.20	10.69789	(20022307)	431860.12
3720941.68	18.83032	(19021217)		
431774.93	3721018.65	13.74210	(19021217)	431864.43
3720908.43	23.17989	(19021217)		
431846.93	3720964.64	17.36602	(19021217)	431144.82
3719945.78	5.49253	(17011607)		
431157.20	3719933.07	5.65841	(21021004)	431994.43
3719146.82	5.10460	(20010218)		
431999.70	3719120.50	5.02150	(20010218)	434516.47
3720617.48	2.06578	(18122507)		
434406.06	3720633.41	2.04133	(18122507)	

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      10:34:43

PAGE 11

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      VOL1      , VOL2  
 , VOL3      , VOL4      , VOL5      ,  
                  VOL6      , VOL7      , VOL8      , VOL9      , VOL10  
 , VOL11      , VOL12      , VOL13      ,  
                  VOL14      , VOL15      , VOL16      , VOL17      , VOL18  
 , VOL19      , VOL20      , VOL21      ,  
                  VOL22      , VOL23      , VOL24      , VOL25      , VOL26  
 , VOL27      , VOL28      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF CO      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
-------------	-------------	------	------------	-------------

Y-COORD (M)	CONC	(YYMMDDHH)	
431824.47	3720637.57	35.16687	(17010508)
3720538.42	26.68123	(21020308)	431839.58
431848.44	3720506.30	22.10380	(21020308)
3720544.24	20.01483	(20021708)	431808.02
432072.45	3720450.37	25.12993	(19012824)
3720409.11	20.93214	(18020124)	432046.42
432081.39	3720459.96	25.00320	(19012824)
3720473.97	20.13521	(19012824)	432108.76
431818.11	3720498.90	17.56552	(18122708)
3720465.08	15.87833	(21012708)	431824.87
431746.87	3720630.10	21.81321	(17012208)
3720636.87	20.97075	(18123108)	431718.91
431769.86	3720571.04	19.34915	(17012208)
3720830.29	19.71232	(19021224)	431828.48
431795.56	3720851.94	14.14486	(19021224)
3720687.81	22.96289	(18123108)	431709.90
431720.72	3720650.84	22.07009	(18123108)
3720613.42	17.18332	(20123108)	431690.06
431685.55	3720648.14	18.52895	(18123108)
3720714.87	19.47103	(18123108)	431653.09
431660.75	3720740.12	19.96945	(17012208)
3720767.17	16.82614	(19011508)	431667.06
431672.47	3720800.08	15.72421	(21122924)
3720826.23	12.00633	(21122924)	431676.08
431680.14	3720851.94	9.72215	(21122924)
3721167.41	0.47472	(19040424)	433382.64
433341.15	3721247.68	0.48002	(19040424)
3721251.28	0.48678	(19040424)	433323.12
432993.01	3721124.56	0.75148	(19040424)
3721275.64	0.74183	(17070724)	432819.84
432735.51	3721287.81	0.82233	(17070724)
3721285.56	0.85572	(17070724)	432701.69
432888.84	3721184.54	0.76404	(19040424)
3721183.19	0.82347	(17050624)	432798.65
432741.38	3721201.68	0.86915	(17070724)
3721211.60	0.96125	(17070724)	432669.67
432802.71	3721413.18	0.67266	(17070724)
3721290.52	0.87499	(17070724)	432674.64
432613.30	3721308.11	0.92505	(17013124)
3721318.93	1.11099	(21081208)	432550.62
432615.11	3721232.79	1.00330	(17070724)
3721218.82	1.13499	(17013124)	432534.84
432381.96	3721246.77	1.89905	(21081208)
3721344.18	1.73892	(21081208)	432413.98
432490.19	3721330.65	1.38115	(21081208)
3721348.24	1.90313	(21081208)	432375.65
432365.73	3721270.22	1.97586	(21081208)
			432314.77

3721271.13	2.19334	(21081208)		
432246.67	3721271.13	2.38278	(21081208)	432302.59
3721208.44	2.34039	(21081208)		
432234.05	3721217.01	2.58104	(21081208)	432247.12
3721359.97	2.15952	(21081208)		
432356.71	3721352.75	1.97048	(21081208)	432289.06
3721101.11	2.55456	(21081208)		
432217.81	3721121.86	2.96316	(21081208)	432214.66
3721047.45	3.22536	(21081208)		
432280.04	3721039.78	2.73637	(21081208)	432195.26
3720984.32	3.70989	(21081208)		
432188.05	3720943.73	4.00429	(21081208)	432243.97
3720808.89	4.28666	(19040424)		
432150.62	3720733.13	7.72134	(21101624)	432249.83
3720693.00	5.71501	(19040424)		
432206.99	3720559.06	8.55530	(19040524)	432232.69
3720348.46	5.33767	(18020124)		
432180.38	3720350.72	6.90114	(18020124)	432183.09
3720281.27	5.35691	(18020124)		
432236.75	3720646.55	6.66850	(19040424)	432042.84
3720348.46	12.46732	(20090924)		
431941.37	3720348.46	17.86891	(17021224)	431888.61
3720357.48	16.68426	(17122908)		
431923.34	3720345.30	17.13079	(21011608)	431907.10
3720352.52	17.29292	(21011608)		
431851.18	3720360.64	15.91986	(18013008)	431852.21
3720441.91	14.98644	(21123108)		
431852.07	3720489.04	19.96036	(21020308)	431845.13
3720523.74	24.84079	(21020308)		
431823.30	3720473.86	16.37362	(21012708)	431823.88
3720457.81	15.28222	(21012708)		
431793.30	3720942.34	7.48220	(19021224)	431690.56
3720987.19	4.71725	(21121824)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 10:34:43

PAGE 12

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26

, VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

X-COORD (M)		Y-COORD (M)		CONC (YYMMDDHH)		X-COORD (M)
Y-COORD (M)		CONC	(YYMMDDHH)			
431680.98	3720921.25	6.18115	(21121824)			432011.44
3720873.33	8.06471 (19072708)					
432052.07	3720849.95	7.81481	(21110824)			432084.66
3720824.64	7.52285 (21110824)					
432095.01	3720762.16	9.15295	(19122924)			432127.98
3720889.43	5.62301 (21081208)					
432095.77	3720936.20	5.24228	(21081208)			431860.12
3720941.68	7.20640 (19021224)					
431774.93	3721018.65	4.78159	(19021224)			431864.43
3720908.43	8.99026 (19021224)					
431846.93	3720964.64	6.43851	(19021224)			431144.82
3719945.78	3.87355 (18013008)					
431157.20	3719933.07	3.94662	(19121808)			431994.43
3719146.82	1.74363 (21101208)					
431999.70	3719120.50	1.71294	(21101208)			434516.47
3720617.48	0.89036 (18122508)					
434406.06	3720633.41	0.86560	(18122508)			

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      10:34:43

PAGE 13

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 1-HR

RESULTS \*\*\*

		** CONC OF CO		IN MICROGRAMS/M**3	
				DATE	
GROUP ID	NETWORK	AVERAGE CONC	(YYMMDDHH)	RECEPTOR	
(XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE GRID-ID				
-----					

-----  
ALL HIGH 1ST HIGH VALUE IS 51.94447 ON 17091907: AT ( 431824.47,  
3720637.57, 107.74, 110.43, 2.00) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 10:34:43

PAGE 14

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 8-HR  
RESULTS \*\*\*

\*\* CONC OF CO IN MICROGRAMS/M\*\*3  
\*\*

GROUP ID	AVERAGE CONC	DATE	RECEPTOR
(XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	(YYMMDDHH)	
	NETWORK		
	GRID-ID		

-----  
-----

ALL HIGH 1ST HIGH VALUE IS 35.16687 ON 17010508: AT ( 431824.47,  
3720637.57, 107.74, 110.43, 2.00) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 10:34:43

PAGE 15

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 50 Warning Message(s)  
A Total of 471 Informational Message(s)  
  
A Total of 43824 Hours Were Processed  
  
A Total of 92 Calm Hours Identified  
  
A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 131 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 131 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET  
  
CN W733 1168 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2017021816  
CN W733 10360 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2018030816  
CN W733 12400 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2018060116  
CN W733 19512 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2019032424  
CN W733 22840 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2019081016  
CN W733 28024 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020031316  
CN W733 28048 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020031416  
CN W733 28072 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020031516  
CN W733 28096 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020031616  
CN W733 28504 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020040216  
CN W733 28528 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020040316  
CN W733 28624 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020040716  
CN W733 28936 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020042016  
CN W733 33016 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2020100716

CN W733	33088	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020101016		
CN W733	33264	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020101724		
CN W733	33880	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020111216		
CN W733	34024	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020111816		
CN W733	34072	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112016		
CN W733	34096	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112116		
CN W733	34120	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112216		
CN W733	34144	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112316		
CN W733	34168	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112416		
CN W733	34192	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020112516		
CN W733	34672	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020121516		
CN W733	34816	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020122116		
CN W733	35272	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021010916		
CN W733	35296	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011016		
CN W733	35320	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011116		
CN W733	35344	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011216		
CN W733	35608	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012316		
CN W733	35632	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012416		
CN W733	35656	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012516		
CN W733	36808	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021031416		
CN W733	37192	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021033016		
CN W733	37288	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021040316		
CN W733	37760	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021042308		
CN W733	37784	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021042408		
CN W733	38752	AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021060316		

CN W733 39888 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021072024  
CN W733 39896 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021072108  
CN W733 40088 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021072908  
CN W733 40912 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021090116  
CN W733 41384 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021092108  
CN W733 41800 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021100816  
CN W733 41824 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021100916  
CN W733 43272 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021120824  
CN W733 43536 AVER: 8-hr avg, < 6 hours of data, calms policy used.  
2021121924

\*\*\*\*\*  
\*\*\* AERMOD Finishes Successfully \*\*\*  
\*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI  
\*\*

\*\*\*\*\*  
\*\*

\*\* AERMOD Input Produced by:  
\*\* AERMOD View Ver. 13.0.0  
\*\* Lakes Environmental Software Inc.  
\*\* Date: 2/28/2025  
\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Ops LST NOx\Ops LST  
NOx.ADI  
\*\*

\*\*\*\*\*  
\*\*  
\*\*

\*\*\*\*\*  
\*\* AERMOD Control Pathway  
\*\*\*\*\*

\*\*  
\*\*

CO STARTING  
TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is  
MODELOPT DFAULT CONC  
AVERTIME 1  
URBANOPT 3135755 County\_of\_Orange  
POLLUTID NOX  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Ops LST NOx.err"

CO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Source Pathway

\*\*\*\*\*

\*\*

\*\*

SO STARTING

\*\* Source Location \*\*

\*\* Source ID - Type - X Coord. - Y Coord. \*\*

LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120
LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL2	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL3	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL4	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL5	0.0003691738	5.000	13.891	1.400

SRCPARAM VOL6	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL7	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL8	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL9	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL10	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL11	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL12	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL13	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL14	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL15	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL16	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL17	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL18	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL19	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL20	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL21	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL22	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL23	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL24	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL25	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL26	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL27	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL28	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL29	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL30	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL31	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL32	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL33	0.0003691738	5.000	13.891	1.400
SRCPARAM VOL34	0.0003691738	5.000	13.891	1.400
URBANSRC ALL				
SRCGROUP ALL				

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Ops LST NOx.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE MSVJ\_V11\_trimmed.sfc

PROFFILE MSVJ\_V11\_trimmed.pfl

SURFDATA 93184 2017  
UAIRDATA 3190 2017  
SITEDATA 60592022 2017  
PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*

\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 1 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 1 ALL 1ST "OPS LST NOX.AD\01H1GALL.PLT" 31

SUMMFILE "Ops LST NOx.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 131 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 131 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 10:59:25

PAGE 1

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 34 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: NOX

\*\*Model Calculates 1 Short Term Average(s) of: 1-HR

\*\*This Run Includes: 34 Source(s); 1 Source Group(s); and 97 Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 34 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE

Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE

Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE

Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing  
Hours  
b for Both Calm  
and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.5 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Ops LST NOx.err

\*\*File for Summary of Results: Ops LST NOx.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 10:59:25

PAGE 2

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION RATE		BASE	RELEASE	INIT.
SOURCE	EMISSION RATE	AIRCRAFT			ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR VARY			(METERS)	(METERS)	(METERS)
ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	BY						

VOL1 0 0.36917E-03 431744.3 3720778.9 108.6 5.00 13.89

1.40	YES			NO					
VOL2		0	0.36917E-03	431744.2	3720719.8	110.2	5.00	13.89	
1.40	YES			NO					
VOL3		0	0.36917E-03	431804.3	3720766.5	107.2	5.00	13.89	
1.40	YES			NO					
VOL4		0	0.36917E-03	431777.5	3720706.4	110.2	5.00	13.89	
1.40	YES			NO					
VOL5		0	0.36917E-03	431838.7	3720705.6	105.2	5.00	13.89	
1.40	YES			NO					
VOL6		0	0.36917E-03	431871.3	3720796.4	98.6	5.00	13.89	
1.40	YES			NO					
VOL7		0	0.36917E-03	431859.0	3720765.4	106.3	5.00	13.89	
1.40	YES			NO					
VOL8		0	0.36917E-03	431919.5	3720735.5	97.4	5.00	13.89	
1.40	YES			NO					
VOL9		0	0.36917E-03	431859.4	3720645.5	105.3	5.00	13.89	
1.40	YES			NO					
VOL10		0	0.36917E-03	431899.6	3720704.9	103.6	5.00	13.89	
1.40	YES			NO					
VOL11		0	0.36917E-03	431793.2	3720683.0	110.2	5.00	13.89	
1.40	YES			NO					
VOL12		0	0.36917E-03	431854.8	3720601.9	105.7	5.00	13.89	
1.40	YES			NO					
VOL13		0	0.36917E-03	431870.5	3720582.0	104.7	5.00	13.89	
1.40	YES			NO					
VOL14		0	0.36917E-03	431888.9	3720564.7	103.9	5.00	13.89	
1.40	YES			NO					
VOL15		0	0.36917E-03	431907.6	3720544.8	102.0	5.00	13.89	
1.40	YES			NO					
VOL16		0	0.36917E-03	431922.2	3720525.3	101.4	5.00	13.89	
1.40	YES			NO					
VOL17		0	0.36917E-03	431942.9	3720464.4	99.9	5.00	13.89	
1.40	YES			NO					
VOL18		0	0.36917E-03	431957.8	3720425.4	100.1	5.00	13.89	
1.40	YES			NO					
VOL19		0	0.36917E-03	431990.7	3720422.7	98.6	5.00	13.89	
1.40	YES			NO					
VOL20		0	0.36917E-03	432002.6	3720463.3	99.4	5.00	13.89	
1.40	YES			NO					
VOL21		0	0.36917E-03	432016.0	3720477.4	99.6	5.00	13.89	
1.40	YES			NO					
VOL22		0	0.36917E-03	431919.9	3720645.9	104.7	5.00	13.89	
1.40	YES			NO					
VOL23		0	0.36917E-03	431921.0	3720591.9	103.9	5.00	13.89	
1.40	YES			NO					
VOL24		0	0.36917E-03	431983.8	3720524.9	100.8	5.00	13.89	
1.40	YES			NO					
VOL25		0	0.36917E-03	432044.7	3720537.5	101.0	5.00	13.89	
1.40	YES			NO					
VOL26		0	0.36917E-03	432027.9	3720489.3	99.9	5.00	13.89	



\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID	URBAN POP	SOURCE IDs					
-----	-----	-----					
VOL5	3135755.	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	
VOL8		, VOL6	, VOL7				
VOL14		VOL9	, VOL10	, VOL11	, VOL12	, VOL13	
		, VOL15	, VOL16				
VOL22		VOL17	, VOL18	, VOL19	, VOL20	, VOL21	
		, VOL23	, VOL24				
VOL30		VOL25	, VOL26	, VOL27	, VOL28	, VOL29	
		, VOL31	, VOL32				
		VOL33	, VOL34				

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 10:59:25

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 431824.5, 3720637.6,	107.7,	110.4,	2.0);	( 431839.6,	
3720538.4,	103.2,	125.7,	2.0);		
( 431848.4, 3720506.3,	102.3,	125.7,	2.0);	( 431808.0,	
3720544.2,	103.9,	126.8,	2.0);		
( 432072.5, 3720450.4,	95.2,	100.9,	2.0);	( 432046.4,	
3720409.1,	94.0,	111.4,	2.0);		
( 432081.4, 3720460.0,	95.4,	100.9,	2.0);	( 432108.8,	
3720474.0,	93.4,	101.0,	2.0);		
( 431818.1, 3720498.9,	104.4,	126.8,	2.0);	( 431824.9,	
3720465.1,	105.1,	125.7,	2.0);		
( 431746.9, 3720630.1,	108.4,	108.4,	2.0);	( 431718.9,	
3720636.9,	111.0,	111.0,	2.0);		

( 431769.9, 3720571.0, 107.0, 126.8, 2.0); ( 431828.5,  
3720830.3, 96.2, 114.8, 2.0);  
( 431795.6, 3720851.9, 97.6, 110.2, 2.0); ( 431709.9,  
3720687.8, 110.8, 118.8, 2.0);  
( 431720.7, 3720650.8, 110.9, 112.0, 2.0); ( 431690.1,  
3720613.4, 113.1, 125.2, 2.0);  
( 431685.5, 3720648.1, 114.0, 114.0, 2.0); ( 431653.1,  
3720714.9, 116.8, 116.8, 2.0);  
( 431660.8, 3720740.1, 114.9, 114.9, 2.0); ( 431667.1,  
3720767.2, 111.5, 114.8, 2.0);  
( 431672.5, 3720800.1, 108.8, 114.8, 2.0); ( 431676.1,  
3720826.2, 105.7, 114.8, 2.0);  
( 431680.1, 3720851.9, 103.2, 114.8, 2.0); ( 433382.6,  
3721167.4, 93.2, 93.2, 2.0);  
( 433341.1, 3721247.7, 91.2, 91.2, 2.0); ( 433323.1,  
3721251.3, 91.2, 91.2, 2.0);  
( 432993.0, 3721124.6, 86.1, 95.7, 2.0); ( 432819.8,  
3721275.6, 85.5, 85.5, 2.0);  
( 432735.5, 3721287.8, 84.4, 84.4, 2.0); ( 432701.7,  
3721285.6, 83.2, 83.2, 2.0);  
( 432888.8, 3721184.5, 86.9, 86.9, 2.0); ( 432798.6,  
3721183.2, 84.5, 84.5, 2.0);  
( 432741.4, 3721201.7, 83.7, 83.7, 2.0); ( 432669.7,  
3721211.6, 82.8, 82.8, 2.0);  
( 432802.7, 3721413.2, 86.1, 86.1, 2.0); ( 432674.6,  
3721290.5, 83.1, 83.1, 2.0);  
( 432613.3, 3721308.1, 82.2, 82.2, 2.0); ( 432550.6,  
3721318.9, 82.6, 82.6, 2.0);  
( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);

```

( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,
3720348.5, 91.2, 115.5, 2.0);
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,
3720281.3, 93.2, 115.5, 2.0);
( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,
3720348.5, 99.4, 111.4, 2.0);
( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,
3720357.5, 108.2, 111.6, 2.0);
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,
3720352.5, 108.6, 111.1, 2.0);
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,
3720441.9, 102.3, 125.7, 2.0);
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,
3720523.7, 102.7, 125.7, 2.0);
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,
3720457.8, 105.3, 125.7, 2.0);
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,
3720987.2, 88.7, 124.1, 2.0);
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,
3720873.3, 86.6, 109.9, 2.0);
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,
3720824.6, 87.4, 87.4, 2.0);
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,
3720889.4, 88.0, 88.0, 2.0);
( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,
3720941.7, 81.2, 124.1, 2.0);
( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,
3720908.4, 82.7, 124.1, 2.0);

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 02/28/25
*** AERMET - VERSION 22112 *** ***
*** 10:59:25

```

PAGE 6

```

*** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

```

```

( 431846.9, 3720964.6, 82.2, 124.1, 2.0); ( 431144.8,
3719945.8, 113.4, 113.4, 2.0);
( 431157.2, 3719933.1, 113.9, 113.9, 2.0); ( 431994.4,
3719146.8, 148.9, 148.9, 2.0);
( 431999.7, 3719120.5, 149.2, 149.2, 2.0); ( 434516.5,
3720617.5, 115.5, 115.5, 2.0);
( 434406.1, 3720633.4, 113.7, 113.7, 2.0);

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is *** 02/28/25

```





17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20
1.00	1.29	162.			10.0	284.2	9.0						
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00	1.25	117.			10.0	283.5	9.0						
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20
1.00	1.46	104.			10.0	283.4	9.0						
17	01	01	1	21	-8.0	0.125	-9.000	-9.000	-999.	106.	21.8	0.15	1.20
1.00	1.44	120.			10.0	284.0	9.0						
17	01	01	1	22	-7.3	0.120	-9.000	-9.000	-999.	100.	21.1	0.17	1.20
1.00	1.34	127.			10.0	284.3	9.0						
17	01	01	1	23	-5.7	0.106	-9.000	-9.000	-999.	83.	18.6	0.17	1.20
1.00	1.19	128.			10.0	284.0	9.0						
17	01	01	1	24	-9.5	0.137	-9.000	-9.000	-999.	122.	24.2	0.17	1.20
1.00	1.52	129.			10.0	283.9	9.0						

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
17	01	01	01	9.0	0	-999.	-99.00	280.0	99.0	-99.00	-99.00
17	01	01	01	10.0	1	69.	0.86	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      10:59:25

PAGE 9

\*\*\* MODELOPTs:      RegDFault      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL      \*\*\*

INCLUDING SOURCE(S):      VOL1      , VOL2  
 , VOL3      , VOL4      , VOL5      ,  
    VOL6      , VOL7      , VOL8      , VOL9      , VOL10  
 , VOL11      , VOL12      , VOL13      ,  
    VOL14      , VOL15      , VOL16      , VOL17      , VOL18  
 , VOL19      , VOL20      , VOL21      ,  
    VOL22      , VOL23      , VOL24      , VOL25      , VOL26  
 , VOL27      , VOL28      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF NOX      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
-----	-----	-----	-----	-----

431824.47	3720637.57	2.42816	(17091907)	431839.58
3720538.42	1.53723 (21120204)			
431848.44	3720506.30	1.30898	(19033001)	431808.02
3720544.24	1.35894 (21120204)			
432072.45	3720450.37	2.27536	(19122116)	432046.42
3720409.11	1.94772 (20090918)			
432081.39	3720459.96	2.23482	(19122116)	432108.76
3720473.97	1.80732 (20041418)			
431818.11	3720498.90	1.30192	(20020723)	431824.87
3720465.08	1.26978 (20102504)			
431746.87	3720630.10	1.41023	(20091405)	431718.91
3720636.87	1.17802 (21090404)			
431769.86	3720571.04	1.37330	(21120204)	431828.48
3720830.29	2.08258 (19021217)			
431795.56	3720851.94	1.52750	(19021217)	431709.90
3720687.81	1.57284 (20050504)			
431720.72	3720650.84	1.35149	(20050504)	431690.06
3720613.42	1.06892 (20020723)			
431685.55	3720648.14	0.97927	(20101104)	431653.09
3720714.87	1.11929 (20020723)			
431660.75	3720740.12	1.45820	(20091405)	431667.06
3720767.17	1.43541 (20091302)			
431672.47	3720800.08	1.48850	(21102222)	431676.08
3720826.23	1.27545 (17010423)			
431680.14	3720851.94	1.18896	(17091907)	433382.64
3721167.41	0.06405 (19040418)			
433341.15	3721247.68	0.06245	(19040418)	433323.12
3721251.28	0.06275 (19040418)			
432993.01	3721124.56	0.09481	(19040418)	432819.84
3721275.64	0.11589 (17070719)			
432735.51	3721287.81	0.12834	(17070719)	432701.69
3721285.56	0.13206 (17070719)			
432888.84	3721184.54	0.09094	(17070719)	432798.65
3721183.19	0.11729 (17070719)			
432741.38	3721201.68	0.13399	(17070719)	432669.67
3721211.60	0.14864 (17070719)			
432802.71	3721413.18	0.10340	(17070719)	432674.64
3721290.52	0.13289 (17070719)			
432613.30	3721308.11	0.12806	(17070719)	432550.62
3721318.93	0.13271 (20082924)			
432615.11	3721232.79	0.15089	(17070719)	432534.84
3721218.82	0.15784 (17070719)			
432381.96	3721246.77	0.21787	(18052223)	432413.98
3721344.18	0.20493 (18052223)			
432490.19	3721330.65	0.16597	(18071405)	432375.65
3721348.24	0.22119 (18052223)			
432365.73	3721270.22	0.22658	(18052223)	432314.77
3721271.13	0.24600 (21021920)			
432246.67	3721271.13	0.26248	(21021920)	432302.59

3721208.44	0.25846	(18052223)		
432234.05	3721217.01	0.27972	(21021920)	432247.12
3721359.97	0.25345	(20022307)		
432356.71	3721352.75	0.22820	(21021920)	432289.06
3721101.11	0.27423	(18052223)		
432217.81	3721121.86	0.31047	(21021920)	432214.66
3721047.45	0.32780	(18052223)		
432280.04	3721039.78	0.28770	(18052223)	432195.26
3720984.32	0.36681	(18052223)		
432188.05	3720943.73	0.38852	(18052223)	432243.97
3720808.89	0.49129	(17070719)		
432150.62	3720733.13	0.76087	(17070719)	432249.83
3720693.00	0.59398	(19040418)		
432206.99	3720559.06	1.13411	(21101617)	432232.69
3720348.46	0.65934	(20041418)		
432180.38	3720350.72	0.85213	(20041418)	432183.09
3720281.27	0.65749	(20090918)		
432236.75	3720646.55	0.72320	(21101617)	432042.84
3720348.46	1.47735	(20090918)		
431941.37	3720348.46	1.18548	(18011621)	431888.61
3720357.48	1.09993	(21122223)		
431923.34	3720345.30	1.15107	(20012122)	431907.10
3720352.52	1.14906	(21121703)		
431851.18	3720360.64	0.96295	(21090405)	431852.21
3720441.91	0.99980	(19033001)		
431852.07	3720489.04	1.18708	(19033001)	431845.13
3720523.74	1.43565	(21120204)		
431823.30	3720473.86	1.27864	(20102504)	431823.88
3720457.81	1.25541	(20102504)		
431793.30	3720942.34	0.97415	(19021217)	431690.56
3720987.19	0.64076	(21121819)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* 10:59:25

PAGE 10

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 , VOL11 , VOL12 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL19 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL27 , VOL28 , VOL21 , VOL23 , VOL24 , VOL25 , VOL26  
 , . . .

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

		** CONC OF NOX		IN MICROGRAMS/M**3	
X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)			
431680.98	3720921.25	0.82867	(17091907)	432011.44	3720873.33
3720873.33	0.67181	(20122620)			432052.07
432052.07	3720849.95	0.65254	(20022307)	432084.66	3720824.64
3720824.64	0.63979	(20022307)			432095.01
432095.01	3720762.16	0.79165	(17070719)	432127.98	3720889.43
3720889.43	0.51781	(21021920)			432095.77
432095.77	3720936.20	0.50008	(20022307)	431860.12	3720941.68
3720941.68	0.88023	(19021217)			431774.93
431774.93	3721018.65	0.64238	(19021217)	431864.43	3720908.43
3720908.43	1.08355	(19021217)			431846.93
431846.93	3720964.64	0.81178	(19021217)	431144.82	3719945.78
3719945.78	0.25675	(17011607)			431157.20
431157.20	3719933.07	0.26450	(21021004)	431994.43	3719146.82
3719146.82	0.23862	(20010218)			431999.70
431999.70	3719120.50	0.23473	(20010218)	434516.47	3720617.48
3720617.48	0.09657	(18122507)			434406.06
434406.06	3720633.41	0.09542	(18122507)		

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      10:59:25

PAGE 11

\*\*\* MODELOPTs:      RegDFault      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 1-HR

RESULTS \*\*\*

		** CONC OF NOX		IN MICROGRAMS/M**3	
GROUP ID	RECEPTOR	AVERAGE CONC	(YYMMDDHH)	DATE	NETWORK
(XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID			
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----

ALL HIGH 1ST HIGH VALUE IS 2.42816 ON 17091907: AT ( 431824.47,  
3720637.57, 107.74, 110.43, 2.00) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 10:59:25

PAGE 12

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 2 Warning Message(s)  
A Total of 471 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 92 Calm Hours Identified

A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 131 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 131 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* AERMOD Finishes Successfully \*\*\*  
\*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI

\*\*

\*\*\*\*\*

\*\*

\*\* AERMOD Input Produced by:

\*\* AERMOD View Ver. 13.0.0

\*\* Lakes Environmental Software Inc.  
\*\* Date: 2/28/2025  
\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Ops LST PM10\Ops LST PM10.ADI

\*\*  
\*\*\*\*\*  
\*\*  
\*\*  
\*\*\*\*\*

\*\* AERMOD Control Pathway  
\*\*\*\*\*  
\*\*  
\*\*

CO STARTING  
TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is  
MODELOPT DFAULT CONC  
AVERTIME 24  
URBANOPT 3135755 County\_of\_Orange  
POLLUTID PM\_10  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Ops LST PM10.err"

CO FINISHED  
\*\*  
\*\*\*\*\*  
\*\* AERMOD Source Pathway  
\*\*\*\*\*  
\*\*  
\*\*

SO STARTING

\*\* Source Location \*\*

\*\* Source ID - Type - X Coord. - Y Coord. \*\*

Source ID	Type	X Coord.	Y Coord.	Value
LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120

LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL2	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL3	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL4	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL5	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL6	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL7	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL8	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL9	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL10	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL11	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL12	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL13	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL14	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL15	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL16	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL17	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL18	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL19	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL20	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL21	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL22	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL23	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL24	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL25	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL26	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL27	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL28	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL29	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL30	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL31	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL32	0.0001121381	5.000	13.891	1.400
SRCPARAM VOL33	0.0001121381	5.000	13.891	1.400

SRCPARAM VOL34 0.0001121381 5.000 13.891 1.400  
URBANSRC ALL  
SRCGROUP ALL

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Ops LST PM10.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE MSVJ\_V11\_trimmed.sfc

PROFFILE MSVJ\_V11\_trimmed.pfl

SURFDATA 93184 2017

UAIRDATA 3190 2017

SITEDATA 60592022 2017

PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*

\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 24 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 24 ALL 1ST "OPS LST PM10.AD\24H1GALL.PLT" 31

SUMMFILE "Ops LST PM10.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 2 Warning Message(s)  
A Total of 0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 131 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 131 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 11:11:38

PAGE 1  
\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

---  
---  
\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 34 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: PM\_10

\*\*Model Calculates 1 Short Term Average(s) of: 24-HR

\*\*This Run Includes: 34 Source(s); 1 Source Group(s); and 97 Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 34 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE  
Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing  
Hours  
b for Both Calm  
and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.5 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Ops LST PM10.err

\*\*File for Summary of Results: Ops LST PM10.sum

▲ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      11:11:38

PAGE 2

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.
SOURCE	SOURCE	EMISSION	RATE	AIRCRAFT	ELEV.	HEIGHT	SY
SZ	ID	SCALAR	VARY	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY	X	Y		
VOL1		0	0.11214E-03	431744.3	3720778.9	108.6	13.89
1.40	YES			NO		5.00	
VOL2		0	0.11214E-03	431744.2	3720719.8	110.2	13.89
1.40	YES			NO		5.00	
VOL3		0	0.11214E-03	431804.3	3720766.5	107.2	13.89
1.40	YES			NO		5.00	
VOL4		0	0.11214E-03	431777.5	3720706.4	110.2	13.89
1.40	YES			NO		5.00	
VOL5		0	0.11214E-03	431838.7	3720705.6	105.2	13.89
1.40	YES			NO		5.00	
VOL6		0	0.11214E-03	431871.3	3720796.4	98.6	13.89
1.40	YES			NO		5.00	
VOL7		0	0.11214E-03	431859.0	3720765.4	106.3	13.89
1.40	YES			NO		5.00	
VOL8		0	0.11214E-03	431919.5	3720735.5	97.4	13.89
1.40	YES			NO		5.00	
VOL9		0	0.11214E-03	431859.4	3720645.5	105.3	13.89
1.40	YES			NO		5.00	
VOL10		0	0.11214E-03	431899.6	3720704.9	103.6	13.89
1.40	YES			NO		5.00	
VOL11		0	0.11214E-03	431793.2	3720683.0	110.2	13.89
1.40	YES			NO		5.00	
VOL12		0	0.11214E-03	431854.8	3720601.9	105.7	13.89
1.40	YES			NO		5.00	
VOL13		0	0.11214E-03	431870.5	3720582.0	104.7	13.89
1.40	YES			NO		5.00	
VOL14		0	0.11214E-03	431888.9	3720564.7	103.9	13.89
1.40	YES			NO		5.00	
VOL15		0	0.11214E-03	431907.6	3720544.8	102.0	13.89

1.40	YES			NO					
VOL16		0	0.11214E-03	431922.2	3720525.3	101.4	5.00	13.89	
1.40	YES			NO					
VOL17		0	0.11214E-03	431942.9	3720464.4	99.9	5.00	13.89	
1.40	YES			NO					
VOL18		0	0.11214E-03	431957.8	3720425.4	100.1	5.00	13.89	
1.40	YES			NO					
VOL19		0	0.11214E-03	431990.7	3720422.7	98.6	5.00	13.89	
1.40	YES			NO					
VOL20		0	0.11214E-03	432002.6	3720463.3	99.4	5.00	13.89	
1.40	YES			NO					
VOL21		0	0.11214E-03	432016.0	3720477.4	99.6	5.00	13.89	
1.40	YES			NO					
VOL22		0	0.11214E-03	431919.9	3720645.9	104.7	5.00	13.89	
1.40	YES			NO					
VOL23		0	0.11214E-03	431921.0	3720591.9	103.9	5.00	13.89	
1.40	YES			NO					
VOL24		0	0.11214E-03	431983.8	3720524.9	100.8	5.00	13.89	
1.40	YES			NO					
VOL25		0	0.11214E-03	432044.7	3720537.5	101.0	5.00	13.89	
1.40	YES			NO					
VOL26		0	0.11214E-03	432027.9	3720489.3	99.9	5.00	13.89	
1.40	YES			NO					
VOL27		0	0.11214E-03	432045.5	3720508.1	100.6	5.00	13.89	
1.40	YES			NO					
VOL28		0	0.11214E-03	431968.5	3720585.0	102.9	5.00	13.89	
1.40	YES			NO					
VOL29		0	0.11214E-03	432027.5	3720584.3	102.0	5.00	13.89	
1.40	YES			NO					
VOL30		0	0.11214E-03	432076.1	3720526.4	99.4	5.00	13.89	
1.40	YES			NO					
VOL31		0	0.11214E-03	432060.8	3720567.4	97.1	5.00	13.89	
1.40	YES			NO					
VOL32		0	0.11214E-03	432014.5	3720645.5	94.5	5.00	13.89	
1.40	YES			NO					
VOL33		0	0.11214E-03	431960.9	3720706.4	92.3	5.00	13.89	
1.40	YES			NO					
VOL34		0	0.11214E-03	431980.9	3720645.9	102.3	5.00	13.89	

1.40 YES NO  
 \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 11:11:38

PAGE 3

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID

SOURCE IDs

-----

-----

```

ALL      VOL1      , VOL2      , VOL3      , VOL4      , VOL5      ,
VOL6     , VOL7     , VOL8     ,
VOL14    VOL9      , VOL10     , VOL11     , VOL12     , VOL13     ,
          , VOL15     , VOL16     ,
VOL22    VOL17     , VOL18     , VOL19     , VOL20     , VOL21     ,
          , VOL23     , VOL24     ,
VOL30    VOL25     , VOL26     , VOL27     , VOL28     , VOL29     ,
          , VOL31     , VOL32     ,
          VOL33     , VOL34     ,

```

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      02/28/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***
                                     11:11:38

```

PAGE 4

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID

URBAN POP

SOURCE IDs

-----

-----

-----

```

VOL5     3135755. VOL1      , VOL2      , VOL3      , VOL4      ,
VOL8     , VOL6     , VOL7     ,
VOL14    VOL9      , VOL10     , VOL11     , VOL12     , VOL13     ,
          , VOL15     , VOL16     ,
VOL22    VOL17     , VOL18     , VOL19     , VOL20     , VOL21     ,
          , VOL23     , VOL24     ,
VOL30    VOL25     , VOL26     , VOL27     , VOL28     , VOL29     ,
          , VOL31     , VOL32     ,
          VOL33     , VOL34     ,

```

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      02/28/25

```

\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 11:11:38

PAGE 5

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 431824.5, 3720637.6, 107.7, 110.4, 2.0);	( 431839.6,
3720538.4, 103.2, 125.7, 2.0);	
( 431848.4, 3720506.3, 102.3, 125.7, 2.0);	( 431808.0,
3720544.2, 103.9, 126.8, 2.0);	
( 432072.5, 3720450.4, 95.2, 100.9, 2.0);	( 432046.4,
3720409.1, 94.0, 111.4, 2.0);	
( 432081.4, 3720460.0, 95.4, 100.9, 2.0);	( 432108.8,
3720474.0, 93.4, 101.0, 2.0);	
( 431818.1, 3720498.9, 104.4, 126.8, 2.0);	( 431824.9,
3720465.1, 105.1, 125.7, 2.0);	
( 431746.9, 3720630.1, 108.4, 108.4, 2.0);	( 431718.9,
3720636.9, 111.0, 111.0, 2.0);	
( 431769.9, 3720571.0, 107.0, 126.8, 2.0);	( 431828.5,
3720830.3, 96.2, 114.8, 2.0);	
( 431795.6, 3720851.9, 97.6, 110.2, 2.0);	( 431709.9,
3720687.8, 110.8, 118.8, 2.0);	
( 431720.7, 3720650.8, 110.9, 112.0, 2.0);	( 431690.1,
3720613.4, 113.1, 125.2, 2.0);	
( 431685.5, 3720648.1, 114.0, 114.0, 2.0);	( 431653.1,
3720714.9, 116.8, 116.8, 2.0);	
( 431660.8, 3720740.1, 114.9, 114.9, 2.0);	( 431667.1,
3720767.2, 111.5, 114.8, 2.0);	
( 431672.5, 3720800.1, 108.8, 114.8, 2.0);	( 431676.1,
3720826.2, 105.7, 114.8, 2.0);	
( 431680.1, 3720851.9, 103.2, 114.8, 2.0);	( 433382.6,
3721167.4, 93.2, 93.2, 2.0);	
( 433341.1, 3721247.7, 91.2, 91.2, 2.0);	( 433323.1,
3721251.3, 91.2, 91.2, 2.0);	
( 432993.0, 3721124.6, 86.1, 95.7, 2.0);	( 432819.8,
3721275.6, 85.5, 85.5, 2.0);	
( 432735.5, 3721287.8, 84.4, 84.4, 2.0);	( 432701.7,
3721285.6, 83.2, 83.2, 2.0);	
( 432888.8, 3721184.5, 86.9, 86.9, 2.0);	( 432798.6,
3721183.2, 84.5, 84.5, 2.0);	
( 432741.4, 3721201.7, 83.7, 83.7, 2.0);	( 432669.7,
3721211.6, 82.8, 82.8, 2.0);	
( 432802.7, 3721413.2, 86.1, 86.1, 2.0);	( 432674.6,
3721290.5, 83.1, 83.1, 2.0);	
( 432613.3, 3721308.1, 82.2, 82.2, 2.0);	( 432550.6,
3721318.9, 82.6, 82.6, 2.0);	

( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);  
( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
3720348.5, 91.2, 115.5, 2.0);  
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
3720281.3, 93.2, 115.5, 2.0);  
( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,  
3720348.5, 99.4, 111.4, 2.0);  
( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,  
3720357.5, 108.2, 111.6, 2.0);  
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,  
3720352.5, 108.6, 111.1, 2.0);  
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,  
3720441.9, 102.3, 125.7, 2.0);  
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,  
3720523.7, 102.7, 125.7, 2.0);  
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,  
3720457.8, 105.3, 125.7, 2.0);  
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,  
3720987.2, 88.7, 124.1, 2.0);  
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,  
3720873.3, 86.6, 109.9, 2.0);  
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,  
3720824.6, 87.4, 87.4, 2.0);  
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,  
3720889.4, 88.0, 88.0, 2.0);  
( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,  
3720941.7, 81.2, 124.1, 2.0);  
( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,  
3720908.4, 82.7, 124.1, 2.0);



\*\*\* UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED

CATEGORIES \*\*\*

(METERS/SEC)

1.54, 3.09, 5.14, 8.23,

10.80,

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 11:11:38

PAGE 8

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* UP TO THE FIRST 24 HOURS OF METEOROLOGICAL

DATA \*\*\*

Surface file: MSVJ\_V11\_trimmed.sfc  
 Met Version: 22112  
 Profile file: MSVJ\_V11\_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 93184  
 Name: UNKNOWN  
 Year: 2017

Upper air station no.: 3190  
 Name: UNKNOWN  
 Year: 2017

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN
ALBEDO	REF	WS	WD	HT	REF	TA	HT							
17	01	01	1	01	-3.5	0.085	-9.000	-9.000	-999.	59.	15.7	0.20	1.20	
1.00	0.86	69.			10.0	280.0	9.0							
17	01	01	1	02	-3.7	0.087	-9.000	-9.000	-999.	62.	15.9	0.20	1.20	
1.00	0.90	61.			10.0	279.7	9.0							
17	01	01	1	03	-8.0	0.126	-9.000	-9.000	-999.	107.	22.3	0.20	1.20	
1.00	1.34	69.			10.0	280.4	9.0							
17	01	01	1	04	-3.1	0.081	-9.000	-9.000	-999.	56.	15.5	0.20	1.20	
1.00	0.80	67.			10.0	279.9	9.0							
17	01	01	1	05	-3.0	0.080	-9.000	-9.000	-999.	54.	14.8	0.15	1.20	
1.00	0.86	113.			10.0	279.8	9.0							
17	01	01	1	06	-6.1	0.109	-9.000	-9.000	-999.	86.	18.7	0.15	1.20	
1.00	1.26	92.			10.0	279.9	9.0							

17	01	01	1	07	-5.8	0.107	-9.000	-9.000	-999.	84.	18.8	0.20	1.20
1.00	1.14	86.	10.0	279.8	9.0								
17	01	01	1	08	-3.2	0.087	-9.000	-9.000	-999.	61.	18.2	0.15	1.20
0.53	1.00	98.	10.0	280.2	9.0								
17	01	01	1	09	36.6	0.148	0.553	0.005	163.	136.	-7.8	0.15	1.20
0.31	1.12	106.	10.0	283.2	9.0								
17	01	01	1	10	89.0	0.203	1.161	0.005	624.	219.	-8.3	0.19	1.20
0.24	1.45	159.	10.0	285.0	9.0								
17	01	01	1	11	102.2	0.298	1.444	0.005	1044.	390.	-22.9	0.25	1.20
0.21	2.23	183.	10.0	285.5	9.0								
17	01	01	1	12	116.1	0.262	1.560	0.005	1160.	323.	-13.7	0.25	1.20
0.20	1.83	200.	10.0	286.2	9.0								
17	01	01	1	13	114.8	0.302	1.599	0.005	1265.	399.	-21.4	0.17	1.20
0.20	2.51	225.	10.0	286.6	9.0								
17	01	01	1	14	98.2	0.415	1.544	0.005	1330.	641.	-64.5	0.25	1.20
0.21	3.44	205.	10.0	286.5	9.0								
17	01	01	1	15	79.0	0.324	1.451	0.005	1370.	448.	-38.2	0.25	1.20
0.25	2.57	199.	10.0	286.4	9.0								
17	01	01	1	16	26.2	0.313	1.007	0.005	1383.	420.	-103.7	0.25	1.20
0.33	2.68	195.	10.0	286.5	9.0								
17	01	01	1	17	-20.5	0.246	-9.000	-9.000	-999.	295.	66.8	0.25	1.20
0.61	2.33	190.	10.0	285.5	9.0								
17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20
1.00	1.29	162.	10.0	284.2	9.0								
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00	1.25	117.	10.0	283.5	9.0								
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20
1.00	1.46	104.	10.0	283.4	9.0								
17	01	01	1	21	-8.0	0.125	-9.000	-9.000	-999.	106.	21.8	0.15	1.20
1.00	1.44	120.	10.0	284.0	9.0								
17	01	01	1	22	-7.3	0.120	-9.000	-9.000	-999.	100.	21.1	0.17	1.20
1.00	1.34	127.	10.0	284.3	9.0								
17	01	01	1	23	-5.7	0.106	-9.000	-9.000	-999.	83.	18.6	0.17	1.20
1.00	1.19	128.	10.0	284.0	9.0								
17	01	01	1	24	-9.5	0.137	-9.000	-9.000	-999.	122.	24.2	0.17	1.20
1.00	1.52	129.	10.0	283.9	9.0								

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
17	01	01	01	9.0	0	-999.	-99.00	280.0	99.0	-99.00	-99.00
17	01	01	01	10.0	1	69.	0.86	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      02/28/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***
                                     11:11:38

```

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

VALUES FOR SOURCE GROUP: ALL \*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION \*\*\*

INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 ,  
 VOL6 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL11 , VOL12 , VOL13 ,  
 VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL19 , VOL20 , VOL21 ,  
 VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M<sup>3</sup>

X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)
431824.47	3720637.57	0.39474m (21010924)	431839.58
3720538.42	0.30600m (20122124)		
431848.44	3720506.30	0.25593m (21011224)	431808.02
3720544.24	0.22671m (20122124)		
432072.45	3720450.37	0.27031 (18120924)	432046.42
3720409.11	0.22944 (18120924)		
432081.39	3720459.96	0.26636 (18120924)	432108.76
3720473.97	0.21165c (21122024)		
431818.11	3720498.90	0.19282m (21010924)	431824.87
3720465.08	0.17397m (21010924)		
431746.87	3720630.10	0.21826m (21010924)	431718.91
3720636.87	0.19602m (21010924)		
431769.86	3720571.04	0.19680m (21010924)	431828.48
3720830.29	0.20139m (20112524)		
431795.56	3720851.94	0.14654m (20112524)	431709.90
3720687.81	0.22675m (21010924)		
431720.72	3720650.84	0.20952m (21010924)	431690.06
3720613.42	0.15889m (21010924)		
431685.55	3720648.14	0.16773m (21010924)	431653.09
3720714.87	0.15557m (21010924)		
431660.75	3720740.12	0.16599 (17120924)	431667.06
3720767.17	0.14933 (21122924)		
431672.47	3720800.08	0.14737 (21122924)	431676.08
3720826.23	0.12669 (21123024)		
431680.14	3720851.94	0.10821 (21123024)	433382.64
3721167.41	0.00456m (21011024)		
433341.15	3721247.68	0.00459m (21011024)	433323.12

3721251.28	0.00466m (21011024)	
432993.01	3721124.56	0.00715m (21011024) 432819.84
3721275.64	0.00787m (21011024)	
432735.51	3721287.81	0.00859m (21011024) 432701.69
3721285.56	0.00894m (21011024)	
432888.84	3721184.54	0.00782m (21011024) 432798.65
3721183.19	0.00876m (21011024)	
432741.38	3721201.68	0.00927m (21011024) 432669.67
3721211.60	0.01007m (21011024)	
432802.71	3721413.18	0.00708m (21011024) 432674.64
3721290.52	0.00919m (21011024)	
432613.30	3721308.11	0.00967m (21011024) 432550.62
3721318.93	0.01048m (20112424)	
432615.11	3721232.79	0.01054m (21011024) 432534.84
3721218.82	0.01189m (21011024)	
432381.96	3721246.77	0.01510m (20112024) 432413.98
3721344.18	0.01282m (20112024)	
432490.19	3721330.65	0.01132m (20112424) 432375.65
3721348.24	0.01365m (20112024)	
432365.73	3721270.22	0.01513m (20112024) 432314.77
3721271.13	0.01647m (20112024)	
432246.67	3721271.13	0.01808m (20112024) 432302.59
3721208.44	0.01837m (20112024)	
432234.05	3721217.01	0.02014m (20112024) 432247.12
3721359.97	0.01586m (20112024)	
432356.71	3721352.75	0.01401m (20112024) 432289.06
3721101.11	0.02222m (20112024)	
432217.81	3721121.86	0.02462m (20112024) 432214.66
3721047.45	0.02867m (20112024)	
432280.04	3721039.78	0.02532m (20112024) 432195.26
3720984.32	0.03477m (20112024)	
432188.05	3720943.73	0.03913m (20112024) 432243.97
3720808.89	0.04544m (21011024)	
432150.62	3720733.13	0.08579m (20112324) 432249.83
3720693.00	0.05830m (21011024)	
432206.99	3720559.06	0.08965m (21011024) 432232.69
3720348.46	0.05278m (21012524)	
432180.38	3720350.72	0.06828 (18020124) 432183.09
3720281.27	0.05313 (18020124)	
432236.75	3720646.55	0.06745m (21011024) 432042.84
3720348.46	0.13214 (18120924)	
431941.37	3720348.46	0.17591m (21011224) 431888.61
3720357.48	0.16992m (21011224)	
431923.34	3720345.30	0.17702m (21011224) 431907.10
3720352.52	0.17802m (21011224)	
431851.18	3720360.64	0.15202m (21011224) 431852.21
3720441.91	0.17236m (21011224)	
431852.07	3720489.04	0.23150m (21011224) 431845.13
3720523.74	0.28532m (21011024)	
431823.30	3720473.86	0.17941m (21010924) 431823.88

3720457.81 0.16756m (21010924)  
 431793.30 3720942.34 0.07168m (20112524) 431690.56  
 3720987.19 0.04999m (20112524)  
 \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* 11:11:38

PAGE 10

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
431680.98	3720921.25	0.06727m	(20112524)	432011.44
3720873.33	0.08361m	(20112324)		
432052.07	3720849.95	0.08258m	(20112324)	432084.66
3720824.64	0.08194m	(20112324)		
432095.01	3720762.16	0.10273m	(20112324)	432127.98
3720889.43	0.05625m	(20112024)		
432095.77	3720936.20	0.05155m	(20112024)	431860.12
3720941.68	0.06766m	(20112324)		
431774.93	3721018.65	0.04444m	(20112524)	431864.43
3720908.43	0.08481m	(20112324)		
431846.93	3720964.64	0.05928m	(20112324)	431144.82
3719945.78	0.02807	(18013024)		
431157.20	3719933.07	0.02867	(19121824)	431994.43
3719146.82	0.00979	(21020224)		
431999.70	3719120.50	0.00948	(21020224)	434516.47
3720617.48	0.00478	(18122524)		
434406.06	3720633.41	0.00475	(18122524)	

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      11:11:38

PAGE 11

\*\*\* MODELOPTs:      RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 24-HR

RESULTS \*\*\*

\*\* CONC OF PM\_10      IN MICROGRAMS/M\*\*3

\*\*

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE CONC OF TYPE	NETWORK GRID-ID	DATE	RECEPTOR
			(YYMMDDHH)	
-----				

ALL      HIGH    1ST HIGH VALUE IS      0.39474m ON 21010924: AT ( 431824.47,  
 3720637.57,    107.74,    110.43,    2.00) DC

\*\*\* RECEPTOR TYPES:    GC = GRIDCART  
    GP = GRIDPOLR  
    DC = DISCCART  
    DP = DISCPOLR

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      11:11:38

PAGE 12

\*\*\* MODELOPTs:      RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of                    0 Fatal Error Message(s)  
 A Total of                    41 Warning Message(s)  
 A Total of                    471 Informational Message(s)  
  
 A Total of                    43824 Hours Were Processed  
 A Total of                    92 Calm Hours Identified

A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*

ME W186	131	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
0.50		
ME W187	131	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
CN W732	1176	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2017021824		
CN W732	10368	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2018030824		
CN W732	12408	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2018060124		
CN W732	22848	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2019081024		
CN W732	28032	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031324		
CN W732	28056	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031424		
CN W732	28080	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031524		
CN W732	28104	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031624		
CN W732	28512	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040224		
CN W732	28536	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040324		
CN W732	28632	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040724		
CN W732	28944	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020042024		
CN W732	33024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020100724		
CN W732	33096	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020101024		
CN W732	33888	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111224		
CN W732	34032	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111824		
CN W732	34080	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112024		
CN W732	34104	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112124		
CN W732	34128	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112224		

CN W732	34152	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112324		
CN W732	34176	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112424		
CN W732	34200	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112524		
CN W732	34680	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020121524		
CN W732	34824	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020122124		
CN W732	35280	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021010924		
CN W732	35304	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011024		
CN W732	35328	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011124		
CN W732	35352	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011224		
CN W732	35616	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012324		
CN W732	35640	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012424		
CN W732	35664	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012524		
CN W732	36816	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021031424		
CN W732	37200	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021033024		
CN W732	37296	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021040324		
CN W732	38760	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021060324		
CN W732	39888	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021072024		
CN W732	40920	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021090124		
CN W732	41808	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100824		
CN W732	41832	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100924		

\*\*\*\*\*  
 \*\*\* AERMOD Finishes Successfully \*\*\*  
 \*\*\*\*\*

\*\* Lakes Environmental AERMOD MPI

\*\*

\*\*\*\*\*

\*\*

\*\* AERMOD Input Produced by:

\*\* AERMOD View Ver. 13.0.0

\*\* Lakes Environmental Software Inc.  
\*\* Date: 2/28/2025  
\*\* File: C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\Ops LST PM25\Ops LST PM25.ADI

\*\*  
\*\*\*\*\*  
\*\*  
\*\*  
\*\*\*\*\*

\*\* AERMOD Control Pathway  
\*\*\*\*\*  
\*\*  
\*\*

CO STARTING  
TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16380 Terravita\16380 Terravita.is  
MODELOPT DFAULT CONC  
AVERTIME 24  
URBANOPT 3135755 County\_of\_Orange  
POLLUTID PM\_2.5  
FLAGPOLE 2.00  
RUNORNOT RUN  
ERRORFIL "Ops LST PM25.err"

CO FINISHED  
\*\*  
\*\*\*\*\*  
\*\* AERMOD Source Pathway  
\*\*\*\*\*  
\*\*  
\*\*

SO STARTING

\*\* Source Location \*\*

\*\* Source ID - Type - X Coord. - Y Coord. \*\*

Source ID	Type	X Coord.	Y Coord.	
LOCATION VOL1	VOLUME	431744.348	3720778.946	108.580
LOCATION VOL2	VOLUME	431744.151	3720719.793	110.190
LOCATION VOL3	VOLUME	431804.263	3720766.504	107.220
LOCATION VOL4	VOLUME	431777.461	3720706.392	110.210
LOCATION VOL5	VOLUME	431838.722	3720705.627	105.240
LOCATION VOL6	VOLUME	431871.266	3720796.369	98.590
LOCATION VOL7	VOLUME	431859.014	3720765.355	106.310
LOCATION VOL8	VOLUME	431919.509	3720735.491	97.360
LOCATION VOL9	VOLUME	431859.397	3720645.515	105.340
LOCATION VOL10	VOLUME	431899.599	3720704.861	103.630
LOCATION VOL11	VOLUME	431793.159	3720683.037	110.180
LOCATION VOL12	VOLUME	431854.803	3720601.867	105.740
LOCATION VOL13	VOLUME	431870.501	3720581.957	104.710
LOCATION VOL14	VOLUME	431888.879	3720564.728	103.860
LOCATION VOL15	VOLUME	431907.640	3720544.818	102.020
LOCATION VOL16	VOLUME	431922.189	3720525.291	101.430
LOCATION VOL17	VOLUME	431942.864	3720464.414	99.890
LOCATION VOL18	VOLUME	431957.797	3720425.360	100.120

LOCATION VOL19	VOLUME	431990.724	3720422.680	98.630
LOCATION VOL20	VOLUME	432002.593	3720463.265	99.380
LOCATION VOL21	VOLUME	432015.994	3720477.431	99.640
LOCATION VOL22	VOLUME	431919.892	3720645.898	104.670
LOCATION VOL23	VOLUME	431921.040	3720591.912	103.940
LOCATION VOL24	VOLUME	431983.832	3720524.908	100.820
LOCATION VOL25	VOLUME	432044.710	3720537.543	100.960
LOCATION VOL26	VOLUME	432027.863	3720489.301	99.940
LOCATION VOL27	VOLUME	432045.476	3720508.062	100.610
LOCATION VOL28	VOLUME	431968.517	3720585.020	102.900
LOCATION VOL29	VOLUME	432027.480	3720584.254	101.960
LOCATION VOL30	VOLUME	432076.106	3720526.440	99.380
LOCATION VOL31	VOLUME	432060.791	3720567.408	97.100
LOCATION VOL32	VOLUME	432014.463	3720645.515	94.540
LOCATION VOL33	VOLUME	431960.860	3720706.392	92.350
LOCATION VOL34	VOLUME	431980.904	3720645.898	102.310

\*\* Source Parameters \*\*

SRCPARAM VOL1	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL2	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL3	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL4	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL5	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL6	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL7	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL8	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL9	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL10	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL11	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL12	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL13	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL14	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL15	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL16	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL17	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL18	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL19	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL20	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL21	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL22	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL23	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL24	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL25	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL26	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL27	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL28	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL29	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL30	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL31	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL32	0.0000314995	5.000	13.891	1.400
SRCPARAM VOL33	0.0000314995	5.000	13.891	1.400

SRCPARAM VOL34 0.0000314995 5.000 13.891 1.400  
URBANSRC ALL  
SRCGROUP ALL

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Ops LST PM25.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE MSVJ\_V11\_trimmed.sfc

PROFFILE MSVJ\_V11\_trimmed.pfl

SURFDATA 93184 2017

UAIRDATA 3190 2017

SITEDATA 60592022 2017

PROFBASE 168.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*

\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 24 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 24 ALL 1ST "OPS LST PM25.AD\24H1GALL.PLT" 31

SUMMFILE "Ops LST PM25.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 2 Warning Message(s)  
A Total of 0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W186 131 MEOPEN: THRESH\_1MIN 1-min ASOS wind speed threshold used  
0.50  
ME W187 131 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 24142 \*\*\* \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
Terravita\16380 Terravita.is \*\*\* 02/28/25  
\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 11:15:51

PAGE 1  
\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

---  
---  
\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 34 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 3135755.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: PM\_2.5

\*\*Model Calculates 1 Short Term Average(s) of: 24-HR

\*\*This Run Includes: 34 Source(s); 1 Source Group(s); and 97 Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 34 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 22112

\*\*Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE  
Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE  
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE  
Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing  
Hours  
b for Both Calm  
and Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 168.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.5 MB of RAM.

\*\*Input Runstream File: aermod.inp

\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Ops LST PM25.err

\*\*File for Summary of Results: Ops LST PM25.sum

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
    \*\*\*      11:15:51

PAGE 2

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.
SOURCE	SOURCE	EMISSION	RATE	AIRCRAFT	ELEV.	HEIGHT	SY
SZ	ID	SCALAR	VARY	X	Y	(METERS)	(METERS)
(METERS)		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)
VOL1		0	0.31500E-04	431744.3	3720778.9	108.6	5.00
1.40	YES			NO			13.89
VOL2		0	0.31500E-04	431744.2	3720719.8	110.2	5.00
1.40	YES			NO			13.89
VOL3		0	0.31500E-04	431804.3	3720766.5	107.2	5.00
1.40	YES			NO			13.89
VOL4		0	0.31500E-04	431777.5	3720706.4	110.2	5.00
1.40	YES			NO			13.89
VOL5		0	0.31500E-04	431838.7	3720705.6	105.2	5.00
1.40	YES			NO			13.89
VOL6		0	0.31500E-04	431871.3	3720796.4	98.6	5.00
1.40	YES			NO			13.89
VOL7		0	0.31500E-04	431859.0	3720765.4	106.3	5.00
1.40	YES			NO			13.89
VOL8		0	0.31500E-04	431919.5	3720735.5	97.4	5.00
1.40	YES			NO			13.89
VOL9		0	0.31500E-04	431859.4	3720645.5	105.3	5.00
1.40	YES			NO			13.89
VOL10		0	0.31500E-04	431899.6	3720704.9	103.6	5.00
1.40	YES			NO			13.89
VOL11		0	0.31500E-04	431793.2	3720683.0	110.2	5.00
1.40	YES			NO			13.89
VOL12		0	0.31500E-04	431854.8	3720601.9	105.7	5.00
1.40	YES			NO			13.89
VOL13		0	0.31500E-04	431870.5	3720582.0	104.7	5.00
1.40	YES			NO			13.89
VOL14		0	0.31500E-04	431888.9	3720564.7	103.9	5.00
1.40	YES			NO			13.89
VOL15		0	0.31500E-04	431907.6	3720544.8	102.0	5.00

1.40	YES			NO					
VOL16		0	0.31500E-04	431922.2	3720525.3	101.4	5.00	13.89	
1.40	YES			NO					
VOL17		0	0.31500E-04	431942.9	3720464.4	99.9	5.00	13.89	
1.40	YES			NO					
VOL18		0	0.31500E-04	431957.8	3720425.4	100.1	5.00	13.89	
1.40	YES			NO					
VOL19		0	0.31500E-04	431990.7	3720422.7	98.6	5.00	13.89	
1.40	YES			NO					
VOL20		0	0.31500E-04	432002.6	3720463.3	99.4	5.00	13.89	
1.40	YES			NO					
VOL21		0	0.31500E-04	432016.0	3720477.4	99.6	5.00	13.89	
1.40	YES			NO					
VOL22		0	0.31500E-04	431919.9	3720645.9	104.7	5.00	13.89	
1.40	YES			NO					
VOL23		0	0.31500E-04	431921.0	3720591.9	103.9	5.00	13.89	
1.40	YES			NO					
VOL24		0	0.31500E-04	431983.8	3720524.9	100.8	5.00	13.89	
1.40	YES			NO					
VOL25		0	0.31500E-04	432044.7	3720537.5	101.0	5.00	13.89	
1.40	YES			NO					
VOL26		0	0.31500E-04	432027.9	3720489.3	99.9	5.00	13.89	
1.40	YES			NO					
VOL27		0	0.31500E-04	432045.5	3720508.1	100.6	5.00	13.89	
1.40	YES			NO					
VOL28		0	0.31500E-04	431968.5	3720585.0	102.9	5.00	13.89	
1.40	YES			NO					
VOL29		0	0.31500E-04	432027.5	3720584.3	102.0	5.00	13.89	
1.40	YES			NO					
VOL30		0	0.31500E-04	432076.1	3720526.4	99.4	5.00	13.89	
1.40	YES			NO					
VOL31		0	0.31500E-04	432060.8	3720567.4	97.1	5.00	13.89	
1.40	YES			NO					
VOL32		0	0.31500E-04	432014.5	3720645.5	94.5	5.00	13.89	
1.40	YES			NO					
VOL33		0	0.31500E-04	431960.9	3720706.4	92.3	5.00	13.89	
1.40	YES			NO					
VOL34		0	0.31500E-04	431980.9	3720645.9	102.3	5.00	13.89	

1.40 YES NO  
 \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
 \*\*\* 11:15:51

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS

\*\*\*

SRCGROUP ID

SOURCE IDs

-----

-----

```

ALL      VOL1      , VOL2      , VOL3      , VOL4      , VOL5      ,
VOL6     , VOL7     , VOL8     ,
VOL14    VOL9      , VOL10     , VOL11     , VOL12     , VOL13     ,
          , VOL15     , VOL16     ,
VOL22    VOL17     , VOL18     , VOL19     , VOL20     , VOL21     ,
          , VOL23     , VOL24     ,
VOL30    VOL25     , VOL26     , VOL27     , VOL28     , VOL29     ,
          , VOL31     , VOL32     ,
          VOL33     , VOL34     ,

```

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      02/28/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***
                                     11:15:51

```

PAGE 4

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID

URBAN POP

SOURCE IDs

-----

-----

-----

```

VOL5     3135755. VOL1      , VOL2      , VOL3      , VOL4      ,
VOL8     , VOL6     , VOL7     ,
VOL14    VOL9      , VOL10     , VOL11     , VOL12     , VOL13     ,
          , VOL15     , VOL16     ,
VOL22    VOL17     , VOL18     , VOL19     , VOL20     , VOL21     ,
          , VOL23     , VOL24     ,
VOL30    VOL25     , VOL26     , VOL27     , VOL28     , VOL29     ,
          , VOL31     , VOL32     ,
          VOL33     , VOL34     ,

```

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      02/28/25

```

\*\*\* AERMET - VERSION 22112 \*\*\* \*\*\*  
\*\*\* 11:15:51

PAGE 5

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 431824.5, 3720637.6, 107.7, 110.4, 2.0);	( 431839.6,
3720538.4, 103.2, 125.7, 2.0);	
( 431848.4, 3720506.3, 102.3, 125.7, 2.0);	( 431808.0,
3720544.2, 103.9, 126.8, 2.0);	
( 432072.5, 3720450.4, 95.2, 100.9, 2.0);	( 432046.4,
3720409.1, 94.0, 111.4, 2.0);	
( 432081.4, 3720460.0, 95.4, 100.9, 2.0);	( 432108.8,
3720474.0, 93.4, 101.0, 2.0);	
( 431818.1, 3720498.9, 104.4, 126.8, 2.0);	( 431824.9,
3720465.1, 105.1, 125.7, 2.0);	
( 431746.9, 3720630.1, 108.4, 108.4, 2.0);	( 431718.9,
3720636.9, 111.0, 111.0, 2.0);	
( 431769.9, 3720571.0, 107.0, 126.8, 2.0);	( 431828.5,
3720830.3, 96.2, 114.8, 2.0);	
( 431795.6, 3720851.9, 97.6, 110.2, 2.0);	( 431709.9,
3720687.8, 110.8, 118.8, 2.0);	
( 431720.7, 3720650.8, 110.9, 112.0, 2.0);	( 431690.1,
3720613.4, 113.1, 125.2, 2.0);	
( 431685.5, 3720648.1, 114.0, 114.0, 2.0);	( 431653.1,
3720714.9, 116.8, 116.8, 2.0);	
( 431660.8, 3720740.1, 114.9, 114.9, 2.0);	( 431667.1,
3720767.2, 111.5, 114.8, 2.0);	
( 431672.5, 3720800.1, 108.8, 114.8, 2.0);	( 431676.1,
3720826.2, 105.7, 114.8, 2.0);	
( 431680.1, 3720851.9, 103.2, 114.8, 2.0);	( 433382.6,
3721167.4, 93.2, 93.2, 2.0);	
( 433341.1, 3721247.7, 91.2, 91.2, 2.0);	( 433323.1,
3721251.3, 91.2, 91.2, 2.0);	
( 432993.0, 3721124.6, 86.1, 95.7, 2.0);	( 432819.8,
3721275.6, 85.5, 85.5, 2.0);	
( 432735.5, 3721287.8, 84.4, 84.4, 2.0);	( 432701.7,
3721285.6, 83.2, 83.2, 2.0);	
( 432888.8, 3721184.5, 86.9, 86.9, 2.0);	( 432798.6,
3721183.2, 84.5, 84.5, 2.0);	
( 432741.4, 3721201.7, 83.7, 83.7, 2.0);	( 432669.7,
3721211.6, 82.8, 82.8, 2.0);	
( 432802.7, 3721413.2, 86.1, 86.1, 2.0);	( 432674.6,
3721290.5, 83.1, 83.1, 2.0);	
( 432613.3, 3721308.1, 82.2, 82.2, 2.0);	( 432550.6,
3721318.9, 82.6, 82.6, 2.0);	

( 432615.1, 3721232.8, 82.0, 82.0, 2.0); ( 432534.8,  
3721218.8, 81.0, 81.0, 2.0);  
( 432382.0, 3721246.8, 81.1, 81.1, 2.0); ( 432414.0,  
3721344.2, 82.8, 82.8, 2.0);  
( 432490.2, 3721330.6, 81.6, 81.6, 2.0); ( 432375.6,  
3721348.2, 83.8, 83.8, 2.0);  
( 432365.7, 3721270.2, 81.3, 81.3, 2.0); ( 432314.8,  
3721271.1, 80.8, 80.8, 2.0);  
( 432246.7, 3721271.1, 79.6, 79.6, 2.0); ( 432302.6,  
3721208.4, 80.2, 80.2, 2.0);  
( 432234.0, 3721217.0, 79.3, 79.3, 2.0); ( 432247.1,  
3721360.0, 83.1, 83.1, 2.0);  
( 432356.7, 3721352.8, 84.2, 84.2, 2.0); ( 432289.1,  
3721101.1, 79.0, 79.0, 2.0);  
( 432217.8, 3721121.9, 78.9, 78.9, 2.0); ( 432214.7,  
3721047.4, 77.7, 77.7, 2.0);  
( 432280.0, 3721039.8, 80.5, 80.5, 2.0); ( 432195.3,  
3720984.3, 79.8, 79.8, 2.0);  
( 432188.0, 3720943.7, 80.2, 88.0, 2.0); ( 432244.0,  
3720808.9, 84.3, 85.5, 2.0);  
( 432150.6, 3720733.1, 88.8, 88.8, 2.0); ( 432249.8,  
3720693.0, 88.1, 88.1, 2.0);  
( 432207.0, 3720559.1, 88.1, 88.1, 2.0); ( 432232.7,  
3720348.5, 91.2, 115.5, 2.0);  
( 432180.4, 3720350.7, 90.9, 115.5, 2.0); ( 432183.1,  
3720281.3, 93.2, 115.5, 2.0);  
( 432236.8, 3720646.5, 88.0, 88.0, 2.0); ( 432042.8,  
3720348.5, 99.4, 111.4, 2.0);  
( 431941.4, 3720348.5, 108.7, 111.4, 2.0); ( 431888.6,  
3720357.5, 108.2, 111.6, 2.0);  
( 431923.3, 3720345.3, 110.2, 110.2, 2.0); ( 431907.1,  
3720352.5, 108.6, 111.1, 2.0);  
( 431851.2, 3720360.6, 109.5, 111.6, 2.0); ( 431852.2,  
3720441.9, 102.3, 125.7, 2.0);  
( 431852.1, 3720489.0, 101.7, 126.8, 2.0); ( 431845.1,  
3720523.7, 102.7, 125.7, 2.0);  
( 431823.3, 3720473.9, 105.0, 125.7, 2.0); ( 431823.9,  
3720457.8, 105.3, 125.7, 2.0);  
( 431793.3, 3720942.3, 92.0, 109.9, 2.0); ( 431690.6,  
3720987.2, 88.7, 124.1, 2.0);  
( 431681.0, 3720921.2, 97.7, 109.5, 2.0); ( 432011.4,  
3720873.3, 86.6, 109.9, 2.0);  
( 432052.1, 3720849.9, 87.3, 109.9, 2.0); ( 432084.7,  
3720824.6, 87.4, 87.4, 2.0);  
( 432095.0, 3720762.2, 88.3, 89.5, 2.0); ( 432128.0,  
3720889.4, 88.0, 88.0, 2.0);  
( 432095.8, 3720936.2, 84.7, 90.0, 2.0); ( 431860.1,  
3720941.7, 81.2, 124.1, 2.0);  
( 431774.9, 3721018.6, 79.6, 124.1, 2.0); ( 431864.4,  
3720908.4, 82.7, 124.1, 2.0);



CATEGORIES \*\*\*

\*\*\* UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED

(METERS/SEC)

1.54, 3.09, 5.14, 8.23,

10.80,

\*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is \*\*\* 02/28/25
\*\*\* AERMET - VERSION 22112 \*\*\*
\*\*\* 11:15:51

PAGE 8

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* UP TO THE FIRST 24 HOURS OF METEOROLOGICAL

DATA \*\*\*

Surface file: MSVJ\_V11\_trimmed.sfc
Met Version: 22112
Profile file: MSVJ\_V11\_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 93184
Name: UNKNOWN
Year: 2017

Upper air station no.: 3190
Name: UNKNOWN
Year: 2017

First 24 hours of scalar data

Table with 14 columns: YR, MO, DY, JDY, HR, H0, U\*, W\*, DT/DZ, ZICNV, ZIMCH, M-O, LEN, Z0, BOWEN. It contains 6 rows of meteorological data for the first 6 hours of the day.

17	01	01	1	07	-5.8	0.107	-9.000	-9.000	-999.	84.	18.8	0.20	1.20
1.00	1.14	86.	10.0	279.8	9.0								
17	01	01	1	08	-3.2	0.087	-9.000	-9.000	-999.	61.	18.2	0.15	1.20
0.53	1.00	98.	10.0	280.2	9.0								
17	01	01	1	09	36.6	0.148	0.553	0.005	163.	136.	-7.8	0.15	1.20
0.31	1.12	106.	10.0	283.2	9.0								
17	01	01	1	10	89.0	0.203	1.161	0.005	624.	219.	-8.3	0.19	1.20
0.24	1.45	159.	10.0	285.0	9.0								
17	01	01	1	11	102.2	0.298	1.444	0.005	1044.	390.	-22.9	0.25	1.20
0.21	2.23	183.	10.0	285.5	9.0								
17	01	01	1	12	116.1	0.262	1.560	0.005	1160.	323.	-13.7	0.25	1.20
0.20	1.83	200.	10.0	286.2	9.0								
17	01	01	1	13	114.8	0.302	1.599	0.005	1265.	399.	-21.4	0.17	1.20
0.20	2.51	225.	10.0	286.6	9.0								
17	01	01	1	14	98.2	0.415	1.544	0.005	1330.	641.	-64.5	0.25	1.20
0.21	3.44	205.	10.0	286.5	9.0								
17	01	01	1	15	79.0	0.324	1.451	0.005	1370.	448.	-38.2	0.25	1.20
0.25	2.57	199.	10.0	286.4	9.0								
17	01	01	1	16	26.2	0.313	1.007	0.005	1383.	420.	-103.7	0.25	1.20
0.33	2.68	195.	10.0	286.5	9.0								
17	01	01	1	17	-20.5	0.246	-9.000	-9.000	-999.	295.	66.8	0.25	1.20
0.61	2.33	190.	10.0	285.5	9.0								
17	01	01	1	18	-7.1	0.119	-9.000	-9.000	-999.	109.	21.0	0.19	1.20
1.00	1.29	162.	10.0	284.2	9.0								
17	01	01	1	19	-6.0	0.108	-9.000	-9.000	-999.	86.	18.7	0.15	1.20
1.00	1.25	117.	10.0	283.5	9.0								
17	01	01	1	20	-8.2	0.127	-9.000	-9.000	-999.	108.	22.1	0.15	1.20
1.00	1.46	104.	10.0	283.4	9.0								
17	01	01	1	21	-8.0	0.125	-9.000	-9.000	-999.	106.	21.8	0.15	1.20
1.00	1.44	120.	10.0	284.0	9.0								
17	01	01	1	22	-7.3	0.120	-9.000	-9.000	-999.	100.	21.1	0.17	1.20
1.00	1.34	127.	10.0	284.3	9.0								
17	01	01	1	23	-5.7	0.106	-9.000	-9.000	-999.	83.	18.6	0.17	1.20
1.00	1.19	128.	10.0	284.0	9.0								
17	01	01	1	24	-9.5	0.137	-9.000	-9.000	-999.	122.	24.2	0.17	1.20
1.00	1.52	129.	10.0	283.9	9.0								

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
17	01	01	01	9.0	0	-999.	-99.00	280.0	99.0	-99.00	-99.00
17	01	01	01	10.0	1	69.	0.86	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

```

*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\16380
Terravita\16380 Terravita.is ***      02/28/25
*** AERMET - VERSION 22112 ***      ***
***                                     ***
***                                     11:15:51

```

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION  
VALUES FOR SOURCE GROUP: ALL \*\*\*  
INCLUDING SOURCE(S): VOL1 , VOL2  
, VOL3 , VOL4 , VOL5 ,  
, VOL6 , VOL7 , VOL8 , VOL9 , VOL10  
, VOL11 , VOL12 , VOL13 ,  
, VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
, VOL19 , VOL20 , VOL21 ,  
, VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
, VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_2.5 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
431824.47	3720637.57	0.11088m	(21010924)	431839.58
3720538.42	0.08596m	(20122124)		
431848.44	3720506.30	0.07189m	(21011224)	431808.02
3720544.24	0.06368m	(20122124)		
432072.45	3720450.37	0.07593	(18120924)	432046.42
3720409.11	0.06445	(18120924)		
432081.39	3720459.96	0.07482	(18120924)	432108.76
3720473.97	0.05945c	(21122024)		
431818.11	3720498.90	0.05416m	(21010924)	431824.87
3720465.08	0.04887m	(21010924)		
431746.87	3720630.10	0.06131m	(21010924)	431718.91
3720636.87	0.05506m	(21010924)		
431769.86	3720571.04	0.05528m	(21010924)	431828.48
3720830.29	0.05657m	(20112524)		
431795.56	3720851.94	0.04116m	(20112524)	431709.90
3720687.81	0.06369m	(21010924)		
431720.72	3720650.84	0.05885m	(21010924)	431690.06
3720613.42	0.04463m	(21010924)		
431685.55	3720648.14	0.04711m	(21010924)	431653.09
3720714.87	0.04370m	(21010924)		
431660.75	3720740.12	0.04663	(17120924)	431667.06
3720767.17	0.04195	(21122924)		
431672.47	3720800.08	0.04140	(21122924)	431676.08
3720826.23	0.03559	(21123024)		
431680.14	3720851.94	0.03040	(21123024)	433382.64
3721167.41	0.00128m	(21011024)		
433341.15	3721247.68	0.00129m	(21011024)	433323.12

3721251.28	0.00131m (21011024)	
432993.01	3721124.56	0.00201m (21011024) 432819.84
3721275.64	0.00221m (21011024)	
432735.51	3721287.81	0.00241m (21011024) 432701.69
3721285.56	0.00251m (21011024)	
432888.84	3721184.54	0.00220m (21011024) 432798.65
3721183.19	0.00246m (21011024)	
432741.38	3721201.68	0.00260m (21011024) 432669.67
3721211.60	0.00283m (21011024)	
432802.71	3721413.18	0.00199m (21011024) 432674.64
3721290.52	0.00258m (21011024)	
432613.30	3721308.11	0.00272m (21011024) 432550.62
3721318.93	0.00294m (20112424)	
432615.11	3721232.79	0.00296m (21011024) 432534.84
3721218.82	0.00334m (21011024)	
432381.96	3721246.77	0.00424m (20112024) 432413.98
3721344.18	0.00360m (20112024)	
432490.19	3721330.65	0.00318m (20112424) 432375.65
3721348.24	0.00383m (20112024)	
432365.73	3721270.22	0.00425m (20112024) 432314.77
3721271.13	0.00463m (20112024)	
432246.67	3721271.13	0.00508m (20112024) 432302.59
3721208.44	0.00516m (20112024)	
432234.05	3721217.01	0.00566m (20112024) 432247.12
3721359.97	0.00445m (20112024)	
432356.71	3721352.75	0.00393m (20112024) 432289.06
3721101.11	0.00624m (20112024)	
432217.81	3721121.86	0.00692m (20112024) 432214.66
3721047.45	0.00805m (20112024)	
432280.04	3721039.78	0.00711m (20112024) 432195.26
3720984.32	0.00977m (20112024)	
432188.05	3720943.73	0.01099m (20112024) 432243.97
3720808.89	0.01276m (21011024)	
432150.62	3720733.13	0.02410m (20112324) 432249.83
3720693.00	0.01638m (21011024)	
432206.99	3720559.06	0.02518m (21011024) 432232.69
3720348.46	0.01483m (21012524)	
432180.38	3720350.72	0.01918 (18020124) 432183.09
3720281.27	0.01492 (18020124)	
432236.75	3720646.55	0.01895m (21011024) 432042.84
3720348.46	0.03712 (18120924)	
431941.37	3720348.46	0.04941m (21011224) 431888.61
3720357.48	0.04773m (21011224)	
431923.34	3720345.30	0.04972m (21011224) 431907.10
3720352.52	0.05001m (21011224)	
431851.18	3720360.64	0.04270m (21011224) 431852.21
3720441.91	0.04842m (21011224)	
431852.07	3720489.04	0.06503m (21011224) 431845.13
3720523.74	0.08015m (21011024)	
431823.30	3720473.86	0.05040m (21010924) 431823.88

3720457.81 0.04707m (21010924)  
 431793.30 3720942.34 0.02014m (20112524) 431690.56  
 3720987.19 0.01404m (20112524)  
 \*\*\* AERMOD - VERSION 24142 \*\*\* C:\Users\adadabhoj\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\* 02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*  
 \*\*\* 11:15:51

PAGE 10

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2  
 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10  
 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18  
 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 , VOL26  
 , VOL27 , VOL28 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_2.5 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)
431680.98	3720921.25	0.01890m (20112524)	432011.44
3720873.33	0.02349m (20112324)		
432052.07	3720849.95	0.02320m (20112324)	432084.66
3720824.64	0.02302m (20112324)		
432095.01	3720762.16	0.02886m (20112324)	432127.98
3720889.43	0.01580m (20112024)		
432095.77	3720936.20	0.01448m (20112024)	431860.12
3720941.68	0.01901m (20112324)		
431774.93	3721018.65	0.01248m (20112524)	431864.43
3720908.43	0.02382m (20112324)		
431846.93	3720964.64	0.01665m (20112324)	431144.82
3719945.78	0.00789 (18013024)		
431157.20	3719933.07	0.00805 (19121824)	431994.43
3719146.82	0.00275 (21020224)		
431999.70	3719120.50	0.00266 (21020224)	434516.47
3720617.48	0.00134 (18122524)		
434406.06	3720633.41	0.00133 (18122524)	

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      11:15:51

PAGE 11

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 24-HR

RESULTS \*\*\*

\*\* CONC OF PM<sub>2.5</sub>    IN MICROGRAMS/M\*\*3

\*\*

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE CONC OF TYPE	NETWORK GRID-ID	DATE	RECEPTOR
			(YYMMDDHH)	
-----				

ALL      HIGH    1ST HIGH VALUE IS      0.11088m ON 21010924: AT ( 431824.47,  
 3720637.57,    107.74,    110.43,    2.00) DC

\*\*\* RECEPTOR TYPES:    GC = GRIDCART  
                                  GP = GRIDPOLR  
                                  DC = DISCCART  
                                  DP = DISCPOLR

^ \*\*\* AERMOD - VERSION 24142 \*\*\*      \*\*\* C:\Users\adadabhoy\Desktop\AERMOD\16380  
 Terravita\16380 Terravita.is \*\*\*      02/28/25  
 \*\*\* AERMET - VERSION 22112 \*\*\*      \*\*\*  
                                  \*\*\*      11:15:51

PAGE 12

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of                    0 Fatal Error Message(s)  
 A Total of                    41 Warning Message(s)  
 A Total of                    471 Informational Message(s)  
  
 A Total of                    43824 Hours Were Processed  
  
 A Total of                    92 Calm Hours Identified

A Total of 379 Missing Hours Identified ( 0.86 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*

ME W186	131	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187	131	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
CN W732	1176	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2017021824		
CN W732	10368	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2018030824		
CN W732	12408	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2018060124		
CN W732	22848	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2019081024		
CN W732	28032	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031324		
CN W732	28056	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031424		
CN W732	28080	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031524		
CN W732	28104	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020031624		
CN W732	28512	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040224		
CN W732	28536	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040324		
CN W732	28632	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020040724		
CN W732	28944	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020042024		
CN W732	33024	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020100724		
CN W732	33096	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020101024		
CN W732	33888	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111224		
CN W732	34032	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111824		
CN W732	34080	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112024		
CN W732	34104	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112124		
CN W732	34128	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112224		

CN W732	34152	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112324		
CN W732	34176	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112424		
CN W732	34200	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112524		
CN W732	34680	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020121524		
CN W732	34824	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020122124		
CN W732	35280	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021010924		
CN W732	35304	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011024		
CN W732	35328	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011124		
CN W732	35352	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011224		
CN W732	35616	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012324		
CN W732	35640	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012424		
CN W732	35664	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012524		
CN W732	36816	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021031424		
CN W732	37200	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021033024		
CN W732	37296	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021040324		
CN W732	38760	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021060324		
CN W732	39888	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021072024		
CN W732	40920	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021090124		
CN W732	41808	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100824		
CN W732	41832	AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100924		

\*\*\*\*\*  
\*\*\* AERMOD Finishes Successfully \*\*\*  
\*\*\*\*\*

